

ÉIRE

ROINN RIAGHALTAIS AITEAMHAIL AGUS SLAINTE POIBLIDHE
(Department of Local Government and Public Health.)

TUARASGABHÁIL AN ÁRD-CHLÁRADÓRA

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

1941.



DUBLIN:


PUBLISHED BY THE STATIONERY OFFICE.

To be purchased directly through the
GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN,
or through any bookseller.

1942

Price 2/6.

(P. No 5518.)



CONTENTS.

PART I.—TEXT.

REPORT :—

INTRODUCTORY REMARKS	Page vii
GENERAL SUMMARY	vii

MOVEMENT OF POPULATION :

Estimated population, natural increase, emigration and immigration	...	ix
--	-----	----

MARRIAGES :

Number, mode of celebration and rate	x
Conjugal condition of persons married	x
Marriage rates for counties, county boroughs and provinces	xi
Marriage rates in Northern Ireland and Scotland	xi
Marriage rates by quarters	xi
Minors	xii
Re-marriages	xii
Licences for marriage	xii
Buildings registered for the solemnisation of marriage	xii

BIRTHS :

Number and rate	xiii
Birth rates in Northern Ireland, England and Wales, and Scotland	xiii
Rates by counties	xiii
Illegitimate births	xiii
Registration of births under Legitimacy Act (1931)	xiv
Proportion of male to female births	xiv
Births by quarters	xiv
Multiple births	xiv

REPORT—continued.

DEATHS :								Page
Number and rate	xv
Death rates in Northern Ireland, England and Wales, and Scotland	xv
Deaths by quarters	xvi
Deaths in institutions	xvi
Uncertified deaths	xvi
Inquests	xvi

Causes of Death :

General observations	xvi
Principal causes	xviii
Tuberculosis	xx
Influenza	xxiii
Cancer	xxv
Other general diseases	xviii
Circulatory, respiratory diseases, etc.	xviii
Childbirth	xviii
Violence	xxxi
Ages at death	xxxi
Infant mortality	xxxii

DIAGRAMS.

No. 1.	Birth, death and marriage rates in Éire, Northern Ireland, England and Wales, and Scotland	vi
No. 2.	Death rates from diphtheria in Éire, Northern Ireland, England and Wales, and Scotland	xix
No. 3.	Death rates from tuberculosis in Éire, Northern Ireland, England and Wales, and Scotland	xxii
No. 4.	Death rates from influenza in Éire, Northern Ireland, England and Wales, and Scotland	xxiv
No. 5.	Death rates from cancer in Éire, Northern Ireland, England and Wales, and Scotland	xxix
No. 6.	Infant mortality in Éire, Northern Ireland, England and Wales, and Scotland	xxxiii

PART II.—TABLES.

TABLE No.	1.	Estimated population, 1801-1941	2
„	2.	Ages of the population, by sexes, at each census 1851-1936— number and proportion per cent.	3-5
„	3.	Number of marriages, births and deaths, and natural increase, 1864-1941	6
„	4.	Annual marriage, birth and death rates, infant mortality and natural increase, 1864-1941	7
„	5.	Marriages, births, and deaths, by quarters, 1930-1941	8
„	6.	Deaths (numbers and rates) by causes, 1864-1910	9

PART II.—TABLES—*continued*.

TABLE No.		Page
6A.	Deaths (numbers and rates), by causes, 1911-1939	10
7.	„ „ „ in Éire and Northern Ireland, 1940 & 1941	11
8.	„ „ „ by sexes and ages, 1864-1941	12-14
9.	Infant mortality rate, by causes, 1930-1941	15
10.	„ „ by causes and ages	16
11.	„ „ rate, by causes in certain urban areas and aggregate rural areas	17
12.	„ „ illegitimate infants, by causes and ages	18
13.	„ „ illegitimate infants, by counties	19
14.	Marriages, births and deaths, by counties and county boroughs ...	20
15.	Marriage, birth and death rates, by counties and county boroughs	21
16.	Births and deaths in principal towns and aggregate urban and rural areas	22
17.	Birth rates and death rates in principal towns and aggregate urban and rural areas	23
18.	Births and deaths in each urban area	24-27
19.	Birth rates and death rates in aggregate urban and rural areas, 1911-1941	28

PART III.—ABSTRACTS.

ABSTRACT I.	Marriages, births (distinguishing illegitimate births), and deaths registered in administrative areas	30-37
„ II.	Marriages registered in administrative areas	38-39
„ III.	Total births and deaths by sexes, and ages at death, by administrative areas	40-42
„ IV.	Causes of death (intermediate and detailed international lists), by sexes and ages	44-61
„ V.	Causes of death (short list), by sexes, ages and places of occurrences for each administrative area (as under) :—	64-135

	Page		Page		Page
Éire	... 64	Dublin Co.	... 70	Meath	... 84
		Dublin City	... 72	Monaghan	... 134
Leinster	... 66	Galway	... 118	Offaly	... 86
Munster	... 94	Kerry	... 102	Roscommon	... 124
Connaught	... 116	Kildare	... 74	Sligo	... 126
Ulster (part of)	... 128	Kilkenny	... 76	Tipperary N.R.	108
		Leitrim	... 120	Tipperary S.R.	110
Carlow	... 68	Laoighis	... 78	Waterford Co.	... 112
Cavan	... 130	Limerick Co.	... 104	Waterford Co.	
Clare	... 96	Limerick Co. Boro'	106	Boro'	... 114
Cork Co.	... 98	Longford	... 80	Westmeath	... 88
Cork Co. Boro'	... 100	Louth	... 82	Wexford	... 90
Donegal	... 132	Mayo	... 122	Wicklow	... 92


ABSTRACT VI.	Causes of death in thirteen principal towns	136-7
--------------	--	-------

APPENDIX I.	Alterations in boundaries of Registrars' Districts— ...	138
APPENDIX II.	Number of searches at the General Register Office during the years 1864-1941, with the amounts of fees received ...	139
APPENDIX III.	Cases of infectious diseases notified to Department of Local Government and Public Health during 1941	140-144

DIAGRAM No. 1. Birth, Death and Marriage Rates, 1927 to 1941.

ÉIRE	ENGLAND & WALES
NORTHERN IRELAND	SCOTLAND

RATE PER 1,000 OF POPULATION.



REPORT OF THE REGISTRAR-GENERAL FOR THE YEAR 1941.

DO'N AIRE RIAGHALTAIS AITEAMHAIL AGUS SLÁINTE POIBLIDHE.

Tá sé d'onóir agam a chur faoi do bhraghaid Tuarasgabháil ar Beireatasáí, Básanna agus Pósanna cláruighthe san mBliadain 1941.

SÉAMUS HURSON,

Mí na Nodlag 1942.

Árd-Chláradóir.

NOTE.—In this Report births have been assigned to the districts containing the normal residence of the parents and deaths to the districts in which the normal residence of the deceased persons was situated. The deaths of 143 non-residents of Éire registered during 1941 have been excluded from this Report.

GENERAL SUMMARY.

During the year 1941 the number of marriages recorded was 191 less than that for 1940 ; the number of births increased by 186 and the number of deaths by 1,912 when compared with the corresponding figures for the preceding year.

Marriages.—The marriages registered during the year 1941 numbered 15,021, compared with 15,212 for the previous year, and an annual average figure of 14,359 for the decennial period ended with 1940. The rates per 1,000 of the population for the years 1941 and 1940 were 5·02 and 5·14 respectively, while the annual average rate for the period 1931-1940 was 4·86.

In Northern Ireland the rate per 1,000 for 1941 was 9·27 ; in England and Wales it was 9·35 ; and in Scotland 9·53.

Births.—The births registered during the year 1941 amounted to 56,780, an increase of 186 when compared with the figure for the year 1940. The average annual number for the decennial period 1931-1940 was 57,105. The rate for 1941 was 18·97 ; for 1940 it was 19·13 ; and for the period 1931-1940 the average rate was 19·34.

The rate in Northern Ireland for 1941 was 20·83 ; in England and Wales it was 14·2 ; and in Scotland, 17·92.

The number of illegitimate births recorded was 1,975, equivalent to a rate of 3·48 per cent. of the total births, as compared with 3·22 for 1940. The corresponding percentage for 1941 in Northern Ireland was 4·82 ; and in Scotland, 6·58.

Deaths.—During the year 1941 the number of deaths registered was 43,797, a figure which is 1,912 more than the number for 1940 and is 1,956 over the average annual number for the years 1931-1940. The rate per 1,000 of the population for the year 1941 was 14·63, compared with 14·16 for 1940 and 14·17 for the decennial period ended with the year 1940.

In Northern Ireland the death rate for 1941 was 15·21 ; in England and Wales it was 12·9 ; and in Scotland the rate was 14·49.

Of the deaths registered, 21·3 per cent. were stated to be due to heart disease, 8·7 to cancer, 8·5 to tuberculosis (all forms), 6·2 to intra-cranial lesions, 4·4 to bronchitis, and 4·3 to pneumonia.

There were 3,711 deaths from all forms of tuberculosis recorded during the year 1941. This figure is 26 more than that for 1940 and 141 above the average for the decennial period from 1931 to 1940. The figure for the year 1938 was the lowest yet recorded. The rate per 1,000 of the population for 1941 was 1·24 ; for 1940 the rate was 1·25, and for the decennial period 1931-1940 the rate was 1·21.

Deaths from cancer (all forms) numbered 3,790; this figure is 17 above the figure for 1940 and 260 above the annual average number for the period from 1931 to 1940. The rate per 1,000 of the population for the year 1941 was 1·27, and that for 1940 was 1·28.

During the year 1941 the number of deaths recorded as due to diseases of pregnancy, childbirth and the puerperal state was 182. This figure is equivalent to a rate of 3·21 per 1,000 births, compared with an average of 4·21 in the preceding ten years. The corresponding rate for urban areas was 2·55 per 1,000 births, and for rural areas, 3·59, as compared with 2·76 and 4·24 respectively, for the year 1940.

There were 4,175 deaths of infants under one year of age registered during the year. This figure is 416 above that for the year 1940, and is equivalent to a rate of 74 per 1,000 births, compared with a rate of 66 for the preceding year. The rates per 1,000 births for urban and rural areas were 99 and 58 respectively in 1941, and 85 and 55 in 1940.

Among legitimate infants the rate of mortality was 68 per 1,000 births, and among illegitimate it was 239. The legitimate infant mortality rate for Northern Ireland was 71 and the illegitimate, 182; and for Scotland 80 and 129 respectively.

The number of deaths registered as caused by violence was 953. Included in this figure are 90 due to suicide, 18 to homicide, 38 to war operations, 2 to execution, and 805 to accidental or unspecified violent causes. During the previous year there were 99 suicidal, 13 homicidal and 955 other violent deaths. The number of accidental deaths registered during 1941 as attributable to road traffic was 170, compared with 210 for the previous year.

Issue of Authority for Registration.—Births and deaths which have not been registered within one year of their occurrence can only be registered on the authority of the Registrar-General. During 1941 authority was issued for the registration of 1,095 births and 160 deaths.

Vaccinations.—The number of successful primary vaccinations for the year 1941 recorded by the registrars was 29,298, equivalent to 51·6 per cent. of the total births registered. The number for 1940 was 26,834 or 47·4 per cent.

Searches and Certificates.—During the year 1941 the number of searches made in the records of marriages, births and deaths in this office in respect of which fees were received was 29,601, the certificates issued numbered 16,227, and the amount of fees received was £4,243. In the year 1940 the corresponding figures were as follows:—Searches, 33,704, certificates, 18,570, and fees, £4,818.

TABLE A.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1931-41, with the rates per 1,000 of the estimated population represented thereby, and similar particulars relating to Northern Ireland for the year 1941.

YEARS.	Estimated Population* in the middle of each year.	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.
1931	2,933,000	13,133	57,086	42,947	4·48	19·46	14·64
1932	2,949,000	13,029	56,240	42,984	4·42	19·07	14·58
1933	2,962,000	13,992	57,364	40,539	4·72	19·37	13·69
1934	2,971,000	14,251	57,897	39,083	4·80	19·49	13·15
1935	2,971,000	14,336	58,266	41,543	4·83	19·61	13·98
1936	2,967,000	14,763	58,115	42,586	4·98	19·59	14·35
1937	2,948,000	14,780	56,488	45,086	5·01	19·16	15·29
1938	2,937,000	14,893	56,925	40,041	5·07	19·38	13·63
1939	2,934,000	15,204	56,070	41,717	5·18	19·11	14·22
1940	2,958,000	15,212	56,594	41,885	5·14	19·13	14·16
Yearly Average, 1931-1940 ...	2,953,000	14,359	57,105	41,841	4·86	19·34	14·17
1941	2,993,000	15,021	56,780	43,797	5·02	18·97	14·63
NORTHERN IRELAND, 1941.							
1941	1,291,000	11,966	26,887	19,640	9·27	20·83	15·21

* See page 2.

POPULATION.

It is estimated that the population of Eire at the middle of the year 1941 was 2,993,000. The number of males was estimated to be 1,533,000, and the number of females 1,460,000. These figures are based on the result of the Census of 1936, the natural increase (excess of births over deaths), and the balance of the passenger movement (including emigration and immigration). The population in 1936, according to the report on the Census for that year was 2,968,420—males 1,520,454, and females 1,447,966, and according to the Register of Population the population in November 1941 was 2,989,700—of which 1,512,170 were males and 1,477,530 females.

In Table I, the estimated population for each of the years 1851 to 1941 is given.

TABLE B.—The average excess of births over deaths during the period 1864 to 1871, during each intercensal period between 1871 and 1926, and for each of the years 1927-1941, with the rate per 1,000 of the population, and the balance of the passenger movement from 1927 to 1941.

Intercensal Period, &c.	Excess of Births over Deaths (Natural Increase)		Balance of Passenger Movement (including Migration). Outwards (—); Inwards (+)	
	Number	Per 1,000 of Population	Number	Per 1,000 of Population
1864-71	39,603	9.5	—	—
1871-81	31,855	8.1	—	—
1881-91	19,600	5.4	—	—
1891-1901	14,954	4.5	—	—
1901-11	17,940	5.6	—	—
1911-26	15,820	5.1	—	—
Year 1927	16,377	5.5	—25,816	— 8.7
„ 1928	17,384	5.9	—25,072	— 8.5
„ 1929	15,289	5.2	—21,863	— 7.4
„ 1930	16,651	5.7	—13,722	— 4.7
„ 1931	14,139	4.8	+ 658	+ 0.2
„ 1932	13,256	4.5	+ 6,515	+ 2.2
„ 1933	16,825	5.7	— 2,615	— 0.9
„ 1934	18,814	6.3	—11,002	— 3.7
„ 1935	16,723	5.6	—14,345	— 4.8
„ 1936	15,529	5.2	—21,539	— 7.3
„ 1937	11,402	3.9	—29,716	—10.1
„ 1938	16,884	5.7	—21,335	— 7.3
„ 1939	14,353	4.9	+12,642	+ 4.3
„ 1940	14,709	5.0	+ 4,368	+ 1.5
„ 1941	12,983	4.3	—21,386	— 7.1

The following Table gives the number of emigrants and their destinations in 1941 as compared with the nine years preceding :—

TABLE C.—EMIGRANTS to and IMMIGRANTS from places out of Europe and not within the Mediterranean Sea, together with the destinations of Emigrants during each of the years 1932-1941.

YEAR	Number of Emigrants by Destinations								Number of Immi-grants.
	United States	Canada	Australia	New Zealand	Union of South Africa	India	Other Countries	Total all Destinations	
1932	315	86	178	20	72	72	128	871	5,044
1933	422	62	187	33	44	95	132	975	3,192
1934	550	88	142	32	82	96	188	1,178	2,229
1935	481	78	207	31	52	98	191	1,138	2,144
1936	534	63	316	23	99	102	225	1,362	2,094
1937	604	68	209	62	116	97	186	1,342	1,709
1938	1,213	100	207	105	72	76	198	1,971	1,697
1939*	925	34	68	70	32	25	67	1,221	1,057
1940*	487	487	.
1941*

* The number of migrants through British ports since the 30th June, 1939, is not available.

MARRIAGES.

Number and Rate.—There were 15,021 marriages registered during the year 1941. This figure is 191 less than that for 1940, which was the highest on record since 1923, in which year 15,632 marriages were registered. The lowest figure recorded since 1923 was in the year 1932, when the number fell to 13,029. The number rose to 13,992 in 1933, and a further increase was shown for each of the years 1934 to 1940. In the latter year 15,212 marriages were recorded. The annual rates per 1,000 of the population for the period 1934 to 1939 were as follows:—4·80, 4·83, 4·98, 5·01, 5·07 and 5·18. The rate for 1940 was 5·14 and for the year 1941 it was 5·02, a rate which is 0·16 above the average rate for the decennial period 1931 to 1940.

Modes of Celebration.—The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church during the year 1941 amounted to 14,061 (equal to 93·6 per cent. of the total), and other marriages numbered 960. The number of Catholic marriages is 191 less than that for 1940, and the number of all other marriages is equal to the figure for the preceding year. In the year 1941 the number of marriages other than Catholic recorded include 668 celebrated according to the rites and ceremonies of the Protestant Episcopal Church; 160 in Presbyterian meeting-houses; 66 in registered buildings belonging to various other religious denominations; 55 by civil contract in the registrars' offices; 2 according to the usages of the Society of Friends, and 9 according to the Jewish rites. Comparing these figures with those for 1940, the number according to the rites and ceremonies of the Protestant Episcopal Church shows a decrease of 13; in Presbyterian meeting-houses an increase of 13; in registered buildings a decrease of 9; in the registrars' offices an increase of 6; in the case of the Society of Friends a decrease of 3; and an increase of 6 according to Jewish rites.

At the Census of 1936, Catholics represented 93·4 per cent. of the population, Protestant Episcopalians 4·9 per cent., Presbyterians 1·0, Methodists 0·3, and all other denominations 0·4.

The number of Catholic marriages recorded during 1941 is equal to a rate of 5·03 per 1,000 of the estimated Catholic population, a rate which is 0·13 above the average rate for the preceding ten years, and the rate for all other marriages was 4·86 per 1,000 of all persons other than Catholics in the population, or 0·45 above the average. Corresponding rates for each year from 1931 to 1940 are shown in Table D below. It must be borne in mind that the rates for the years 1931 to 1935 have been calculated on the proportion of Catholics and of person other than Catholics in the population according to the Census of 1926, and for the years 1936 to 1941 on the proportion according to the Census of 1936.

TABLE D.—MARRIAGES registered in 1941 and in each of the previous ten years, according to the MODES OF CELEBRATION; with the rate per 1,000 of the population represented by Catholic and all other marriages.

YEARS	Marriages registered other than Catholic							Catholic Marriages	Total Marriages Registered	Rate per 1,000 of estimated corresponding Population represented by		
	Protestant Episcopal	Presbyterian	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews	Total			Catholic Marriages	All other Marriages	Total Marriages
1931 ...	652	126	56	65	.	6	905	12,228	13,133	4·50	4·17	4·48
1932 ...	584	121	65	71	3	8	852	12,177	13,029	4·46	3·90	4·42
1933 ...	646	119	51	70	2	11	899	13,093	13,992	4·77	4·10	4·72
1934 ...	562	125	65	56	2	10	820	13,431	14,251	4·88	3·73	4·80
1935 ...	636	118	47	72	1	8	882	13,454	14,336	4·89	4·01	4·83
1936 ...	660	134	59	64	4	8	929	13,834	14,763	4·99	4·74	4·98
1937 ...	718	139	46	59	2	8	972	13,808	14,780	5·01	5·00	5·01
1938 ...	680	128	54	49	4	9	924	13,969	14,893	5·09	4·77	5·07
1939 ...	660	132	59	52	4	15	922	14,282	15,204	5·21	4·76	5·18
1940 ...	681	147	75	49	5	3	960	14,252	15,212	5·16	4·92	5·14
Yearly Average 1931-40	648	129	57	60	3	9	906	13,453	14,359	4·90	4·41	4·86
1941 ...	668	160	66	55	2	9	960	14,061	15,021	5·03	4·86	5·02

Conjugal Condition.—In Abstract II, pages 38 and 39, particulars regarding the marriages recorded by counties, and the conjugal condition of the parties married, etc., are given. The figures relating to conjugal condition show that marriages between bachelors and spinsters constitute 94·5 per cent. of the total marriages; those of widowers and spinsters, 3·6 per cent.; bachelors and widows, 1·2 per cent.; and those of widowers and widows, 0·7 per cent. Of the men married, 4·3 per cent. were widowers, and of the women, 1·9 per cent. were widows, or in 62 instances in every 1,000 marriages, one or both of the contracting parties had been married before. The corresponding figures for 1940 were:—widowers, 4·7 per cent., and widows 1·8 per cent. In Table F similar figures from the year 1931 are shown.

TABLE E.—MARRIAGE RATES (per 1,000 of the population) for counties, county boroughs and provinces, for the year 1941, together with comparative figures for the periods 1925 to 1927 and 1935 to 1937, inclusive.

Counties, &c.	Marriages per 1,000 of Population			Counties, &c.	Marriages per 1,000 of Population		
	Annual Average 1925-7	Annual Average 1935-7	Year 1941		Annual Average 1925-7	Annual Average 1935-7	Year 1941
EIRE	4.58	4.94	5.02	Kerry	4.18	3.93	4.03
Carlow	4.30	4.96	4.83	Limerick	3.61	3.67	3.91
Dublin	5.43	6.66	6.08	Limerick Co. Borough ...	9.36	8.50	8.04
City of Dublin	7.57	7.44	7.04	Tipperary N.R.	4.53	4.55	4.44
Kildare	3.91	4.68	4.54	Tipperary S.R.	3.80	4.00	4.42
Kilkenny	3.92	4.26	5.62	Waterford	4.11	4.35	4.68
Laoighis	3.35	3.23	3.89	Waterford Co. Borough ...	4.89	5.26	6.25
Longford	4.39	3.75	4.18	Munster	4.41	4.49	4.65
Louth	3.99	5.18	5.15	Galway	3.65	4.04	3.91
Meath	3.48	5.15	4.28	Leitrim	4.37	3.99	3.86
Offaly	4.28	4.40	5.04	Mayo	3.78	3.48	4.20
Westmeath	4.01	3.98	5.58	Roscommon	3.97	3.79	3.65
Wexford	4.36	4.70	1.46	Sligo	4.34	4.26	3.70
Wicklow	3.97	4.63	4.61	Connaught	3.90	3.85	3.93
Leinster	5.22	5.84	5.77	Cavan	4.27	4.21	4.46
Clare	3.55	3.67	3.68	Donegal	3.68	4.68	5.05
Cork	3.53	3.61	3.89	Monaghan	3.94	4.03	4.99
Cork Co. Borough	8.21	8.67	8.48	Ulster (pt. of)... ...	3.90	4.41	4.88

Rates for Counties, etc.—In making a comparison of the marriage rates for each of the counties and county boroughs it must be borne in mind that the rates are based on the total number of marriages recorded in each area irrespective of the fact that the persons married may not be residents of the area in which the marriage took place. An examination of the returns of marriages proves that many persons living in the rural portions of the country are married in the county boroughs and urban areas. This fact accounts in some measure for the high rates for the county boroughs. In County Cork borough the rate was 8.48 per 1,000; in Limerick 8.04; in Dublin 7.04; and in Waterford 6.25. The rate for Dublin county (exclusive of the county borough) was 6.08 per 1,000. The highest rates for the remaining areas were Kilkenny, 5.62; Westmeath, 5.58; Louth, 5.15; Donegal, 5.05 and Offaly, 5.04. The lowest rates were recorded in Roscommon, 3.65; Clare, 3.68; Sligo, 3.70; Leitrim, 3.86; and Laoighis and Cork (exclusive of the county borough) each 3.89.

In the provinces the highest rate was 5.77 for Leinster, followed by 4.88 for Ulster (part of); 4.65 for Munster; and 3.93 for Connaught. The corresponding rates for 1940 were 5.93 for Leinster; 4.44 for Ulster (part of); 4.93 for Munster; and 3.97 for Connaught.

In Northern Ireland the rate for the year 1941 was 9.27, in England and Wales 9.35, and in Scotland 9.53 as compared with 5.02 for Eire. In the year 1940 the rates were:—Northern Ireland 7.56, England and Wales 11.3, Scotland, 10.62, and Eire, 5.14 per 1,000.

Marriages in each Quarter.—The number of marriages is shown in Table 5 by quarters for each of the years 1931–1941, and also the average number and rate for the ten years 1931 to 1940, and the rate for the year 1941. In the first quarter of 1941 the rate per 1,000 of the population was 4.7, in the second 4.9, in the third 5.6, and in the fourth 4.9. The corresponding figures for the year 1940 were 4.7 for the first quarter, 5.1 for the second, 6.2 for the third, and 4.5 for the fourth quarter.

In the same Table the number of Catholic marriages and marriages other than Catholic recorded for each quarter of the year is given, and the equivalent rate per 1,000 of the population, together with the average figures and rates for the decennial period from 1931 to 1940.

In the case of Catholic marriages, 24 per cent. were recorded in the first quarter, 24 per cent. in the second, 28 per cent. in the third, and 24 per cent. in the last quarter. For other marriages the percentages were 17, 27, 33 and 23 in the corresponding quarters of the year.

TABLE F.—Proportion of PERSONS MARRIED NOT OF FULL AGE, and of RE-MARRIAGES during the years 1931 to 1941.

YEAR	Total Marriages	Persons not of Full Age		Re-Marriages	
		of 100 Men Married	of 100 Women Married	Widowers	Widows
				of 100 Men Married	of 100 Women Married
1931	13,133	1.52	7.33	6.31	3.02
1932	13,029	1.73	7.71	5.73	2.87
1933	13,992	1.62	7.53	5.20	2.22
1934	14,251	1.82	7.82	5.90	2.61
1935	14,336	1.43	7.64	4.95	2.43
1936	14,763	1.35	7.00	5.05	2.30
1937	14,780	1.42	6.84	5.07	2.20
1938	14,893	1.36	7.22	5.20	2.19
1939	15,204	1.47	7.39	4.84	1.82
1940	15,212	1.70	8.20	4.65	1.85
1941	15,021	1.84	7.96	4.27	1.90

Age at Marriage.—The Schedules to the Acts relating to marriage indicate that the law does not require that the ages of the contracting parties should be entered in the register or certificate. All that is necessary is that each party should be described as “ of full age ” or “ minor ” as the case may be, so that a complete record of the ages of the persons married is not available.

In the Province of Leinster the proportion of husbands in 1941 who married under age was 2.3 per cent.; in Munster 1.7; in Ulster (part of) 1.2; and in Connaught 0.9 per cent. In the case of females married the proportion who were minors in Leinster was 9.3, in Ulster (part of) 9.0, in Munster 7.1, and in Connaught 4.5 per cent. The corresponding percentages for the country as a whole were 1.8 for husbands and 8.0 for wives.

The proportion per cent. of males married in Northern Ireland in 1941 who were under age was 5.2, and of females 19.2.

Licences for Marriage.—During the year 1941 the number of licences issued by the registrars for marriages in registered buildings and in the registrars’ offices was 116. On 31st December, 1941 the number of such registrars of marriages authorised to grant licences for marriage was 77.

Marriage licences issued by licensing ministers of the Protestant Episcopal Church amounted to 508. The number of licensing ministers on the 31st December, 1941 was 145.

The number of licences for marriages issued by the licensing ministers of the Presbyterian bodies in Eire during the year 1941 was 130. The number of licensing ministers on the 31st December, 1941, was 49, of whom 47 were of the General Assembly and 2 of the United Presbytery or Synod of Munster.

Buildings in which Marriages may be solemnised.—The law does not require this office to keep a register of the churches and chapels of the Catholic Church in which marriages may be solemnised. In the case of the other religious denominations the records in this office show that 1,049 churches and chapels of the Protestant Episcopal Church were, on the 31st December, 1941, licensed for the solemnisation of marriages, 144 Presbyterian meeting houses (142 General Assembly and 2 United Presbytery or Synod of Munster), and 164 separate buildings belonging to various other religious denominations were registered for the solemnisation of marriages. The several religious bodies to whom the 164 separate buildings belong are shown in the following list:—

Denominations	No. of Places of Worship	Denominations	No. of Places of Worship
Methodists	126	Salvation Army	2
Reformed Presbyterians	5	Seceders	2
Baptists	8	“ Undenominational ”	6
Independents or Congregationalists	5		
Christian Brethren	9		
Moravians or United Brethren ...	1		
		TOTAL	164

BIRTHS.

The births registered during the year 1941 numbered 56,780, a figure which is 186 more than that for the year 1940, but 325 less than the number recorded during the decennial period from 1931 to 1940. The numbers registered in each of the years 1937 to 1940 were 56,488, 56,925, 56,070 and 56,594, respectively.

The annual rate per 1,000 of the population represented by the number of births recorded during the year 1941 was 18·97 and for 1940 it was 19·13 per 1,000. In the years 1937, 1938 and 1939 the rates were 19·16, 19·38 and 19·11, respectively.

In Tables 3 and 4 the number of births registered are shown and the rate per 1,000 of the population represented thereby for the period 1864 (in which year the act for the registration of births became operative) to 1870, each decennial period from 1871 to 1930, and each year since 1931. In the period from 1864 to 1870 the rate was 25·79 per 1,000 and in the period from 1871 to 1880 the annual average rate was 26·31, falling gradually to 20·21 for the decennial period 1921-30. During the period 1931 to 1940 the highest rate recorded was 19·61 for 1935, and the lowest 19·07 for the year 1932.

The following table shows the birth-rate for Éire, Northern Ireland, England and Wales, and Scotland for each of the years 1932 to 1941 :—

Years				Éire	Northern Ireland	England and Wales	Scotland
1932	19·1	19·9	15·3	18·6
1933	19·4	19·4	14·4	17·6
1934	19·5	19·4	14·8	18·0
1935	19·6	19·2	14·7	17·8
1936	19·6	20·2	14·8	17·9
1937	19·2	19·8	14·9	17·6
1938	19·4	20·0	15·1	17·7
1939	19·1	19·5	14·9	17·4
1940	19·1	19·6	14·6	17·1
1941	19·0	20·8	14·2	17·9

Rates for Counties, etc.—The birth rates for the provinces, counties, county boroughs and urban and rural areas are given in Tables 15 and 17. For the province of Leinster the rate was 20·31, for Munster 18·06, for Connaught 17·76, and for Ulster (part of) 18·35, as compared with 20·92, 18·15, 17·26 and 17·46, respectively, for 1940. Comparing the rates for the years 1940 and 1941, it will be seen that while the rate for Leinster has decreased by 0·61, and that for Munster by 0·09, the rates for the provinces of Connaught and Ulster show increases of 0·50 and 0·89, respectively.

In Table 15 it appears that high rates were recorded in the county borough areas, viz., Dublin 23·10; Cork, 22·84; Limerick, 23·68 and Waterford, 21·52 per 1,000. The highest rates in the counties were Galway, 20·40; Louth, 20·34; Wexford, 19·49, and Wicklow, 19·40. On the other hand, the lowest rates recorded were Roscommon, 14·32; Leitrim, 15·35; Clare, 15·86, and Sligo, 15·93.

The birth-rates for the total urban areas were 21·96 and 21·71, respectively, in the years 1941 and 1940, an increase of 0·25 per 1,000, while the corresponding rural rates were 17·76 and 17·84, respectively, a decrease of 0·08 per 1,000. In Table 19 the birth-rates for the urban and rural areas are shown for a number of years.

Illegitimate Births.—The births registered during 1941 include 1,975 of illegitimate children, a figure which is 151 more than that for 1940. The number for 1941 is equivalent to a rate of 0·66 per 1,000 of the population, and a rate of 3·48 per cent. of the total births recorded. The respective rates for the previous year were 0·62 per 1,000 and 3·22 per cent.

In Northern Ireland for 1941 the rate per cent. of the total births was 4·82, and for Scotland 6·58.

The percentages, by provinces, are shown in the following statement for the years 1934-1941 :—

AREA	Illegitimate births—per cent. of total births.							
	1934.	1935.	1936.	1937.	1938.	1939.	1940.	1941.
Éire	3·51	3·34	3·28	3·21	3·30	3·18	3·22	3·48
Leinster ...	3·87	3·60	3·45	3·60	3·44	3·39	3·40	3·62
Munster ...	3·54	3·58	3·38	3·17	3·41	3·18	3·44	3·60
Connaught ...	2·06	1·75	2·02	1·86	2·16	1·93	1·93	2·32
Ulster (part of) ...	4·34	4·20	4·44	3·79	4·34	4·32	3·90	4·43

In Tables 14 and 15 the number of illegitimate births for the year 1941, and the proportion per cent. of the total births registered for each of the provinces, counties and county boroughs are given. The highest percentage of the total births registered were in the following counties: Waterford (excluding the county borough), 7·23; Wexford, 6·13; Kilkenny, 5·74; Limerick (excluding the county borough), 5·38; Cavan 5·15 and Meath 5·07. The counties with the lowest ratios were Cork county borough, 1·43; Roscommon, 2·01; Mayo and Sligo, each 2·04, and Waterford county borough, 2·12.

Legitimacy Act (1931).—The authority of the Registrar-General for the re-registration of births under the Legitimacy Act, 1931, was issued in 46 cases during the year 1941. The number of such cases for the preceding year was 74.

Proportion of Males to Females.—The number of male births registered in 1941 was 29,198 and of female births 27,582. The proportion between the sexes was 1,059 males to 1,000 females, a ratio which is 7 above the average for 1931 to 1940. In Northern Ireland for the year 1941 the proportion of males born alive to 1,000 females was 1,096, and in Scotland, 1,059.

Table 4 shows the proportion of male to female births in Eire for each of the years since 1931, and also the average rates since the year 1864.

The male children born in wedlock in 1941 numbered 28,191, and the female 26,614, or 1,059 males to every 1,000 females, and of the illegitimate children 1,007 were males and 968 females, or 1,040 boys to every 1,000 girls.

Births in each Quarter.—The number of births by sexes registered during each quarter of 1941 is shown in the following table:—

		1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males	...	7,053	7,579	7,819	6,747	29,198
Females	...	6,620	7,376	7,248	6,338	27,582
TOTAL	...	13,673	14,955	15,067	13,085	56,780

In Table 5 the number of births registered in each quarter of the years 1931 to 1941 is given, together with the rates for the year 1941 and the average rates for the previous decennial period. With the exception of the third quarter, which shows an increase of 0·2, the rates for the first, second and fourth quarters show decreases of 0·8, 0·2 and 0·6, respectively, when compared with the average.

Multiple Births.—The number of infants born alive in multiple births registered during 1941 was 1,254, consisting of 621 pairs of twins and 4 sets of triplets, as compared with 1,347 (660 pairs of twins and 9 sets of triplets) for the previous year. The twin children whose births were recorded during 1941 were 2·19 per cent. of the total number of infants whose births were registered, and the triplets 0·02. In 1940 these percentages were 2·33 and 0·05, respectively.

The number of mothers of living children whose births were registered during the year was 56,151. Of these, 55,526, or 98·89 per cent., gave birth to single infants, 621, or 1·10 per cent., to twins, and 4 or 0·01 per cent., to triplets.

The infants born in wedlock (54,805) included 53,583 single infants, 1,210 twin and 12 triplets, equivalent to, respectively, the ratios of 97·77 per cent., 2·21 per cent., and 0·02 per cent. of the total number of legitimate births.

Illegitimate infants included 1,943 single infants and 32 twin infants, equivalent, respectively, to 98·38 per cent., and 1·62 per cent. of the 1,975 illegitimate infants registered. In the year 1940 the illegitimate infants recorded included 1,800 single infants, 18 twin infants, and 6 triplet infants.

In the year 1941, the infants born alive in multiple births comprised 638 males and 616 females. Of the twin infants, 634 were males and 608 females, and the triplet infants included 4 males and 8 females.

It should be noted that the figures given above relate to live births, as stillbirths are not registered, and that, therefore, the birth of one living child and one stillborn, or one living child and two stillborn, is counted as a single birth, and the birth of two living children and one stillborn is counted as a twin birth.

DEATHS.

Number and Rate.—The number of deaths recorded during the year 1941 was 43,797, the males numbering 22,642 and the females 21,155. The total is 1,912 more than the number for 1940, and is 1,956 more than the average for the decennial period 1931 to 1940. In the year 1941 the deaths of males were 1,031 more, and the deaths of females 881 more than in the previous year.

The deaths registered in 1941 represent a rate of 14·63 per 1,000 of the population, compared with 14·16 for 1940, and an average of 14·17 for the ten years 1931 to 1940. The rates for males during each of the past three years was 14·35, 14·26 and 14·77, the corresponding ratios for females being 14·08, 14·05 and 14·49, respectively.

A comparison of the death rates since 1864 is shown in Table 4, and in Table 8 the rates, by sexes and ages for the same periods are given.

The death rates per 1,000 of the population for Eire, Northern Ireland, England and Wales, and Scotland for the years 1932 to 1941 are as follows :—

Years			Eire	Northern Ireland	England and Wales	Scotland
1932	14·6	14·1	12·0	13·5
1933	13·7	14·3	12·3	13·2
1934	13·2	13·7	11·8	12·9
1935	14·0	14·4	11·7	13·2
1936	14·4	14·4	12·1	13·4
1937	15·3	15·1	12·4	13·9
1938	13·6	13·7	11·6	12·6
1939	14·2	13·5	12·1	12·9
1940	14·2	14·6	14·0	14·9
1941	14·6	15·2	12·9	14·5

Rates for Counties, etc.—In Abstract I, pages 30 to 37, the number of deaths recorded for each county, county borough and superintendent registrar's district is shown. In Tables 15 and 17 rates are given for each of the provinces, counties and county boroughs and also for urban and rural areas. As will be seen from Table 15 the rates for the county boroughs were as follows :—Dublin, 13·98 ; Cork, 16·10 ; Limerick, 13·03 ; and Waterford, 15·62. The counties with the highest rates were :—Carlow, 16·72 ; Wexford, 16·64 ; Cavan, 16·05 ; Leitrim, 15·92 ; and Sligo, 15·79 per 1,000. The lowest rates were recorded for Dublin (exclusive of the county borough) 12·49 ; Kerry, 13·16 ; Galway, 13·68 ; Mayo, 13·98 ; and Kildare, 14·35 per 1,000.

During the year 1941, the rates represented by the deaths recorded for the aggregate urban and rural areas were respectively 14·68 and 14·79 per 1,000 compared with 14·26 and 14·11 for the preceding year. The figure for the urban areas in 1941 is 0·42 more, and that for the rural areas 0·68 more than the respective rates for the year 1940. A comparative statement of the rates for these areas for a series of years is given in Table 19.

Deaths in each Quarter.—The following statement shows the number of deaths of persons and of males and females registered during each quarter of the year 1941 :—

—		1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males	...	7,544	5,945	4,428	4,725	22,642
Females	...	7,109	5,367	4,251	4,428	21,155
TOTAL	...	14,653	11,312	8,679	9,153	43,797

Of the total deaths, 25,965, or 59·3 per cent., were registered during the first six months, and 17,832, or 40·7 per cent., in the second six months. The corresponding percentages for the preceding year were respectively, 56·9 and 43·1.

During the year 1941, the mortality was highest in the first quarter, in which the rate was 19·6 per 1,000 of the population. In the second quarter the rate was 15·1, in the third 11·6, and in the last quarter it was 12·2. In the preceding year the rates for the quarters were as follows :—first 18·1, second 14·2, third 11·4, and fourth 13·0.

The rates for each quarter of 1941 and the average figures for the previous ten years are given in Table 5. A comparison between the rates for 1941 and the average figure shows that in the first quarter there was an increase of 2·1 per 1,000, and in the second of 0·8; the rate for the third quarter was the same as the average, and in the fourth quarter there was a decrease respectively of 1·1 per 1,000, compared with the average for the previous ten years.

Deaths in Institutions.—In Abstract V information is given relating to deaths in institutions for the country as a whole, and for each province, county and county borough. Deaths occurring in general and special hospitals numbered 5,145, in mental hospitals, 1,356, in county homes and hospitals, etc., 8,138; and 29,158 occurred elsewhere, chiefly at the homes of the deceased. These figures are in the respective proportions of 11·7, 3·1, 18·6 and 66·6 per cent. of the total number of deaths.

These rates, when compared with the figures for earlier years, indicate an increasing tendency to avail of hospital and institutional treatment. In 1931 the percentages of deaths in the three classes of institutions were 8·7, 2·7 and 15·8, respectively, 72·8 per cent. dying at their own homes.

Uncertified Causes.—The number of cases in which the cause of death was not stated to have been certified by a medical practitioner or coroner was 6,894. This figure is equivalent to a rate of 15·7 per cent. of the total deaths registered during the year. The proportion for the previous year was 15·0 and the average percentage for the ten years from 1931 to 1940 was 17·8.

The majority of the uncertified deaths are recorded in rural districts, the percentage for these districts in 1941 being 22·1. In the urban areas the percentage was only 2·4.

Inquests.—The number of deaths registered on certificates issued by coroners as the result of inquests and post-mortem examinations during the year 1941 was 1,243, or one in every 35 deaths registered. The number of such deaths for the year 1941 include 849 cases in which inquests were held and 394 cases in which the death was registered on a certificate of the result of a post-mortem examination.

CAUSES OF DEATH.

The causes of the deaths of males and females registered during the year 1941 classified in accordance with the list adopted at the International Conference held at Paris in 1938 are published in Abstract IV. In Abstract V the causes of the deaths by age periods for each of the provinces, counties and county boroughs are given, and in Abstract VI the causes of the deaths for each of the principal towns are shown.

TABLE G.—Proportion of deaths from the principal causes at certain age-periods in 1941.

No.	CAUSES OF DEATH	PROPORTION PER 1,000 DEATHS AT EACH AGE-PERIOD										
		All Ages	Under 1	1-5	5-	15-	25-	35-	45-	55-	65-	75 & up
—	ALL CAUSES . . .	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
1	Typhoid fever (including paratyphoid).	1	.	.	4	3	4	5	1	1	.	.
2	Cerebro-spinal fever .	1	1	13	11	3	1	1
3	Scarlet fever . . .	1	1	5	17	3	1	1
4	Whooping cough . .	3	20	55	5
5	Diphtheria . . .	4	5	66	74	1	2	1	1	.	.	.
6	Tuberculosis of respiratory system.	66	1	14	88	475	427	272	123	39	8	1
7	All other forms of tuberculosis.	19	9	120	164	125	72	36	15	7	2	.
8	Dysentery
9	Influenza . . .	30	13	23	17	12	16	23	25	31	44	33
10	Measles . . .	2	5	42	15	1	2	1
11	Acute infectious encephalitis	1	.	3	3	1	3	2	2	.	.	.
12	Typhus	1	1
13	Cancer . . .	87	.	3	6	7	27	87	171	175	125	48
14	Diabetes mellitus . .	6	.	1	10	9	7	8	8	12	8	3
15	Intra-cranial lesions of vascular origin.	62	.	.	6	7	15	34	68	89	96	67
16	Diseases of the heart .	213	1	7	56	69	83	143	206	301	319	227
17	Other diseases of the circulatory system.	18	.	3	4	.	5	8	18	24	27	20
18	Bronchitis . . .	44	32	32	6	5	13	20	36	50	60	52
19	Pneumonia . . .	43	108	191	69	28	33	39	36	37	34	22
20	Other diseases of the respiratory system.	15	6	13	10	11	16	22	24	22	19	10
21	Ulcer of the stomach or duodenum.	8	.	.	1	6	12	24	23	13	6	3
22	Diarrhoea and enteritis .	23	193	88	15	2	4	5	4	4	2	2
23	Appendicitis . . .	3	.	10	24	11	9	9	4	2	1	.
24	Cirrhosis of the liver .	1	.	.	1	1	1	2	5	3	2	.
25	Diseases of liver and biliary passages.	4	.	1	1	3	3	5	8	5	5	2
26	Other diseases of the digestive system.	16	18	25	33	11	14	18	24	19	15	10
27	Nephritis . . .	27	1	8	24	19	27	40	45	41	35	18
28	Puerperal infection . .	1	.	.	.	8	8	7
29	Other diseases of childbirth	3	.	.	.	6	38	28	1	.	.	.
30	Congenital debility, etc. (Nos. 157-161).	48	487	23	17	6	3	1
31	Senility . . .	147	103	443
32	Suicide . . .	2	.	.	.	5	5	9	8	3	1	.
33	Other violence . . .	20	9	81	88	47	43	35	26	16	11	11
34	Other causes . . .	81	90	173	231	115	105	113	118	106	77	28

The proportion of deaths from the principal causes at certain age-periods is given in Table G on the preceding page. It will be seen that heart disease is the cause of the largest proportion of deaths, namely 213 in every 1,000 deaths; the next in order are senility 147, cancer 87, tuberculosis (all forms) 85, intra-cranial lesions of vascular origin (cerebral haemorrhage, etc.) 62, bronchitis 44, and pneumonia 43 in every 1,000 deaths. These causes account for 68 per cent. of the total mortality.

Among deaths of infants under one year the group of diseases and conditions under the heading of congenital malformations and diseases peculiar to the first year of life (including congenital debility and premature birth) accounts for 487 in every 1,000 deaths compared with 500 in every 1,000 deaths for the preceding year. Among the other principal causes of death at this age-period are diarrhoea and enteritis (193 in every 1,000), pneumonia (108), bronchitis (32), and whooping cough (20 per 1,000 deaths).

In the case of children between the ages of one and five years the excess in the mortality from whooping cough, diphtheria, tuberculous disease (other than that of the respiratory organs), measles, bronchitis, pneumonia and diarrhoea and enteritis is apparent. The chief feature of the mortality of children aged 5 and under 15 years of age is the proportion due to diphtheria, tuberculous disease (all forms), and pneumonia. The cause of the majority of the deaths of persons aged 15 and under 45 years is tuberculosis, and subsequent to that age the chief factors in the mortality are cancer, intra-cranial lesions and heart disease.

In Table 7 a comparative statement of the principal causes of death recorded for each of the years 1940 and 1941, together with the corresponding rates per 100,000 of the population is published.

In Table 15 the rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* are given by provinces, counties and county boroughs. The rate for Eire was 0·45, compared with 0·37 for the year 1940. The rates for the county boroughs are as follows:—Dublin 1·24; Cork 0·59; Limerick 0·75; and Waterford county borough 1·26 per 1,000. The highest county rates are Dublin county 0·55; Wicklow, 0·47; Cavan, 0·41; and Kildare and Tipperary, N.R., each 0·39 per 1,000. The counties in which the rates were lowest are Donegal, 0·12; Roscommon, 0·13; Westmeath and Clare, each 0·14, and Sligo, 0·15 per 1,000.

It may be seen in Table 17 that the mortality from this group of causes for all urban areas (county boroughs and urban districts) was equal to a rate of 0·92 per 1,000 of the population, compared with 0·24 for the rural districts. The corresponding rates for 1940 were 0·64 and 0·23, respectively.

Typhoid and Paratyphoid Fevers.—The number of deaths recorded was 38, including 18 of males and 20 of females. The corresponding figure for 1940 was 31, including 23 of males and 8 of females. The average number for the decennial period from 1931 to 1940 was 64. During 1941 there were 15 deaths for urban areas and 23 for rural districts. There were 6 deaths for Galway county, 4 for each of Dublin county, Dublin county borough, and Cork county, and 3 for Wicklow.

Scarlet Fever.—There were 32 deaths from this disease registered during the year 1941, compared with 33 in the previous year. The average figure for the ten years 1931 to 1940 was 88. The figure for 1941 includes 11 of children under five years, and 11 aged 5 and under 10 years. The deaths registered include 7 for Cork county, 5 for Dublin county borough, 4 for Donegal and 3 each for Laoighis and Kerry.

Whooping cough.—The number of deaths recorded under this heading was 150, compared with 163 for the year 1940, and an average figure of 215 for the decennial period ended with the latter year. The total for 1941 includes 77 of males and 73 of females, compared with 80 and 83, respectively, in the previous year.

The figure for 1941 includes 83 of infants under one year of age and 41 of children aged between one and two years. In 1940 the corresponding figures were 100 and 36.


There were 35 deaths recorded for Dublin county borough, 17 for Cavan county, 13 for Mayo, and 10 for Louth county.

Diphtheria.—The number of deaths was 165 compared with a figure of 178 for 1940, and of an average figure of 321 for the years 1931 to 1940. In 1933 the number was 418 (the highest recorded since 1921), and the respective figures for each of the years 1934 to 1939 were 341, 378, 345, 293, 314 and 245.

The figure for 1941 includes 85 males and 80 females, the corresponding figures for the previous year being 88 and 90, respectively.

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years).

DIAGRAM No. 2. Mortality from Diphtheria, 1927 to 1941.



Included in the figure for 1941 were 76 of children aged between one and five years, 45 between the ages of five and ten years, and 15 aged 10 and under 15 years.

The death rate per 100,000 of the population was 5.5 compared with 6.0 for the previous year. In the urban areas as a whole the rate for 1941 was 8.4 compared with 9.1 in the previous year, and in the rural areas the respective rates were 4.2 and 4.5 per 100,000 of the population.

For Leinster the rates for 1941 and 1940 were 7.8 and 8.3; for Munster 5.3 and 4.7; for Connaught 2.7 and 5.0; and for Ulster (part of) 1.1 and 2.5, per 100,000.

The death rates per 100,000 for the aggregate urban and rural districts for each year from 1901 are given below:—

YEAR	Urban Districts	Rural Districts	YEAR	Urban Districts	Rural Districts
1901 ...	9.6	5.0	1921 ...	21.3	12.5
1902 ...	12.0	7.2	1922 ...	15.7	12.3
1903 ...	9.5	7.2	1923 ...	10.4	9.1
1904 ...	5.9	6.5	1924 ...	8.8	5.1
1905 ...	7.1	6.2	1925 ...	7.7	4.3
1906 ...	8.2	7.2	1926 ...	11.8	4.5
1907 ...	9.9	4.4	1927 ...	13.5	4.8
1908 ...	10.3	6.1	1928 ...	11.8	5.8
1909 ...	11.2	8.0	1929 ...	16.0	7.9
1910 ...	10.7	6.3	1930 ...	22.2	9.2
1911 ...	17.0	5.3	1931 ...	15.5	8.7
1912 ...	15.9	5.0	1932 ...	19.1	10.2
1913 ...	13.1	3.8	1933 ...	21.7	10.6
1914 ...	12.7	4.3	1934 ...	18.1	8.4
1915 ...	11.8	6.0	1935 ...	18.1	10.2
1916 ...	8.0	6.0	1936 ...	17.2	9.0
1917 ...	6.8	5.8	1937 ...	14.4	7.7
1918 ...	6.3	4.4	1938 ...	15.9	8.1
1919 ...	9.1	4.8	1939 ...	13.6	5.7
1920 ...	18.6	5.3	1940 ...	9.1	4.5
			1941 ...	8.4	4.2

The counties and county boroughs in which the highest death rates from this disease were recorded in 1941 are as follows:—Waterford county borough, 24.6 per 100,000; Wexford, 13.9; Kerry, 13.6; Offaly, 11.6; and Dublin county borough, 10.8. There were no deaths recorded for each of the counties of Carlow, Clare, Cavan and Monaghan and the lowest rates for the remaining counties were:—Tipperary, S.R., 1.28; Louth, 1.52; and Sligo, 1.55 per 100,000 of the population.

Tuberculosis.—The number of deaths registered during 1941 from all forms of tuberculosis was 3,711—1,855 of males and 1,856 of females. When compared with the number recorded in 1940 the total shows an increase of 26—a decrease in the case of males of 89, and an increase in the case of females of 115. The figure for 1941 is 141 above the average for the decennial period from 1931 to 1940—an increase in male deaths of 32 and of 109 in the case of female deaths.

The deaths recorded during 1941 are equivalent to a rate of 1.24 per 1,000 of the estimated population. For 1940 the rate was 1.25 per 1,000, and during the ten years from 1931 to 1940, the average rate was 1.21 per 1,000.

In the following table the mortality from tuberculosis per 1,000 of the population for Eire, Northern Ireland, England and Wales, and Scotland is given for each of the years 1932 to 1941.

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1932 ...	1.25	1.12	0.84	0.84
1933 ...	1.19	1.15	0.82	0.80
1934 ...	1.18	1.12	0.76	0.75
1935 ...	1.27	1.05	0.72	0.74
1936 ...	1.17	1.02	0.69	0.74
1937 ...	1.23	0.98	0.70	0.74
1938 ...	1.09	0.92	0.64	0.69
1939 ...	1.13	0.84	0.63	0.70
1940 ...	1.25	0.98	—	0.82
1941 ...	1.24	1.04	—	0.83

Table II shows the number of deaths ascribed to this disease in Eire, by sexes, during each of the last eleven years. The highest rate for all persons during the period covered by the table was 1·33 per 1,000 in 1931 and the lowest 1·09 in 1938. For males the highest rate (1·30) was in 1935 and the lowest 1·10 in 1938. In the case of females the rate was highest in 1931, viz., 1·40, and lowest in 1938—1·09 per 1,000

TABLE H.—Mortality from Tuberculosis during each of the years 1931–1941.

YEAR.	MALES.		FEMALES.		TOTAL.		Annual Increase or Decrease.	
	Number of Deaths.	Rate per 1,000 of the Male population.	Number of Deaths.	Rate per 1,000 of the Female population.	Number of Deaths.	Rate per 1,000 of the population.	Number.	Per cent.
1931 ...	1,893	1·26	2,009	1·40	3,902	1·33	+ 77	+ 2·0
1932 ...	1,834	1·22	1,842	1·28	3,676	1·25	— 226	— 5·8
1933 ...	1,766	1·17	1,744	1·20	3,510	1·19	— 166	— 4·5
1934 ...	1,785	1·18	1,729	1·19	3,514	1·18	+ 4	+ 0·1
1935 ...	1,983	1·30	1,787	1·23	3,770	1·27	+ 256	+ 7·3
1936 ...	1,791	1·18	1,689	1·17	3,480	1·17	— 290	— 7·7
1937 ...	1,871	1·24	1,768	1·23	3,639	1·23	+ 159	+ 4·6
1938 ...	1,651	1·10	1,565	1·09	3,216	1·09	— 423	— 11·6
1939 ...	1,707	1·14	1,597	1·12	3,304	1·13	+ 88	+ 2·7
1940 ...	1,944	1·28	1,741	1·21	3,685	1·25	+ 381	+ 11·5
Average, 1931–40 ...	1,823	1·21	1,747	1·21	3,570	1·21	—	—
1941 ...	1,855	1·21	1,856	1·27	3,711	1·24	+ 26	+ 0·7

There were 2,882 deaths from tuberculosis of the respiratory system recorded in 1941 compared with 2,907 in 1940, a decrease of 25. The figure for 1941 included 1,438 of males and 1,444 of females—the figure for males shows a decrease of 111 and that for females an increase of 86 when compared with the corresponding figures for the previous year. During 1941 there were 829 deaths (417 males and 412 females) from tuberculosis other than that of the respiratory system. The respective figures for 1940 were 778 (395 males and 383 females). The figures for 1941 are 51 (22 males and 29 females) above those for the previous year.

In Abstract IV particulars of the deaths included under the heading of tuberculosis other than respiratory are given. There were 342 deaths (178 males and 164 females) due to tuberculosis of the meninges and central nervous system, 154 deaths (60 males and 94 females) to tuberculosis of the intestines and peritoneum, 82 (47 males and 35 females) to tuberculosis of the vertebral column, 59 (36 males and 23 females) to this disease of other bones and joints, 2 (one male and one female) to tuberculosis of the skin, 15 (7 males and 8 females) of the lymphatic system, 29 (12 males and 17 females) in organs of the genito-urinary system, and 146 (76 males and 70 females) caused by disseminated tuberculosis.

The mortality from tuberculosis at different age-periods for each of the years 1936 to 1941 is shown in Table J. Among persons aged 15 and under 20 years the rates in 1941 and 1940 were respectively 1·49, and 1·55 per 1,000, the figures for males being 1·19 and 1·21 and for females 1·81 and 1·90 per 1,000. In the age-group from 20 to 24 years the rates in 1941 were—for persons—2·18, for males 1·66 and for females 2·77, and for 1940, respectively, 2·15, 1·96 and 2·36. At the age period 25 and below 35 years the figure for all persons in 1941 was 2·23 per 1,000, and in 1940 was 2·24, the corresponding rates for males being 2·10 and 2·14 and for females 2·36 and 2·35 per 1,000.

DIAGRAM No. 3. Mortality from Tuberculosis, 1927 to 1941.




TABLE J.—Death-rates from Tuberculosis by sexes and ages per 1,000 of the population at the same age during each of the years 1936 to 1941.

YEARS	DEATH-RATES PER 1,000 OF THE POPULATION AT THE SAME AGE.											
	All Ages	Under 5 yrs.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 & up.
MALES.												
1936 ...	1.18	0.77	0.27	0.35	0.84	2.27	1.92	1.77	1.27	1.54	0.72	0.15
1937 ...	1.24	0.79	0.34	0.40	1.18	1.93	2.24	1.70	1.39	1.43	0.78	0.13
1938 ...	1.10	0.52	0.27	0.39	1.20	1.58	1.96	1.63	1.40	0.97	0.56	0.15
1939 ...	1.14	0.66	0.36	0.32	1.17	1.64	1.93	1.67	1.32	1.21	0.62	0.30
1940 ...	1.28	0.69	0.36	0.27	1.21	1.96	2.14	1.79	1.84	1.33	0.73	0.30
1941 ...	1.21	0.74	0.33	0.28	1.19	1.66	2.10	1.88	1.53	1.22	0.62	0.20
FEMALES.												
1936 ...	1.17	0.67	0.28	0.45	1.42	2.69	2.32	1.33	1.07	0.91	0.35	0.19
1937 ...	1.23	0.74	0.31	0.52	1.53	2.62	2.39	1.44	1.12	1.06	0.39	0.13
1938 ...	1.09	0.61	0.24	0.49	1.68	2.01	2.22	1.43	0.89	0.74	0.31	0.11
1939 ...	1.12	0.59	0.27	0.41	1.65	2.46	2.05	1.35	1.03	0.81	0.38	0.11
1940 ...	1.21	0.50	0.29	0.56	1.90	2.36	2.35	1.36	1.13	0.86	0.58	0.08
1941 ...	1.27	0.70	0.40	0.46	1.81	2.77	2.36	1.65	1.11	0.76	0.50	0.15
PERSONS.												
1936 ...	1.17	0.72	0.27	0.40	1.12	2.47	2.12	1.56	1.18	1.25	0.54	0.17
1937 ...	1.23	0.77	0.32	0.46	1.35	2.26	2.32	1.57	1.26	1.25	0.58	0.13
1938 ...	1.09	0.56	0.25	0.44	1.43	1.78	2.09	1.53	1.15	0.86	0.44	0.13
1939 ...	1.13	0.63	0.32	0.36	1.40	2.03	1.99	1.51	1.18	1.02	0.50	0.20
1940 ...	1.25	0.60	0.33	0.42	1.55	2.15	2.24	1.58	1.50	1.11	0.66	0.18
1941 ...	1.24	0.72	0.36	0.37	1.49	2.18	2.22	1.77	1.33	1.00	0.56	0.17

The number of deaths recorded under the heading of tuberculosis for each of the counties and county boroughs, the thirteen principal towns and the total urban and rural area are published in Tables 14 to 18. In Abstract V information regarding the sex and age at death is given for each county and county borough area.

In the province of Leinster in 1941 the rate was 1.41, in Munster 1.20, in Connaught 1.01, and in Ulster (part of), 0.99. The corresponding rates for 1940 were in Leinster 1.48, in Munster 1.18, in Connaught 0.99, and in Ulster (part of) 0.89.

The highest mortality rates from tuberculosis in 1941 for county or county borough areas were recorded for the following:—Carlow, 1.82; Wexford, 1.59; Limerick county borough, 1.58; Dublin county borough, 1.56; and Kildare, 1.50 per 1,000. The counties having the lowest rates were Leitrim, 0.78; Cavan, 0.81; Meath, 0.89; Mayo, 0.90; Monaghan, 0.91; and Roscommon, 0.96 per 1,000.

The deaths from tuberculosis in 1941 for the aggregate urban districts numbered 1,523, compared with 1,591 for the previous year. For the rural districts the number for 1941 was 2,188, compared with 2,094 for last year. The rate per 1,000 of the population for the urban areas fell from 1.61 in 1940 to 1.58 in 1941, while that for the rural areas has increased from 1.06 to 1.09.

Influenza.—The number of deaths from this disease for 1941 was 1,335, compared with 828 for the preceding year and an average of 1,265 for the decennial period ended with 1940.


The rate per 1,000 of the population for each of the years 1941 and 1940 was 0.45 and 0.28, respectively.

In the aggregate urban areas the death rate for 1941 was 0.22 per 1,000 and in the rural areas 0.56 compared with 0.21 and 0.31 for 1940.

In the first quarter the mortality was 66 per cent. of the total and in each of the second, third and fourth quarters the proportion was 24, 5 and 5 respectively.

Smallpox.—Since the year 1907 no death from this disease has been recorded.

DIAGRAM No. 4. Mortality from Influenza, 1927 to 1941.



Measles.—There were 89 deaths registered in 1941 compared with 77 in the year 1940 and an average for the period from 1931 to 1940 of 173. Of the deaths recorded, 33 were for Dublin county borough, 7 for Cork county borough, 7 for Galway, 6 for Cork county and 5 for Tipperary county, S.R.

Typhus.—Six deaths were classified under this heading in 1941 compared with 2 in the previous year. Three of the deaths were for Clare county and 3 for Leitrim.

Other Infective or Parasitic Diseases.—There were 26 deaths from Hodgkin's disease and one from mumps recorded during the year 1941.

Cancer.—The deaths due to cancer recorded for 1941 numbered 3,790—2,004 of males and 1,786 of females. The total figure is 17 above the number for 1940 and 260 above the average number for the decennial period ended with 1940. The number of deaths of males is 24 above, and that for females 7 below the corresponding figure for 1940.

The deaths from this disease constitute 8·7 per cent. of the deaths from all causes and are equivalent to a rate of 1·27 per 1,000 of the population. The rates for males and females were respectively 1·31 and 1·22 per 1,000. In Northern Ireland the respective rates were 1·37, 1·30 and 1·43 per 1,000. For Scotland the death rates were 1·69 for both sexes, 1·67 for males and 1·70 for females.

A table is appended in which is shown the mortality from cancer per 1,000 of the population in Éire, Northern Ireland, England and Wales, and Scotland for each of the last ten years.

YEARS		Éire	Northern Ireland	England and Wales	Scotland
1932	...	1·12	1·24	1·51	1·53
1933	...	1·10	1·20	1·53	1·53
1934	...	1·15	1·29	1·56	1·53
1935	...	1·19	1·24	1·59	1·57
1936	...	1·20	1·29	1·63	1·59
1937	...	1·26	1·30	1·63	1·57
1938	...	1·26	1·32	1·67	1·62
1939	...	1·27	1·33	1·66	1·61
1940	...	1·28	1·36	—	1·70
1941	...	1·27	1·37	—	1·69

In Tables 14 and 15 the number of deaths from cancer and the rate per 1,000 of the population for each of the counties and county boroughs are given. Similar information for urban and rural areas is shown in Tables 16 to 18. In Abstract IV the ages at death of the persons whose deaths were due to this disease are given.

In the aggregate urban areas the deaths for 1941 numbered 1,287, equivalent to a rate of 1·33 per 1,000, and in the aggregate rural areas the number was 2,503 and the rate 1·25 per 1,000. In the year 1940 the numbers of deaths for the urban and rural areas were respectively 1,305 and 2,468, corresponding to rates of 1·32 and 1·25 per 1,000 of the population.

In Table K the deaths from cancer in 1941 are classified according to the site affected and the age at death. The excess of female mortality under 50 years of age is apparent, but when this age-period has been passed, the excess in the male mortality is more pronounced with increasing age. The high female rate in middle life is due to the mortality of women from cancer of the uterus and breast; on the other hand, the excess in the case of males in later life is due to the number of deaths from cancer of the buccal cavity and the digestive system.

Tumours.—In accordance with the International List of causes of death, the particulars of deaths from tumours are shown in Abstract V in two classes :—(1) those caused by tumours definitely described as non-malignant, and (2) those caused by tumours whose nature was undetermined or was not ascertained. In 1941 the deaths in the first group amounted to 46 (11 of males and 35 of females) and those in the second to 81 (45 males and 36 females) compared with a total of 53 and 100, respectively, in the previous year.

TABLE K.—Deaths from CANCER and other MALIGNANT TUMOURS

International List No.	Parts Affected	MALES													Total
		AGES AT DEATH													
		Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and up- wards		
45	Lip	1	1	3	4	6	12	11	15	53	
	Tongue	2	3	3	7	13	17	13	8	66	
	Jaw	1	1	1	4	6	12	10	12	47	
	Mouth	1	1	1	2	.	11	5	7	4	31	
	Pharynx	1	.	.	3	1	3	1	6	4	19	
	Tonsil	2	1	3	1	7	
46	Œsophagus	1	.	2	2	7	19	12	20	16	7	86	
	Stomach ...	1	1	5	2	18	27	40	78	74	118	88	60	512	
	Rectum	1	.	2	5	9	13	22	46	43	46	30	217	
	Liver	1	.	2	3	13	22	14	21	17	21	114	
	Pancreas ...	1	.	1	3	3	2	3	.	3	5	10	10	41	
	Peritoneum ...	1	.	1	.	1	.	1	.	1	.	.	.	5	
	Intestine ...	2	1	1	1	8	13	12	27	44	58	66	36	269	
47	Larynx, Trachea	1	.	.	.	1	4	3	7	14	12	9	51	
	Lung	3	1	1	3	5	6	6	12	3	.	40	
	Mediastinum	1	.	.	.	1	.	2	4	2	.	10	
48	Uterus	
49	Ovary	
	Vagina	
	Vulva	
50	Breast	1	1	1	1	4	
51	Scrotum	1	.	.	.	1	.	2	
	Prostate	2	1	4	4	20	33	26	23	113	
	Penis	1	.	.	.	1	.	.	.	2	
	Testicle	1	1	2	
52	Bladder	1	.	2	1	3	8	9	3	8	35	
	Kidney	1	.	2	3	.	.	.	2	8	
53	Ear	3	.	2	7	13	25	
	Face	1	.	1	1	2	8	10	8	15	46	
	Other Skin	2	.	1	.	2	1	1	7	
54	Brain ...	1	.	.	.	1	.	1	2	.	.	1	.	6	
	Spine	1	.	.	1	
	Thyroid	1	.	.	1	.	.	.	2	
	Nose	1	1	.	1	.	1	.	4	
55	Abdomen ...	1	.	.	.	1	.	.	1	1	1	.	1	6	
	Arm, Leg ...	2	.	1	2	.	3	3	.	7	6	4	7	35	
	Axilla	2	1	.	3	
	Eye	1	.	.	3	7	
	Groin	
	Neck ...	1	.	1	2	1	.	4	6	10	7	11	7	50	
	Parotid	1	2	1	1	5	
	Pelvis	1	2	3	1	1	7	
	Spleen	1	1	.	1	.	.	.	4	
	Thorax	1	.	1	
	Throat	1	1	4	2	9	12	5	9	43	
	Other and Unspecified	1	2	1	4	1	5	.	4	18	
TOTAL ...		10	4	17	17	56	82	136	224	320	440	385	313	2,004	
Deaths from Cancer per 100,000 living of the same age ...		1.4	10.0		40.1		135.8		376.7		810.4		776.3	130.7	

registered during the year 1941 by Sexes, Ages, and parts affected.

FEMALES													Total Males and Fe- males	International List Nos.
AGES AT DEATH														
Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and up- wards	TOTAL		
.	1	1	1	3	4	10	63	45
1	2	2	2	2	1	2	1	10	76	
.	1	1	1	1	1	1	4	12	59	
.	2	1	1	1	2	1	7	38	
.	1	1	1	.	1	6	25	
.	1	1	1	.	1	4	11	
.	1	.	.	3	6	8	5	15	9	10	5	62	148	46
1	.	1	5	12	19	32	56	74	65	68	48	381	893	
1	.	2	1	1	5	8	9	13	6	18	10	74	291	
.	.	2	1	5	4	10	16	21	28	19	16	122	236	
1	.	1	.	1	2	6	7	11	8	8	8	51	92	
1	.	3	1	8	11	23	24	35	46	49	59	260	529	
.	1	1	.	3	4	2	5	6	3	2	1	28	79	47
1	1	1	1	2	1	7	7	2	1	2	1	26	66	
1	.	2	.	.	2	1	6	16	
.	1	1	9	11	13	14	30	22	29	17	10	157	157	48
1	.	1	2	7	3	6	1	6	3	3	3	36	36	49
.	.	.	.	1	.	.	.	1	1	1	2	6	6	
.	1	2	1	2	2	1	9	9	
.	1	4	4	19	24	40	36	54	34	36	43	295	299	50
.	2	51
.	113	
.	2	
.	2	
.	.	.	.	1	.	1	1	1	1	.	2	5	40	52
.	1	1	3	.	.	2	8	16	
.	.	.	.	3	3	3	2	3	.	2	2	4	29	53
.	.	.	.	1	.	1	1	2	5	8	10	37	83	
.	.	.	.	1	.	1	1	2	2	1	2	10	17	
.	.	.	.	1	3	2	3	2	.	1	.	11	17	54
.	1	.	.	.	1	1	.	1	1	3	1	5	6	
.	2	1	2	.	8	10	
1	.	.	.	1	.	2	3	3	1	1	1	13	19	55
1	.	1	.	.	2	1	4	6	7	9	10	41	76	
1	1	.	1	2	5	
.	.	.	1	.	1	1	.	1	.	1	1	4	11	
.	1	1	2	2	3	5	3	5	5	
.	1	1	2	1	2	.	17	67	
.	1	1	1	1	2	3	4	9	
.	2	1	2	1	1	.	1	8	15	
.	4	
.	1	.	1	.	2	4	1	9	1	
.	.	1	1	1	3	1	1	3	4	7	1	23	52	
.	41	
10	6	21	26	81	114	182	229	298	270	291	258	1,786	3,790	TOTAL
1-5	13.9		60.7		195.5		400.2		567.6		537.1	122.3	126.6	Rate per 100,000

The non-malignant tumours included 15 of the ovary, 8 of the uterus, 7 of the brain, and 3 of the bladder.

The deaths classified under the heading of tumours of undetermined nature included 40 of the brain, 8 of the intestine, and 4 each of the lung, abdomen, stomach and spine.

Diabetes.—There were 277 deaths from this disease for 1941 compared with 284 in the previous year. The deaths for 1941 include 136 of males and 141 of females, compared with 138 and 146 for 1940.

In the year 1941 the rate per 100,000 of the population represented by the deaths from diabetes was 9·3. The rates for Northern Ireland and Scotland were, respectively, 10·9 and 13·5.

Other General Diseases.—During 1941 there were classified under this heading 8 deaths from coeliac disease, and 3 from amyloid disease.

Heart Disease.—During 1941 there were 9,338 deaths from diseases of the heart, as compared with 8,908 deaths in the previous year, and an average number of deaths for the decennial period ended with 1940 of 7,273.

The deaths from this cause in 1941 represent 21·3 per cent. of the mortality from all causes and are equivalent to a rate of 3·12 per 1,000 of the population.

In Abstract IV particulars of the deaths from different forms of heart disease are shown by sexes and ages at death.

Bronchitis.—During the year 1941 there were 1,952 deaths in which the cause was stated to be bronchitis. Of the total, 1,017 were of males and 935 were of females. The total is equal to a rate of 0·65 per 1,000 of the population and constitutes 4·5 per cent. of the total deaths registered. The number of deaths recorded during 1940 was 2,011 and the average figure for the decennial period from 1931 to 1940 was 2,182.

Pneumonia.—The number of deaths recorded from pneumonia (all forms) was 1,881, equivalent to a rate of 0·63 per 1,000 of the population. Of the deaths 1,017 were of males and 864 of females.

The average number during the ten years from 1931 to 1940 was 2,420, and during 1940 the number recorded was 1,861.

The deaths for 1941 include 977 from broncho-pneumonia, 269 from lobar pneumonia and 635 from pneumonia (unspecified).

Enteritis and Diarrhoea.—There were 875 deaths of children under 2 years recorded, 501 being of males and 374 of females. The number recorded for 1940 was 598, and the average for the ten years ended with 1940 was 585. The urban mortality was equal to a rate of 31·0 per 1,000 births, and the rate for rural areas was 6·1 per 1,000 births registered, compared with respective rates of 18·7 and 5·6 in 1940.

The deaths recorded include 475 for the county borough of Dublin, and 31, 25 and 23 for the respective county boroughs of Cork, Limerick and Waterford.

Pregnancy, Childbirth and the Puerperal State.—Deaths under this heading are divided into three groups, viz., (1) deaths from puerperal infection, (2) deaths from other diseases of pregnancy and childbirth, and (3) deaths not classified to pregnancy or childbirth but returned as associated therewith. In 1941 the number in the first group was 43, in the second group the figure was 139, and under the third heading there were 27; so that the total number of deaths from these causes was 209. The total represents a rate of 3·68 per 1,000 of the total births registered, as compared with 4·01 in the year 1940, and an average of 4·72 for the ten years 1931 to 1940. For the years 1940 and 1941 the deaths from puerperal infection comprise those from post-abortive infection, general or local puerperal infections, puerperal thrombo-phlebitis, and puerperal embolism and sudden death.

In Table L full particulars of the deaths by causes and age periods are given, and in Table M a statement of the number of deaths and the rate per 1,000 births for the years 1931 to 1941.

The number of deaths from puerperal infection and other puerperal causes is given (with the rates per 1,000 births represented thereby), by provinces, counties and county boroughs and groups of urban and rural areas in Tables 14 to 18.

DIAGRAM No. 5. Mortality from Cancer, 1927 to 1941.




TABLE L.—Deaths of women in 1941 returned as either caused by or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE.

CAUSES OF DEATH	ALL AGES	AGES						
		15—	20—	25—	30—	35—	40—	45 yrs. and up.
Diseases of Pregnancy, Childbirth, and the Puerperal State.								
Post Abortive Infection ...	3	.	1	.	2	.	.	.
Abortion without Septic Condition ...	9	.	.	1	1	4	3	.
Ectopic Gestation ...	3	1	.	.	.	1	1	.
Hæmorrhage of Pregnancy ...	10	.	.	2	2	2	4	.
Toxæmias of Pregnancy ...	31	.	3	9	8	6	4	1
Other Diseases of Pregnancy ...	6	.	.	1	1	4	.	.
Hæmorrhage of Childbirth ...	31	1	1	9	8	6	4	2
Infection during Childbirth ...	40	1	11	5	8	8	7	.
Puerperal Toxæmias ...	20	.	3	3	5	6	3	.
Other Accidents of Childbirth ...	19	.	.	7	5	3	3	1
Other or unspecified Puerperal Conditions	10	.	.	3	3	4	.	.
Causes associated with Pregnancy, Childbirth, and the Puerperal State.								
Pulmonary Tuberculosis ...	2	.	.	.	1	.	.	1
Influenza ...	3	.	.	1	.	1	1	.
Rheumatic Fever ...	2	.	1	.	1	.	.	.
Anæmia ...	4	.	1	1	1	.	1	.
Heart Disease ...	10	.	.	1	4	3	2	.
Nephritis ...	2	1	1	.
Other Causes ...	4	.	.	.	2	.	2	.
TOTAL ...	209	3	21	43	52	49	36	5

TABLE M.—Deaths of women attributable to, or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE, during each of the years 1931-1941, and the rate per 1,000 births registered during each of those years.

YEARS.	Puerperal Infection.*		Other Diseases of Pregnancy and Childbirth.		Puerperal Infection and Diseases of Pregnancy and Childbirth.		Causes associated with Pregnancy or Childbirth (not included in foregoing).		Total Deaths caused by, or associated with Pregnancy and Childbirth.	
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1931 ...	66	1.16	180	3.15	246	4.31	26	0.45	272	4.76
1932 ...	78	1.39	178	3.16	256	4.55	24	0.43	280	4.98
1933 ...	80	1.39	175	3.05	255	4.44	41	0.72	296	5.16
1934 ...	104	1.80	167	2.88	271	4.68	33	0.57	304	5.25
1935 ...	89	1.53	183	3.14	272	4.67	25	0.43	297	5.10
1936 ...	104	1.79	169	2.91	273	4.70	26	0.44	299	5.14
1937 ...	51	0.90	153	2.71	204	3.61	33	0.58	237	4.19
1938 ...	46	0.81	188	3.30	234	4.11	33	0.58	267	4.69
1939 ...	38	0.68	152	2.71	190	3.39	28	0.50	218	3.89
1940 ...	55	0.97	153	2.70	208	3.67	19	0.34	227	4.01
Average, 1931-40 ...	71	1.24	170	2.97	241	4.21	29	0.50	270	4.72
1941 ...	43	0.76	139	2.45	182	3.21	27	0.47	209	3.68

* The figures and rates under this heading for the years 1931-39 inclusive, relate only to deaths classified to puerperal sepsis.

Violence.—The number of deaths classified under this heading in 1941 was 953. This figure shows a decrease of 114 when compared with that for the year 1940. The average figure for the ten years 1931 to 1940 from this group of causes was 979.

Included in the total for 1941 there were 90 by suicide, 18 by homicide (including infanticide), 38 due to wounds of war, 2 to legal executions and 805 to other external causes. The latter figure includes accidental deaths and deaths not known to be due to suicide or homicide. The number of deaths by suicide is 9 less and those by homicide 5 more than the corresponding figure for 1940.

Of the suicidal deaths 76 were of males and 14 of females. In 13 cases poisoning was the means used to cause death, including lysol in 4 cases, carbon monoxide in 6 cases, and in the 3 remaining cases the poison used was other than those enumerated. In the other 77 deaths by suicide the means adopted was hanging or strangulation in 37 instances, drowning in 10, cutting or piercing instruments in 14, firearms in 10, and in 6 instances other means were used to cause death.

There were 18 deaths by homicide, including 11 of males and 7 of females; ten were cases of infanticide.

There were 13 accidental deaths from poisons or poisonous gases, 8 of which were due to carbon monoxide, and one to each of lysol, ammonia, alcohol, belladonna and paraffin oil.

Burns and scalds was the cause of 137 deaths (64 males and 73 females), of which 59 were those of children under 5 years of age; the corresponding number of deaths of children in this age-group for the year 1940 was 56.

Deaths classified to accidental drowning numbered 117 (91 of males and 26 of females). The total includes deaths from accidental drowning and also cases in which the cause of death was given as "found drowned."

There were 183 deaths included under the heading of transport accidents; of this figure 140 were of males and 43 of females. In 1940 the total under this heading was 224 (183 of males and 41 of females). Deaths from motor vehicles numbered 93, compared with 163 for 1940. There were 77 deaths recorded as due to other road transport accidents. This figure includes 43 caused by bicycles and 23 by horse-drawn vehicles, compared with 31 and 16, respectively, for 1940.

Of the 93 deaths attributed to motor vehicles, 62 were stated to be caused by motor cars, 25 by motor lorries or vans, and 6 by buses.

AGES AT DEATH.

The deaths of children under 5 years of age registered during the year 1941 numbered 5,328, compared with 4,826 for the previous year. The figure for 1941 is 12·2 per cent. of the total deaths recorded. The proportion of deaths of males at this age-period exceeds that of females, the rate for males being 13·4 per cent. of the male mortality, and the rate for females 10·8 per cent. of the total number of deaths of females.

The deaths of persons aged 65 years and upwards recorded were 23,080 in number, constituting 52·7 per cent. of the total number of deaths, and include 11,729 deaths of males, or 51·8 per cent. of the total deaths of males, and 11,351 of females, or 53·7 per cent. of all the deaths of females.

Deaths at 70 years of age or over numbered 18,437, or 42·1 per cent. of the total deaths.

There were 186 deaths of persons aged 95 years or upwards (77 being males and 109 females), and of these 31 (12 males and 19 females) were stated to be aged 100 years or over.

The ages of the persons whose deaths were registered in the year are given in Abstract III by certain age-groups.

The following table shows the variations in the death rates at different age-periods in the years 1941 and 1940.

TABLE N.—DEATH RATES FOR EACH AGE-PERIOD PER 1,000 OF THE POPULATION AT THE SAME AGE.

AGE-PERIODS	PERSONS			MALES			FEMALES		
	1941	1940	Increase or Decrease in 1941	1941	1940	Increase or Decrease in 1941	1941	1940	Increase or Decrease in 1941
Under 5 years ...	19.70	18.05	+1.65	22.13	19.72	+2.41	17.18	16.32	+0.86
5— ...	1.70	1.75	—0.05	1.78	1.85	—0.07	1.61	1.64	—0.03
10— ...	1.22	1.37	—0.15	1.08	1.30	—0.22	1.36	1.45	—0.09
15— ...	2.57	2.76	—0.19	2.41	2.55	—0.14	2.74	2.98	—0.24
20— ...	3.54	3.57	—0.03	3.11	3.33	—0.22	4.04	3.84	+0.20
25— ...	4.46	4.58	—0.12	4.25	4.43	—0.18	4.69	4.74	—0.05
35— ...	5.75	5.60	+0.15	5.62	5.44	+0.18	5.88	5.76	+0.12
45— ...	9.62	10.39	—0.77	9.86	10.82	—0.96	9.37	9.93	—0.56
55— ...	22.15	22.23	—0.08	22.28	22.49	—0.21	22.01	21.94	+0.07
65— ...	55.45	54.58	+0.87	58.54	57.38	+1.16	52.28	51.70	+0.52
75— ...	124.41	112.65	+11.76	132.36	119.18	+13.18	117.62	107.07	+10.55
85 and upwards	208.26	185.24	+23.02	220.75	192.24	+28.51	198.93	180.01	+18.92
All ages ...	14.63	14.16	+0.47	14.77	14.26	+0.51	14.49	14.05	+0.44

The number of deaths by sexes and ages, and the average annual rates per 1,000 of the population at the same ages, during the period 1864-70, each of the decennial periods from 1871 to 1930, and each year from 1931 to 1941 are given in Table 8.

INFANT MORTALITY.

During the year 1941 the deaths of 4,175 infants under one year of age were registered, compared with 3,759 in the preceding year. The figure for 1941 is equivalent to a rate of 74 per 1,000 births as compared with 66 for 1940, and an average of 68 for the ten years 1931 to 1940. The rate for each of the years 1931 to 1941 is given in Table 4, together with comparative figures for earlier periods.

Of the total deaths of infants under one year, 2,417 were those of males and 1,758 of females; the males were equal to a rate of 83 per 1,000 births of males, and the females to a rate of 64 per 1,000 births of females. The corresponding rates for 1940 were 72 and 60, respectively.


The infant mortality rates during the quarters of 1941 were, respectively, 83, 71, 64 and 73 compared with corresponding figures of 78, 63, 51 and 75 for the previous year.

The infant mortality rate in Northern Ireland for 1941 was 77 per 1,000 births; in England and Wales it was 58 and in Scotland 83. In the year 1940 the corresponding rates were 86, 55 and 78, respectively.

During the year 1941 the following causes accounted for 84 per cent. of the total infant mortality, being equivalent in the aggregate to a rate of 61.42 per 1,000 births:—diarrhoea and enteritis 14.18 per 1,000 births, congenital debility 14.14, premature birth 11.57, pneumonia 7.93, congenital malformations 5.57, convulsions 4.23, bronchitis 2.34 and whooping cough 1.46.

The deaths of infants during the first month of life were 41.2 per cent. of the total deaths of infants under one year of age. Between one and two months the percentage was 12.7, between 2 and 3 months 10.5, at 3 and under 6 months the rate was 20.0 and from 6 to 12 months old the rate was 15.6.

DIAGRAM No. 6. Infant Mortality, 1927 to 1941.



Urban and Rural Infant Mortality.

During the year 1941 the number of deaths of infants under one year of age recorded for the aggregate urban areas was 2,097, representing a rate of 99 per 1,000 births registered. In 1940 the corresponding number of deaths was 1,816, and the rate 85 per 1,000 births.

For the rural areas 2,078 deaths of infants were registered in 1941, compared with 1,943 in the previous year; the rate per 1,000 births for each year was 58 and 55, respectively.

Table 11 shows the high rate of infant mortality prevailing in urban areas as compared with rural areas, especially in urban areas of 10,000 inhabitants and upwards (thirteen principal towns). For these areas in the aggregate the rate was 102 per 1,000 births, compared with 88 for the preceding year. Deaths of infants in urban areas of less than 10,000 inhabitants were equivalent to a rate of 83 per 1,000 births, the rate for 1940 being 70.

The rates for the individual towns are as follows, ranging in order from the highest to the lowest :—

Bray, 116; Dublin, 114; Kilkenny, 94; Tralee, 90; Limerick, 89; Waterford, 86; Cork, 82; Dun Laoghaire, 79; Wexford, 74; Sligo, 70; Galway, 68; Drogheda, 55; and Dundalk, 55.

The infant mortality rate for Belfast in 1941 was 91 per 1,000 births; for Derry it was 99; for Edinburgh 66; and for Glasgow, 111 per 1,000 births.

The following statement shows the INFANT MORTALITY per 1,000 births, by sexes, in 1941 for urban and rural areas in Éire :—

AGES.	ÉIRE											
	Urban Areas 10,000 pop. & upwards			Urban Areas under 10,000 pop.			All Urban Areas.			All Rural Districts.		
	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.	M. & F.	M.	F.
Under one Month	37·6	42·9	32·0	37·1	42·1	31·6	37·6	42·8	32·0	25·9	29·4	22·3
1-2 Months ...	11·9	14·2	9·5	10·9	12·5	9·2	11·7	13·9	9·4	7·9	8·7	7·2
2-3 „ ...	10·8	12·3	9·2	8·2	9·4	6·9	10·3	11·8	8·8	6·2	7·3	4·9
3-6 „ ...	23·6	25·7	21·4	15·0	16·6	13·2	22·1	24·1	20·0	10·3	11·4	9·0
6-12 „ ...	18·3	20·0	16·4	12·0	14·0	9·8	17·2	18·9	15·3	8·1	8·7	7·4
Under one Year	102·2	115·1	88·5	83·2	94·6	70·7	98·9	111·5	85·5	58·4	65·5	50·8

This statement shows the very large proportion of infants who died before completing their first month of life. Of the infants who died in urban areas 38 per cent. were under one month old, and the corresponding figure for rural areas was 44 per cent. The contrast between the male and female mortality of infants is also apparent: in every instance the male mortality exceeds that of the female.

Deaths of Illegitimate Infants.

The number of deaths of illegitimate infants under one year of age registered during the year 1941 was 472, consisting of 253 deaths of males and 219 of females.

In Table 12 the number of such deaths by causes and at different periods of life is given, and in Table 13 the deaths of illegitimate infants by counties and county boroughs, arranged according to the county of residence of the mothers, are shown. It will be observed that the majority of such deaths take place in institutions. Thus, of 20 deaths for Dublin county, 16 took place in institutions, and of the 114 deaths for Dublin city, the number in institutions was 109, so that only 9 of the 134 deaths for Dublin county and city did not occur in institutions.

PART II.

Tables.

TABLE 1.—ESTIMATED POPULATION, middle of years 1801 to 1941, in thousands.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.
1801	4,154	2,085	2,069	1878	3,952	1,948	2,004	1910	3,139	1,588	1,551
1811	4,746	2,363	2,383	1879	3,939	1,944	1,995	1911	3,132	1,586	1,546
1821	5,421	2,676	2,745	1880	3,891	1,920	1,971	1912	3,120	1,581	1,539
1831	6,194	3,033	3,161	1881	3,847	1,901	1,946	1913	3,103	1,572	1,531
1841	6,545	3,235	3,310	1882	3,808	1,882	1,926	1914	3,092	1,568	1,524
1851	5,079	2,486	2,593	1883	3,745	1,853	1,892	1915	3,068	1,546	1,522
1852	4,927	2,413	2,514	1884	3,703	1,834	1,869	1916	3,068	1,549	1,519
1853	4,807	2,358	2,449	1885	3,671	1,820	1,851	1917	3,065	1,551	1,514
1854	4,704	2,311	2,393	1886	3,642	1,808	1,834	1918	3,066	1,553	1,513
1855	4,638	2,281	2,357	1887	3,600	1,788	1,812	1919	3,102	1,598	1,504
1856	4,594	2,261	2,333	1888	3,554	1,766	1,788	1920	3,103	1,598	1,505
1857	4,540	2,234	2,306	1889	3,516	1,748	1,768	1921	3,096	1,599	1,497
1858	4,506	2,217	2,289	1890	3,482	1,733	1,749	1922	3,022	1,529	1,493
1859	4,471	2,199	2,272	1891	3,449	1,718	1,731	1923	3,014	1,526	1,488
1860	4,428	2,179	2,249	1892	3,408	1,697	1,711	1924	3,005	1,521	1,484
1861	4,393	2,164	2,229	1893	3,382	1,684	1,698	1925	2,985	1,512	1,473
1862	4,377	2,158	2,219	1894	3,362	1,675	1,687	1926	2,971	1,507	1,464
1863	4,328	2,134	2,194	1895	3,333	1,653	1,671	1927	2,957	1,502	1,455
1864	4,263	2,103	2,160	1896	3,314	1,633	1,661	1928	2,944	1,496	1,446
1865	4,223	2,084	2,139	1897	3,298	1,616	1,652	1929	2,937	1,493	1,441
1866	4,163	2,051	2,112	1898	3,283	1,640	1,643	1930	2,927	1,497	1,434
1867	4,130	2,033	2,097	1899	3,265	1,631	1,634	1931	2,933	1,497	1,436
1868	4,109	2,022	2,087	1900	3,234	1,616	1,618	1932	2,949	1,505	1,444
1869	4,090	2,012	2,078	1901	3,213	1,607	1,606	1933	2,962	1,512	1,450
1870	4,062	1,996	2,066	1902	3,200	1,603	1,597	1934	2,971	1,518	1,453
1871	4,042	1,986	2,056	1903	3,185	1,599	1,586	1935	2,971	1,520	1,451
1872	4,023	1,975	2,048	1904	3,175	1,597	1,578	1936	2,967	1,520	1,447
1873	3,989	1,955	2,034	1905	3,165	1,594	1,571	1937	2,943	1,510	1,438
1874	3,966	1,944	2,022	1906	3,160	1,593	1,567	1938	2,937	1,505	1,432
1875	3,951	1,940	2,011	1907	3,151	1,589	1,562	1939	2,934	1,503	1,431
1876	3,949	1,942	2,007	1908	3,145	1,588	1,557	1940	2,958	1,515	1,443
1877	3,956	1,947	2,009	1909	3,142	1,589	1,553	1941	2,993	1,533	1,460

NOTE.—The population from 1801 to 1910 is based on the result of each Census taken during that period as described in previous Annual Reports.

From 1911 to 1925 the population was estimated by adding to the population at the Census of 1911 the number of births registered, and deducting the number of deaths registered and the number of emigrants enumerated each year. From 1922 the migration figures have been used in the estimates, the number of emigrants and immigrants having been furnished by the Department of Industry and Commerce. Adjustments were made for the years 1915-1921 to cover the movements of the British military; and at the Census of 1926, the estimates were revised according to the difference disclosed between the estimate for that year (calculated to the Census date) and the population at the Census, by a distribution of the difference in arithmetical progression over the preceding fifteen years.

For the years 1926 to 1941 the estimate has been based on the population according to the Census of 1926, the natural increase (excess of births over deaths) and the passenger movement figures (including emigration and immigration) published by the Department of Industry and Commerce. The resulting estimates for the years 1926 to 1936 have been revised in accordance with the population according to the Census of 1936.

TABLE 2.—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936.

CENSUS YEARS.	AGES.													Total Population.*	
	Under 1 Year.	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95		95 and upwards
	PERSONS.														
1851	100,400	391,870	633,567	710,458	640,632	497,364	660,193	568,883	434,215	299,518	121,152	42,403	6,669	1,580	5,111,550
1861	103,031	419,697	456,185	452,394	516,197	471,414	568,917	458,312	422,322	330,301	135,456	54,561	8,735	1,451	4,402,111
1871	99,807	388,438	476,611	474,552	392,142	340,114	543,674	402,845	361,783	329,440	167,510	60,419	10,843	1,881	4,053,187
1881	78,630	353,148	471,705	465,016	419,663	355,534	464,939	413,149	326,300	279,226	161,105	68,905	9,097	1,604	3,870,020
1891	64,943	277,768	379,942	414,919	413,433	325,110	430,250	353,009	336,015	247,835	142,235	67,493	12,658	1,624	3,468,694
1901	60,229	251,519	325,078	336,293	349,036	323,983	465,833	342,310	298,276	260,048	139,690	57,632	10,379	1,517	3,221,823
1911	59,057	248,108	310,163	303,149	303,443	269,058	454,276	380,399	279,189	202,898	235,538	82,580	10,767	1,063	3,139,688
1926	55,391	232,322	284,633	295,533	286,187	240,231	398,701	344,844	331,611	230,859	183,458	73,364	14,034	824	2,971,992
1936	53,606	214,660	269,345	282,783	268,326	254,513	400,069	355,325	309,290	273,819	198,941	76,238	10,899	606	2,968,420
PROPORTION PER CENT.															
1851	1.96	7.67	12.40	13.91	12.54	9.74	12.92	11.14	8.50	5.86	2.37	0.83	0.13	0.03	100
1861	2.34	9.54	10.37	10.28	11.74	10.72	12.93	10.42	9.60	7.51	3.08	1.24	0.20	0.03	100
1871	2.46	9.59	11.77	11.72	9.68	8.40	13.42	9.95	8.93	8.13	4.14	1.49	0.27	0.05	100
1881	2.03	9.13	12.19	12.02	10.85	9.19	12.02	10.68	8.44	7.22	4.17	1.78	0.24	0.04	100
1891	1.87	8.01	10.96	11.97	11.92	9.38	12.41	10.18	9.69	7.15	4.10	1.95	0.36	0.05	100
1901	1.87	7.80	10.09	10.44	10.83	10.06	14.47	10.62	9.26	8.07	4.33	1.79	0.32	0.05	100
1911	1.88	7.90	9.88	9.66	9.67	8.57	14.47	12.12	8.89	6.46	7.50	2.63	0.34	0.03	100
1926	1.86	7.82	9.58	9.94	9.63	8.08	13.42	11.60	11.16	7.77	6.17	2.47	0.47	0.03	100
1936	1.81	7.23	9.07	9.53	9.04	8.57	13.48	11.97	10.42	9.22	6.70	2.57	0.37	0.02	100

*At the Census of 1851, the ages of 2,646 persons (1,499 males and 1,147 females) were unspecified. In 1861 the numbers unspecified were 3,138 (2,029 males and 1,109 females); in 1871, the numbers were 3,128 (1,872 males and 1,256 females); in 1881, the numbers were 1,909 (1,093 males and 816 females) and in 1891, the numbers were 1,460 (696 males and 764 females).

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936.

CENSUS YEARS.	AGES.													Total Population.*	
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95		95 and upwards
	MALES.														
1851	51,165	198,917	321,938	362,086	319,085	240,776	312,850	265,981	205,950	134,815	57,334	18,581	2,900	593	2,494,470
1861	52,440	212,831	231,280	232,089	255,048	234,222	282,061	213,537	202,367	157,384	64,124	25,119	3,946	565	2,169,042
1871	50,087	197,278	241,103	242,985	192,183	163,194	260,919	195,496	170,455	159,104	83,619	28,257	5,140	776	1,992,468
1881	39,992	178,762	238,604	237,986	207,114	177,872	223,272	197,182	158,874	131,719	80,396	34,635	4,283	654	1,912,438
1891	33,109	140,973	192,978	211,364	209,297	169,659	210,857	166,702	161,679	121,960	69,006	33,266	6,347	708	1,728,601
1901	30,647	127,411	164,732	171,577	174,937	163,595	234,185	168,571	141,924	126,709	71,527	28,529	5,134	607	1,610,085
1911	29,899	125,988	157,597	154,182	155,523	141,288	228,733	198,371	142,879	100,110	109,146	40,172	5,171	450	1,589,509
1926	23,084	118,089	144,764	150,814	146,047	124,518	199,148	173,399	172,658	120,792	88,984	33,008	6,227	357	1,506,889
1936	27,152	109,213	136,348	143,720	138,112	131,680	207,403	180,524	159,188	143,199	100,878	35,154	4,663	220	1,520,454
PROPORTION PER CENT.															
1851	2.05	7.98	12.91	14.52	12.80	9.66	12.55	10.67	8.26	5.41	2.30	0.75	0.12	0.02	100
1861	2.42	9.82	10.67	10.71	11.77	10.81	13.02	9.85	9.34	7.26	2.96	1.16	0.18	0.03	100
1871	2.52	9.91	12.11	12.21	9.65	8.20	13.11	9.82	8.56	7.99	4.20	1.42	0.26	0.04	100
1881	2.09	9.35	12.49	12.45	10.84	9.31	11.68	10.32	8.31	6.89	4.21	1.81	0.22	0.03	100
1891	1.92	8.16	11.17	12.23	12.11	9.82	12.20	9.65	9.36	7.06	3.99	1.92	0.37	0.04	100
1901	1.90	7.91	10.23	10.66	10.87	10.16	14.54	10.47	8.82	7.87	4.44	1.77	0.32	0.04	100
1911	1.88	7.93	9.91	9.70	9.78	8.89	14.39	12.48	8.99	6.30	6.87	2.53	0.32	0.03	100
1926	1.86	7.84	9.61	10.01	9.69	8.26	13.22	11.51	11.46	8.01	5.90	2.20	0.41	0.02	100
1936	1.79	7.18	8.97	9.45	9.08	8.86	13.64	11.87	10.47	9.42	6.64	2.31	0.31	0.01	100

* See note (*) on page 3.

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936.

CENSUS YEARS	AGES.														Total Population*
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95	95 and upwards	
	FEMALES.														
1851	49,235	192,953	311,629	348,372	321,547	256,588	347,343	302,902	228,265	164,703	63,818	23,822	3,769	987	2,617,080
1861	50,591	206,866	224,905	220,305	261,149	237,192	286,856	244,775	219,955	172,917	71,332	29,442	4,789	886	2,233,069
1871	49,720	191,160	235,508	231,567	199,959	176,920	282,755	207,349	191,328	170,336	82,891	32,162	5,703	1,105	2,060,719
1881	38,638	174,386	233,101	227,030	212,549	177,662	241,667	215,967	167,426	147,507	86,709	34,270	4,814	1,040	1,957,582
1891	31,834	136,795	186,964	203,555	204,136	155,451	219,393	186,307	174,336	125,875	73,229	34,227	6,311	916	1,740,093
1901	29,582	124,108	160,346	164,716	174,099	160,388	231,648	173,739	156,352	133,339	68,163	29,103	5,245	910	1,611,738
1911	29,158	122,120	152,566	148,967	147,920	127,770	225,543	182,028	136,310	102,788	126,392	42,408	5,596	613	1,550,179
1926	27,307	114,233	139,869	144,719	140,140	115,713	199,553	171,445	158,953	110,067	94,474	40,356	7,807	467	1,465,103
1936	26,454	105,447	132,997	139,063	130,214	119,833	192,666	174,801	150,102	130,620	98,063	41,084	6,236	386	1,447,966
PROPORTION PER CENT.															
1851	1.88	7.38	11.91	13.32	12.29	9.81	13.28	11.58	8.72	6.30	2.44	0.91	0.14	0.04	100
1861	2.27	9.27	10.08	9.87	11.70	10.63	12.85	10.97	9.85	7.75	3.19	1.32	0.21	0.04	100
1871	2.41	9.28	11.44	11.25	9.71	8.59	13.73	10.07	9.29	8.27	4.07	1.56	0.28	0.05	100
1881	1.97	8.91	11.91	11.60	10.86	9.08	12.35	11.04	8.56	7.54	4.13	1.75	0.25	0.05	100
1891	1.83	7.87	10.75	11.70	11.74	8.94	12.61	10.71	10.02	7.24	4.21	1.97	0.36	0.05	100
1901	1.83	7.70	9.95	10.22	10.80	9.95	14.37	10.78	9.70	8.27	4.23	1.81	0.33	0.06	100
1911	1.88	7.88	9.84	9.61	9.54	8.24	14.55	11.74	8.79	6.63	8.16	2.74	0.56	0.04	100
1926	1.86	7.80	9.55	9.88	9.56	7.90	13.62	11.70	10.85	7.51	6.45	2.76	0.53	0.03	100
1936	1.83	7.28	9.19	9.60	8.99	8.28	13.31	12.07	10.37	9.02	6.77	2.84	0.43	0.02	100

* See note (*) on page 3.

TABLE 3.—MARRIAGES, BIRTHS and DEATHS registered, and NATURAL INCREASE (excess of Births over Deaths), 1864-1941.

PERIOD.	Mar- riages.	BIRTHS.						DEATHS.			Natural Increase.		
		Total (including Illegitimate).			Legiti- mate.	Illegitimate.		Total.	Males.				
		Total.	Males.	Females.		Total.	Males.		Females.				
Average, 1864-70	...	21,150	106,926	54,927	51,999	104,342	2,584	1,304	1,280	67,323	33,878	33,445	39,603
" 1871-80	...	18,014	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
" 1881-90	...	14,692	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,542
" 1891-1900	...	14,805	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
" 1901-10	...	15,325	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
" 1911-20	...	15,785	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
" 1921-30	...	14,245	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
1931	...	13,133	57,086	29,409	27,677	55,161	1,925	971	954	42,947	21,754	21,193	14,139
1932	...	13,029	56,240	28,842	27,398	54,421	1,819	938	881	42,984	21,801	21,183	13,256
1933	...	13,992	57,364	29,381	27,983	55,360	2,004	969	1,035	40,539	20,610	19,929	16,825
1934	...	14,251	57,897	29,825	28,072	55,867	2,030	1,038	992	39,083	19,920	19,163	18,814
1935	...	14,336	58,266	29,898	28,368	56,320	1,946	1,036	910	41,543	21,541	20,002	16,723
1936	...	14,763	58,115	29,602	28,513	56,207	1,908	978	930	42,586	21,920	20,666	15,529
1937	...	14,780	56,488	28,893	27,595	54,675	1,813	945	868	45,086	23,331	21,755	11,402
1938	...	14,893	56,925	29,108	27,817	55,047	1,878	998	880	40,041	20,637	19,404	16,884
1939	...	15,204	56,070	28,804	27,266	54,289	1,781	927	854	41,717	21,567	20,150	14,353
1940	...	15,212	56,594	29,029	27,565	54,770	1,824	895	929	41,885	21,611	20,274	14,709
Average, 1931-40	...	14,359	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1941	...	15,021	56,780	29,198	27,582	54,805	1,975	1,007	968	43,797	22,642	21,155	12,983

PERIOD.	MARRIAGES.		BIRTHS.					DEATHS.		Natural Increase per 1,000 of Population.
	Per 1,000 Population.	Per 1,000 Population.	Per 1,000 Population.	Illegitimate.		Births of Males per 1,000 Births of Females.	Per 1,000 Population.	Infant Mortality per 1,000 Births.		
				Legitimate per 1,000 Population.	Per 1,000 Population.				Per Cent. Total Births.	
1864-70	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56	
1871-80	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25	
1881-90	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32	
1891-1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50	
1901-10	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63	
1911-20	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86	
1921-30	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76	
1931	4.48	19.46	18.81	0.66	3.37	1,063	14.64	68.93	4.82	
1932	4.42	19.07	18.45	0.62	3.23	1,053	14.58	72.19	4.49	
1933	4.72	19.37	18.69	0.68	3.49	1,050	13.69	65.23	5.68	
1934	4.80	19.49	18.80	0.68	3.51	1,062	13.15	63.28	6.34	
1935	4.83	19.61	18.96	0.65	3.34	1,054	13.98	68.44	5.63	
1936	4.98	19.59	18.94	0.64	3.28	1,038	14.35	74.15	5.23	
1937	5.01	19.16	18.55	0.61	3.21	1,047	15.29	72.95	3.87	
1938	5.07	19.38	18.74	0.64	3.30	1,046	13.63	66.65	5.75	
1939	5.18	19.11	18.50	0.61	3.18	1,056	14.22	65.83	4.89	
1940	5.14	19.13	18.52	0.62	3.22	1,053	14.16	66.42	4.97	
Average, 1931-40	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17	
1941	5.02	18.97	18.31	0.66	3.48	1,059	14.63	73.53	4.34	

TABLE 5.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1931-41 ; with the average annual rates for the ten years 1931-40 and the rate for 1941 per 1,000 of the population.

YEAR.	Marriages.										Births.				Deaths.												
	Catholic.					All Other.					Total.				Total.												
	Quarter ending the last day of					Quarter ending the last day of					Quarter ending the last day of				Quarter ending the last day of												
	Total.					Total.					Total.				Total.												
	Mar. June. Sept. Dec.					Mar. June. Sept. Dec.					Mar. June. Sept. Dec.				Mar. June. Sept. Dec.												
	Mar.	June.	Sept.	Dec.	Total.	Mar.	June.	Sept.	Dec.	Total.	Mar.	June.	Sept.	Dec.	Total.	Mar.	June.	Sept.	Dec.	Total.							
1931	...	3,348	2,875	3,269	2,736	12,228	170	253	310	172	905	3,518	3,128	3,579	2,908	13,133	14,304	15,142	14,410	13,230	57,086	13,686	11,293	8,364	9,604	42,947	
1932	...	3,009	2,930	3,220	3,018	12,177	152	230	289	181	852	3,161	3,160	3,509	3,199	13,029	13,585	14,804	14,800	13,051	56,240	13,193	11,267	8,895	9,629	42,984	
1933	...	3,464	3,224	3,252	3,153	13,093	162	225	298	214	899	3,626	3,449	3,550	3,367	13,992	13,693	15,011	14,922	13,738	57,364	12,918	9,703	8,231	9,687	40,539	
1934	...	3,130	3,348	3,763	3,190	13,431	141	214	272	193	820	3,271	3,562	4,035	3,383	14,251	14,521	15,009	14,734	13,633	57,897	11,612	10,025	8,245	9,201	39,083	
1935	...	3,692	2,836	3,824	3,102	13,454	165	220	333	164	882	3,857	3,056	4,157	3,266	14,336	14,414	14,919	14,941	13,992	58,266	11,389	10,947	8,795	10,412	41,543	
1936	...	3,638	3,175	3,822	3,199	13,834	158	252	361	158	929	3,796	3,427	4,183	3,357	14,763	14,434	15,100	14,917	13,664	58,115	12,873	10,821	8,652	10,240	42,586	
1937	...	3,140	3,460	3,845	3,363	13,808	163	257	357	195	972	3,303	3,717	4,202	3,558	14,780	13,554	15,052	15,008	12,874	56,488	15,360	11,206	8,617	9,903	45,086	
1938	...	3,665	3,163	4,060	3,081	13,969	159	272	319	174	924	3,824	3,435	4,379	3,255	14,893	14,083	14,697	14,768	13,377	56,925	11,442	9,814	8,587	10,198	40,041	
1939	...	3,359	3,411	4,179	3,333	14,282	128	254	335	205	922	3,487	3,665	4,514	3,538	15,204	14,245	14,475	14,262	13,088	56,070	13,313	10,372	8,600	9,432	41,717	
1940	...	3,310	3,591	4,231	3,114	14,252	193	214	358	195	960	3,503	3,808	4,592	3,309	15,212	14,084	15,134	14,385	12,991	56,594	13,361	10,481	8,442	9,601	41,885	
Average for ten years, 1931-1940		3,375	3,202	3,747	3,129	13,453	159	239	323	185	906	3,534	3,441	4,070	3,314	14,359	14,092	14,934	14,715	13,364	57,105	12,915	10,593	8,543	9,790	41,841	
1941	...	3,353	3,380	3,891	3,437	14,061	167	263	311	219	960	3,520	3,643	4,202	3,656	15,021	13,673	14,955	15,067	13,085	56,780	14,653	11,312	8,679	9,153	43,797	
Equivalent Annual Rate per 1,000 living :—																											
Average, 1931-1940		4.9	4.7	5.5	4.6	4.9	3.1	4.6	6.3	3.6	4.4	4.8	4.7	5.5	4.5	4.9	19.1	20.2	20.2	19.9	18.1	19.3	17.5	14.3	11.6	13.3	14.2
1941	...	4.8	4.8	5.6	4.9	5.0	3.4	5.3	6.3	4.4	4.9	4.7	4.9	5.6	4.9	5.0	18.3	20.0	20.0	20.1	17.5	19.0	19.6	15.1	11.6	12.2	14.6

TABLE 6.—DEATHS FROM VARIOUS CAUSES, 1864-1910.

(Note.—Figures for individual years from 1864 to 1910 are given in the Annual Report for 1928).

CAUSES OF DEATH.	ANNUAL AVERAGE NUMBER OF DEATHS.					ANNUAL AVERAGE RATES PER 100,000 OF POPULATION.				
	1864-70	1871-80	1881-90	1891-1900	1901-10	1864-70	1871-80	1881-90	1891-1900	1901-10
ALL CAUSES ...	67,323	71,611	64,220	58,994	53,577	1622.7	1806.4	1756.2	1770.1	1691.4
Typhoid fever ...	2,973	660*	514	492	263	71.5	16.7*	14.1	14.7	8.3
Typhus fever ...		575*	462	166	60		14.5*	12.5	5.0	1.9
Simple continued fever.		1,067*	393	110	26		26.9*	10.6	3.3	0.8
Small-pox ...	150	628	7	21	5	3.5	15.8	0.2	0.6	0.2
Measles ...	702	882	654	515	348	17.0	22.2	17.9	15.5	11.0
Scarlet fever ...	2,001	1,640	720	291	110	48.1	41.3	19.5	8.7	3.5
Whooping cough...	1,257	1,366	1,037	821	661	30.3	34.5	28.4	24.7	20.9
Diphtheria ...	196	214	206	177	228	4.7	5.4	5.6	5.3	7.2
Influenza ...	127	69	155	1,537	963	3.0	1.7	4.4	46.3	30.4
Simple cholera ...	455	56	28	70	775	10.9	1.4	0.8	2.1	24.4
Dysentery ...	404	198	986	942		9.7	5.0	26.9	28.3	
Diarrhoea ...	1,456	1,300				35.1	32.8			
Pulmonary tuberculosis.	6,777	6,960	7,026	6,669	6,263	163.4	175.5	192.3	200.2	197.6
Other tuberculous diseases.	—	—	1,904	1,938	1,774	—	—	52.0	58.2	56.0
Cancer ...	—	—	1,362	1,608	2,157	—	—	37.4	48.3	68.2
Pneumonia ...	10,169	10,605	11,217	9,522	2,661†	244.9	267.7	306.5	285.4	84.4‡
Other respiratory diseases.					6,334†					200.8‡
Puerperal sepsis ...	234	274	244	199	150	5.7	6.9	6.7	6.0	4.8
Other puerperal conditions.	516	456	370	299	260	12.4	11.5	10.1	9.0	8.2
Suicide ...	1,650	1,531	80†	90	96	39.8	38.6	2.2†	2.7	3.0
Other violence ...			1,286†	1,281	1,156			35.4†	38.5	36.5

* Average for 9 years 1872-80.

† Average for 9 years 1882-90.

‡ Average for 7 years 1904-10.

TABLE 6A.—DEATHS FROM VARIOUS CAUSES, 1911-39.

(Note.—Figures and rates for individual years from 1911 to 1939 are given in the Annual Report for 1939.)

Nos.*	CAUSES OF DEATH	ANNUAL AVERAGE NUMBER OF DEATHS.			ANNUAL AVERAGE RATE PER 100,000 OF POPULATION.		
		1911-20	1921-30	1931-39†	1911-20	1921-30	1931-39†
	ALL CAUSES ...	51,453	43,203	41,836	1664.4	1446.9	1417.1
1	Typhoid fever ...	195	108	68	6.3	3.6	2.3
2	Typhus fever ...	32	10	4	1.0	0.3	0.1
3	Measles ...	383	253	184	12.4	8.5	6.2
4	Scarlet fever ...	148	78	94	4.8	2.6	3.2
5	Whooping cough...	494	365	221	16.0	12.3	7.5
6	Diphtheria ...	225	282	337	7.3	9.4	11.4
7	Influenza ...	2,030	1,221	1,313	65.8	40.9	44.5
8	Dysentery ...	18	11	2	0.6	0.3	0.1
*9	Encephalitis lethargica	—	40	27	—	1.3	0.9
10	Cerebro-spinal fever	30	17	30	1.0	0.6	1.1
11	Tuberculosis of respiratory system	5,027	3,437	2,784	162.6	115.0	94.3
12	Other tuberculous diseases	1,312	920	772	42.4	30.8	26.2
13	Cancer ...	2,591	2,933	3,503	83.8	98.4	118.7
14	Diabetes mellitus	245	227	257	7.9	7.6	8.7
*15	Cerebral hæmorrhage, etc.	1,415	2,077	2,359	45.8	69.6	79.9
16	Heart disease ...	5,148	4,981	7,092	166.5	167.1	240.2
*17	Other circulatory diseases	—	439	732	—	14.7	24.8
18	Bronchitis ...	4,324	2,750	2,201	139.8	92.0	74.6
19	Pneumonia, all forms	2,853	2,476	2,482	92.3	83.0	84.1
20	Other respiratory diseases	819	722	689	26.5	24.2	23.3
21	Gastric and duodenal ulcer	229	274	322	7.4	9.2	10.9
22	Diarrhoea and enteritis under 2 years	814	592	583	26.3	19.8	19.8
23	Appendicitis ...	129	169	189	4.2	5.7	6.4
24	Cirrhosis of Liver ...	183	95	74	5.9	3.2	2.5
*25	Other diseases of Liver, etc.	—	138	163	—	4.6	5.4
*26	Other digestive diseases	—	1,172	939	—	39.2	31.8
27	Acute and chr. nephritis	1,150	1,132	1,197	37.2	38.0	40.6
28	Puerperal sepsis ...	129	101	73	4.2	3.4	2.5
29	Other puerperal causes	212	190	172	6.9	6.4	5.8
*30	Congenital debility, etc.	2,101	1,788	1,843	68.0	59.9	62.4
*31	Senility ...	—	8,300	6,174	—	277.8	209.1
32	Suicide ...	82	89	97	2.6	3.0	3.3
33	Other violent deaths	1,165	1,023	871	37.7	34.1	29.5
34	Other defined causes	16,609	3,491	3,337	537.2	117.0	113.0
35	Causes ill-defined or unknown.	1,361	1,302	651	44.0	43.4	22.0

* Deaths from Nos. 9, 25, 26 and 31 and also parts of 15, 17, and 30 are included in No. 34 for the years 1911-20. See page xvi of Annual Report for 1931.
† Average for nine years.

TABLE 7.—NUMBER OF DEATHS AND RATES PER 100,000 OF POPULATION FROM VARIOUS CAUSES, EIRE AND NORTHERN IRELAND, 1940 AND 1941.

Nos.	CAUSES OF DEATH.	ÉIRE.				NORTHERN IRELAND.			
		No.		Rate.		No.		Rate.	
		1940	1941	1940	1941	1940	1941	1940	1941
	ALL CAUSES ...	41,885	43,797	1416·0	1463·3	18,941	19640	1461·5	1521·3
1	Typhoid fever (including paratyphoid)	31	38	1·0	1·3	10	8	0·8	0·6
2	Cerebro-spinal fever ...	23	41	0·8	1·4	58	105	4·5	8·1
3	Scarlet fever ...	33	32	1·1	1·1	27	12	2·1	0·9
4	Whooping cough ...	163	150	5·5	5·0	141	98	10·9	7·6
5	Diphtheria ...	178	165	6·0	5·5	127	133	9·8	10·3
6	Tuberculosis of respiratory system ...	2,907	2,882	98·3	96·3	967	1,012	74·6	78·4
7	All other forms of tuberculosis ...	778	829	26·3	27·7	299	327	23·1	25·3
8	Dysentery ...	2	4	0·1	0·1	—	1	—	0·1
9	Influenza ...	828	1,335	28·0	44·6	665	443	51·3	34·3
10	Measles ...	77	89	2·6	3·0	193	18	14·9	1·4
11	Acute infectious encephalitis ...	23	24	0·8	0·8	32	33	2·5	2·6
12	Typhus ...	2	6	0·1	0·2	—	—	—	—
13	Cancer ...	3,773	3,790	127·6	126·6	1,764	1,763	136·1	136·6
14	Diabetes mellitus ...	284	277	9·6	9·3	158	141	12·2	10·9
15	Intra-cranial lesions of vascular origin	2,687	2,721	90·8	90·9	1,544	1,659	119·1	128·5
16	Diseases of the heart ...	8,908	9,338	301·1	312·0	3,950	4,076	304·8	315·7
17	Other diseases of the circulatory system	755	777	25·5	26·0	337	341	26·0	26·4
18	Bronchitis ...	2,011	1,952	68·0	65·2	942	908	72·7	70·3
19	Pneumonia ...	1,861	1,881	62·9	62·8	873	913	67·4	70·7
20	Other diseases of the respiratory system	678	671	22·9	22·4	296	281	22·8	21·8
21	Ulcer of the stomach or duodenum ...	372	339	12·6	11·3	164	159	12·7	12·3
22	Diarrhoea and enteritis ...	724	1,020	24·5	34·1	465	403	35·9	31·2
23	Appendicitis ...	190	127	6·4	4·2	72	67	5·6	5·2
24	Cirrhosis of the liver ...	59	62	2·0	2·1	35	32	2·7	2·5
25	Diseases of the liver and biliary passages	157	157	5·3	5·2	86	84	6·6	6·5
26	Other diseases of the digestive system	639	680	21·6	22·7	228	240	17·6	18·6
27	Nephritis ...	1,183	1,184	40·0	39·6	473	419	36·5	32·5
28	Puerperal infection ...	55	43	1·9	1·4	33	19	2·5	1·5
29	Other diseases of childbirth ...	153	139	5·2	4·7	73	93	5·6	7·2
30	Congenital debility, etc. (Nos. 157-161)	1,931	2,094	65·3	70·0	1,051	1,073	81·1	83·1
31	Senility ...	5,788	6,440	195·7	215·2	1,552	1,571	119·8	121·7
32	Suicide ...	99	90	3·3	3·0	60	55	4·6	4·3
33	Other violence ...	968	863	32·7	28·8	632	1,554	48·8	120·4
34	Other causes ...	3,565	3,557	120·5	118·8	1,634	1,599	126·1	123·9

TABLE 8.—NUMBER OF DEATHS OF MALES IN THIRTEEN AGE-GROUPS,
registered during the years 1864-1941.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
„ 1871-80 ...	36,224*	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
„ 1881-90 ...	32,233	7,140	932	653	902	1,270	1,968	1,901	2,495	3,660	4,888	4,636	1,462	218
„ 1891-1900 ...	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
„ 1901-10 ...	27,031	5,444	566	393	630	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
„ 1911-20 ...	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
„ 1921-30 ...	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
1931 ...	21,754	3,201	357	240	411	520	905	1,094	1,983	3,238	5,224	3,419	1,056	106
1932 ...	21,801	3,235	366	226	412	545	965	1,102	1,850	3,358	5,384	3,255	1,001	96
1933 ...	20,610	2,975	339	236	387	528	962	1,097	1,887	3,171	4,912	3,156	888	72
1934 ...	19,920	2,735	322	225	363	533	890	1,031	1,702	3,204	4,991	3,040	801	83
1935 ...	21,541	3,174	305	251	388	536	945	1,130	1,926	3,322	5,190	3,442	840	92
1936 ...	21,920	3,210	283	235	318	541	849	1,104	1,746	3,426	5,580	3,631	890	107
1937 ...	23,331	3,172	302	221	367	472	918	1,083	1,912	3,684	6,014	4,096	1,012	78
1938 ...	20,637	2,814	271	217	352	392	860	1,024	1,713	3,231	5,314	3,627	747	75
1939 ...	21,567	2,671	282	167	353	390	867	975	1,668	3,355	5,736	4,181	867	55
1940 ...	21,611	2,680	251	186	351	447	916	979	1,716	3,210	5,772	4,171	866	66
Average, 1931-40 ...	21,469	2,986	308	221	370	490	968	1,063	1,810	3,320	5,412	3,602	896	83
1941 ...	22,642	3,043	245	157	336	422	888	1,022	1,582	3,218	5,959	4,687	1,006	77

Rates per 1,000 of corresponding population.

1864-70 ...	16.49	33.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-80 ...	18.55	39.73	5.26	3.05	5.08	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.18
1881-90 ...	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900 ...	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-10 ...	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-20 ...	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-30 ...	14.39	23.58	2.53	1.77	3.21	4.92	5.33	7.08	11.44	24.50	48.08	107.81	217.55
1931 ...	14.53	22.04	2.48	1.60	2.83	4.20	4.57	6.35	11.56	26.98	59.10	104.27	177.65
1932 ...	14.49	22.16	2.53	1.50	2.82	4.33	4.85	6.40	10.73	27.83	60.58	98.73	166.82
1933 ...	13.63	20.28	2.33	1.56	2.64	4.23	4.81	6.31	10.89	26.16	55.01	95.29	145.32
1934 ...	13.12	18.57	2.21	1.48	2.47	4.25	4.44	5.90	9.79	26.33	55.68	91.45	133.27
1935 ...	14.17	21.53	2.09	1.65	2.63	4.27	4.70	6.46	11.06	27.26	58.47	103.38	140.34
1936 ...	14.42	23.54	2.08	1.64	2.30	4.02	4.09	6.12	10.97	23.92	55.31	103.29	204.18
1937 ...	15.45	23.42	2.23	1.55	2.68	3.53	4.46	6.04	12.09	25.90	59.98	117.43	225.58
1938 ...	13.71	20.84	2.01	1.53	2.58	2.94	4.19	5.73	10.87	22.79	53.18	104.33	170.65
1939 ...	14.35	19.81	2.09	1.18	2.59	2.93	4.23	5.47	10.60	23.70	57.48	120.42	191.68
1940 ...	14.26	19.72	1.85	1.30	2.55	3.33	4.43	5.44	10.82	22.49	57.38	119.18	192.24
Average, 1931-40 ...	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1941 ...	14.77	22.13	1.78	1.03	2.41	3.11	4.25	5.62	9.86	22.28	58.54	132.36	220.75

* During 1864-70 the ages at death were unspecified for an average annual number of 49 males, and during 1871-80 for an average annual number of 29 males.

TABLE 8 (contd.).—DEATHS OF FEMALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1941.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
" 1871-80	35,387*	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
" 1881-90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
" 1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	298
" 1901-10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
" 1911-20	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
" 1921-30	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
1931	21,193	2,626	287	279	445	514	1,092	1,208	1,777	2,855	5,005	3,625	1,337	143
1932	21,183	2,653	366	268	475	493	1,085	1,136	1,755	2,930	5,044	3,595	1,263	120
1933	19,929	2,409	391	237	398	504	1,005	1,151	1,674	2,686	4,740	3,511	1,131	92
1934	19,163	2,224	335	251	368	468	998	1,067	1,609	2,596	4,740	3,406	982	119
1935	20,002	2,386	325	299	369	503	947	1,124	1,554	2,841	4,753	3,694	1,083	124
1936	20,666	2,626	323	212	347	514	1,000	1,076	1,556	2,875	5,003	3,895	1,128	111
1937	21,755	2,576	275	241	368	499	1,026	1,093	1,647	3,086	5,154	4,495	1,175	120
1938	19,404	2,332	270	215	377	410	914	1,031	1,389	2,762	4,756	3,791	1,048	109
1939	20,150	2,159	209	180	343	429	881	934	1,553	2,782	5,126	4,350	1,084	120
1940	20,274	2,146	218	201	387	459	910	1,003	1,486	2,856	5,051	4,388	1,056	115
Average, 1931-40	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1941	21,155	2,285	216	191	359	488	912	1,036	1,418	2,899	5,167	4,877	1,198	109

Rates per 1,000 of corresponding population.

1864-70	...	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-80	...	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-90	...	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	...	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-10	...	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-20	...	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-30	...	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931	...	14.76	18.93	2.09	1.97	3.24	4.53	5.58	7.19	11.41	26.48	54.02	91.52	182.22
1932	...	14.67	19.02	2.66	1.88	3.44	4.32	5.52	6.72	11.21	27.02	54.14	90.26	169.34
1933	...	13.74	17.20	2.82	1.65	2.87	4.40	5.09	6.78	10.65	24.67	50.67	87.78	149.11
1934	...	13.19	15.84	2.42	1.75	2.65	4.08	5.04	6.27	10.21	23.79	50.56	84.96	133.94
1935	...	13.78	17.02	2.35	2.09	2.66	4.39	4.79	6.62	9.88	26.08	50.76	92.25	146.98
1936	...	14.27	19.91	2.43	1.52	2.66	4.29	5.19	6.16	10.37	22.01	51.02	94.81	187.10
1937	...	15.13	19.66	2.08	1.75	2.85	4.19	5.36	6.30	11.04	23.79	52.94	110.07	200.15
1938	...	13.55	17.88	2.05	1.56	2.93	3.46	4.80	5.96	9.35	21.38	49.06	93.22	179.52
1939	...	14.08	16.56	1.59	1.31	2.67	3.62	4.63	5.41	10.47	21.55	52.91	107.04	186.99
1940	...	14.05	16.32	1.64	1.45	2.98	3.84	4.74	5.76	9.93	21.94	51.70	107.07	180.01
Average, 1931-40	...	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1941	...	14.49	17.18	1.61	1.36	2.74	4.04	4.69	5.88	9.37	22.01	52.28	117.62	198.93

* During 1864-70 the ages at death were unspecified for an average annual number of 31 females, and during 1871-80 for an average annual number of 15 females.

TABLE 8 (contd.).—DEATHS OF PERSONS IN THIRTEEN AGE-GROUPS, registered during the years 1864-1941.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
„ 1871-80 ...	71,611*	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
„ 1881-90 ...	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
„ 1891-1900 ...	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
„ 1901-10 ...	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
„ 1911-20 ...	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
„ 1921-30 ...	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
1931 ...	42,947	5,827	644	519	856	1,034	1,997	2,302	3,760	6,093	10,229	7,044	2,393	249
1932 ...	42,984	5,888	732	494	887	1,038	2,050	2,244	3,605	6,288	10,428	6,850	2,264	216
1933 ...	40,539	5,384	730	473	785	1,032	1,967	2,248	3,561	5,857	9,652	6,667	2,019	164
1934 ...	39,083	4,959	657	476	731	1,001	1,888	2,098	3,311	5,800	9,731	6,446	1,783	202
1935 ...	41,543	5,560	630	550	757	1,039	1,892	2,254	3,480	6,163	9,943	7,136	1,923	216
1936 ...	42,586	5,836	606	447	665	1,055	1,849	2,180	3,302	6,301	10,583	7,526	2,018	218
1937 ...	45,086	5,748	577	462	735	971	1,944	2,176	3,559	6,770	11,168	8,591	2,187	198
1938 ...	40,041	5,146	541	432	729	802	1,774	2,055	3,102	5,993	10,070	7,418	1,795	184
1939 ...	41,717	4,830	491	347	696	819	1,748	1,909	3,221	6,137	10,862	8,531	1,951	175
1940 ...	41,885	4,826	469	387	738	906	1,826	1,982	3,202	6,066	10,823	8,559	1,922	179
Average, 1931-40 ...	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1941 ...	43,797	5,328	461	348	695	910	1,800	2,058	3,000	6,117	11,126	9,564	2,204	186

Rates per 1,000 of corresponding population.

1864-70 ...	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-80 ...	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-90 ...	17.56	34.52	4.75	3.32	4.96	6.93	8.35	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900 ...	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-10 ...	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-20 ...	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-30 ...	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.26	11.34	24.30	46.58	102.78	202.72
1931 ...	14.64	20.52	2.29	1.78	3.03	4.36	5.08	6.76	11.49	26.74	56.50	97.29	180.18
1932 ...	14.58	20.62	2.59	1.68	3.12	4.35	5.18	6.56	10.96	27.45	57.28	94.10	168.22
1933 ...	13.69	18.78	2.57	1.61	2.75	4.31	4.95	6.54	10.77	25.46	52.79	91.18	147.42
1934 ...	13.15	17.24	2.31	1.61	2.56	4.17	4.74	6.09	9.99	25.13	53.06	87.89	133.64
1935 ...	13.98	19.33	2.21	1.86	2.65	4.33	4.75	6.54	10.50	26.70	54.22	97.30	144.01
1936 ...	14.35	21.75	2.25	1.58	2.48	4.15	4.62	6.14	10.68	23.01	53.20	98.72	194.35
1937 ...	15.29	21.57	2.16	1.65	2.76	3.84	4.89	6.17	11.58	24.89	56.51	113.46	211.02
1938 ...	13.63	19.39	2.03	1.54	2.75	3.18	4.48	5.85	10.13	22.12	51.15	98.34	175.72
1939 ...	14.22	18.21	1.85	1.24	2.62	3.26	4.42	5.44	10.54	22.69	55.26	113.14	185.79
1940 ...	14.16	18.05	1.75	1.37	2.76	3.57	4.58	5.60	10.39	22.23	54.58	112.65	185.24
Average, 1931-40 ...	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1941 ...	14.63	19.70	1.70	1.22	2.57	3.54	4.46	5.75	9.62	22.15	55.45	124.41	208.26

* During 1864-70 the ages at death were unspecified for an average annual number of 80 persons, and during 1871-80 for an average annual number of 44 persons.

TABLE 9.—INFANT MORTALITY RATE (Deaths of Infants under one year of age, per 1,000 Births), by certain causes, 1931-41.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.										
	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	1941
ALL CAUSES	68.93	72.19	65.23	63.28	68.44	74.15	72.95	66.65	65.83	66.42	73.53
Scarlet Fever (8)	0.07	0.07	0.03	0.02	0.09	0.31	0.12	0.05	0.07	0.05	0.09
Whooping cough (9)	1.16	2.60	2.54	2.97	1.05	2.20	2.46	1.74	1.37	1.77	1.46
Diphtheria (10)	0.25	0.23	0.23	0.16	0.37	0.55	0.42	0.23	0.16	0.14	0.33
Tuberculosis of Nervous System (14).	0.35	0.32	0.31	0.40	0.53	0.50	0.35	0.32	0.29	0.27	0.33
Tuberculosis of Intestines and Peritoneum (15).	0.26	0.27	0.26	0.29	0.33	0.17	0.25	0.19	0.27	0.20	0.09
Other Tuberculous Diseases (13, 16-22).	0.93	0.35	0.30	0.40	0.48	0.60	0.50	0.12	0.43	0.28	0.28
Syphilis (30)	0.23	0.11	0.14	0.10	0.14	0.21	0.25	0.26	0.14	0.27	0.23
Influenza (33)	1.09	1.12	0.94	0.47	0.55	0.48	1.59	0.42	0.93	1.06	0.92
Measles (35)	1.40	1.00	0.30	0.22	0.96	0.93	0.56	0.35	0.39	0.35	0.37
Meningitis (81)	0.86	0.96	0.89	0.59	0.64	0.69	0.94	1.00	0.78	0.83	0.79
Convulsions (86)	6.78	6.54	5.61	5.41	4.50	5.32	4.99	4.43	4.48	3.55	4.23
Bronchitis (106)	3.17	3.96	2.79	3.26	3.40	2.96	2.92	2.71	2.35	2.62	2.34
Pneumonia (107-9)	7.72	8.44	6.99	6.72	8.08	8.96	8.34	8.43	7.67	7.70	7.93
Diarrhoea and Enteritis (119)	8.27	9.33	8.92	7.50	10.65	10.38	9.95	9.12	9.33	9.67	14.18
Congenital Malformations (157)	3.38	3.40	3.59	3.54	3.90	4.44	4.39	4.38	4.82	4.59	5.57
Congenital Debility (158) ...	16.00	16.46	14.38	13.78	14.19	14.44	13.65	12.79	12.68	13.25	14.14
Premature Birth (159)	8.58	8.53	9.59	8.05	9.76	11.31	12.16	10.96	11.02	10.67	11.57
Injury at Birth (160)	0.96	0.82	0.65	1.17	0.86	1.19	1.31	1.21	1.46	1.80	1.39
Other Diseases peculiar to first year of life (161) ...	1.49	1.69	2.06	2.07	2.30	2.70	2.46	3.14	2.68	2.86	3.17
Mechanical Suffocation (including Overlying) (182)	0.26	0.12	0.09	0.22	0.14	0.27	0.19	0.12	0.18	0.28	0.14
Other Accidents (including Lack of Care) (195)	0.47	0.43	0.40	0.29	0.38	0.53	0.28	0.30	0.36	0.46	0.26
Other Causes	5.25	5.44	4.22	5.65	5.14	5.01	4.87	4.38	3.97	3.75	3.72

TABLE 10.—DEATHS OF INFANTS UNDER ONE YEAR BY CERTAIN CAUSES, AND AGE-PERIODS, IN THE YEAR 1941.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year.
ALL CAUSES	452	512	239	250	266	1,719	532	438	834	652	4,175
Scarlet Fever (8)	1	3	.	1	5
Whooping Cough (9)	2	6	8	4	7	25	39	83
Diphtheria (10)	1	1	.	2	3	13	19
Tuberculosis of Nervous System (14)	1	3	15	19
Tuberculosis of Intestines and Peritoneum (15)	1	4	5
Other Tuberculous Diseases (13, 16-22)	1	.	1	.	1	3	11	16
Syphilis (30)	1	.	1	3	4	1	4	13
Influenza (33)	1	2	3	1	7	7	12	11	15	52
Measles (35)	1	.	1	1	.	2	17	21
Meningitis (81)	2	2	4	4	12	23	45
Convulsions (86)	15	22	16	19	12	84	38	23	57	38	240
Bronchitis (106)	1	3	7	8	19	22	23	35	34	133
Pneumonia (107-9)	9	8	19	12	48	55	55	136	156	450
Diarrhoea and Enteritis (119)	1	2	8	27	53	91	121	150	290	153	805
Congenital Malformations (157)	33	66	33	21	26	179	47	16	46	28	316
Congenital Debility (158) ...	81	124	64	63	71	403	146	96	127	31	803
Premature Birth (159)	225	197	57	49	52	580	41	17	17	2	657
Injury at Birth (160)	26	30	13	7	1	77	2	.	.	.	79
Other Diseases peculiar to first year of life (161) ...	58	45	24	23	11	161	9	3	4	3	180
Mechanical suffocation (includ- ing Overlying) (182)	1	1	.	.	2	3	1	2	.	8
Other Accidents (including Lack of Care) (195)	8	4	1	.	1	14	.	.	1	.	15
Other Causes	5	10	9	7	9	40	28	20	58	65	211

TABLE 11.—INFANT MORTALITY RATE, by certain causes, for each of the undermentioned areas or groups of areas in 1941.

CAUSES OF DEATH.			DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED										
			CITIES AND BOROUGHES.					Remaining Towns of 10,000 Population and upwards.	Total Towns of 10,000 Population and upwards	Urban Areas under 10,000 Population.	All Urban Areas.	All Rural Districts.	Éire
			Dublin.	Dun Laoghaire.	Cork.	Limerick.	Waterford.						
Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)		
ALL CAUSES	114·37	78·75	81·57	89·37	86·46	73·33	102·21	83·24	92·93	58·39	73·53		
Scarlet Fever (8)	0·26	·	·	·	·	·	0·17	·	0·14	0·03	0·09		
Whooping Cough (9)	2·12	·	0·57	0·99	3·26	1·37	1·77	1·37	1·70	1·32	1·46		
Diphtheria (10)	0·62	·	·	·	·	·	0·40	·	0·33	0·34	0·33		
Tuberculosis of Nervous System (14)	0·26	·	·	·	·	·	0·17	1·09	0·33	0·34	0·33		
Tuberculosis of Intestines and Peritoneum (15)	0·26	·	0·57	·	·	·	0·23	·	0·19	0·03	0·09		
Other Tuberculous Diseases (13, 16-22)	0·44	1·49	·	·	·	0·92	0·46	0·27	0·43	0·20	0·28		
Syphilis (30)	0·35	1·49	0·57	·	·	·	0·34	·	0·28	0·20	0·23		
Influenza (33)	0·18	·	·	·	·	·	0·11	1·64	0·38	1·23	0·92		
Measles (35)	0·97	·	0·57	·	·	0·46	0·74	0·82	0·76	0·14	0·37		
Meningitis (81)	1·42	·	1·71	1·99	1·63	0·92	1·37	0·27	1·18	0·56	0·79		
Convulsions (86)	2·21	2·97	7·99	7·94	3·26	5·04	3·54	7·10	4·15	1·27	4·23		
Bronchitis (106)	1·77	·	3·42	3·97	8·16	1·37	2·17	2·18	2·17	2·11	2·34		
Pneumonia (107-9)	13·27	5·94	9·70	11·92	6·53	7·79	11·63	8·46	11·09	6·04	7·93		
Diarrhoea and Enteritis (119)	40·34	35·66	15·97	17·88	26·10	11·92	32·40	10·64	28·64	5·56	14·18		
Congenital Malformations (157)	6·90	7·43	7·99	3·97	4·89	3·67	6·39	12·28	7·41	4·17	5·57		
Congenital Debility (158) ...	10·17	10·40	6·84	26·81	6·53	16·04	11·41	15·28	12·07	15·36	14·14		
Premature Birth (159) ...	20·26	2·97	12·55	3·97	21·21	17·87	17·62	15·83	17·31	8·15	11·57		
Injury at Birth (160) ...	3·54	·	·	·	1·63	·	2·34	1·37	2·17	0·93	1·39		
Other Diseases peculiar to to first year of life (161)	4·87	5·94	5·13	1·99	·	4·13	4·51	2·46	4·15	2·59	3·17		
Mechanical suffocation (includ- ing Overlying) (182) ...	0·18	·	0·57	·	·	0·46	0·17	0·27	0·19	0·11	0·14		
Other Accidents (including Lack of Care) (195) ...	0·09	·	·	·	·	·	0·11	·	0·09	0·37	0·26		
Other Causes	3·89	4·46	7·42	7·94	3·26	1·37	4·16	1·91	3·77	3·68	3·72		

TABLE 12.—MORTALITY, by certain causes and by age-periods, among ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE, in 1941.

CAUSES OF DEATH.	NUMBER OF DEATHS OF ILLEGITIMATE INFANTS AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days and under 1 Month	Total under 1 Month	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.
ALL CAUSES	27	43	23	35	33	161	68	74	113	56	472
Scarlet Fever (8)	1	1	.	.	2
Whooping Cough (9)	1	.	4	5	10
Diphtheria (10)	1	1	2
Tuberculosis of Nervous System (14)	1	.	1	2
Tuberculosis of Intestines and Peritoneum (15)	1	1
Other Tuberculous Diseases (13, 16-22)
Syphilis (30)	1	1	1	.	3
Influenza (33)	1	.	1	.	4	3	2	10
Measles (35)
Meningitis (81)	1	2	3
Convulsions (86)	1	2	.	3	3	.	1	1	8
Bronchitis (106)	2	2	4	4	5	4	3	20
Pneumonia (107-9)	1	.	1	.	2	10	7	20
Diarrhoea and Enteritis (119)	.	.	.	4	9	13	18	28	43	20	122
Congenital Malformations (157)	1	.	1	2	.	5	1	5	6	1	18
Congenital Debility (158)	10	8	15	17	50	29	19	25	6	129
Premature Birth (159)	10	19	7	5	4	45	5	3	4	1	58
Injury at Birth (160)	1	2	1	.	.	4	4
Other diseases peculiar to first year of life (161)	5	3	.	1	1	10	1	.	.	.	11
Mechanical suffocation (includ- ing Overlying) (182)
Other Accidents (including Lack of Care) (195)	7	4	1	.	.	12	12
Other Causes	3	4	4	2	.	13	4	5	10	5	37

TABLE 13.—DEATHS OF ILLEGITIMATE INFANTS UNDER ONE YEAR OF AGE
by age-periods in each county and county borough in 1941, distinguishing deaths in institutions.

COUNTIES AND COUNTY BOROUGH BY PROVINCES.	Under 24 Hours	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 mth.	Total under 1 mth.	1-2 mths.	2-3 mths.	3-6 mths.	6-12 mths.	Total under 1 year.	Place of Occurrence.	
												Institu- tions.	Else- where.
EIRE	27	43	23	35	33	161	68	74	113	56	472	401	71
Carlow	1	.	.	.	1	1	.	2	1	5	3	2
Dublin Co. ...	1	4	.	.	2	7	3	2	6	2	20	16	4
City of Dublin ...	5	8	3	9	9	34	12	21	30	17	114	109	5
Kildare	2	.	1	1	4	3	1	3	2	13	13	.
Kilkenny ...	1	1	1	1	.	4	4	4	3	3	18	13	5
Laoighis	1	1	3	5	2	2	4	1	14	13	1
Longford	3	1	1	.	5	4	1
Louth	3	1	.	.	4	1	3	1	1	10	6	4
Meath	1	2	.	3	2	1	.	3	9	8	1
Offaly ...	1	.	.	.	2	3	3	1	3	.	10	10	.
Westmeath ...	1	1	.	1	2	5	1	.	1	.	7	7	.
Wexford ...	1	1	1	1	.	4	.	2	.	3	9	7	2
Wicklow ...	1	2	2	.	.	5	1	1	.	.	7	5	2
PROVINCE OF LEINSTER	11	23	10	16	19	79	36	39	54	33	241	214	27
Clare	2	4	2	1	9	9	.
Cork Co. ...	6	6	6	2	1	21	5	10	10	5	51	41	10
Cork Co. Borough ...	1	1	.	.	.	2	1	.	1	1	5	5	.
Kerry ...	1	2	2	4	.	9	.	1	4	.	14	12	2
Limerick Co. ...	1	1	.	1	1	4	1	1	6	.	12	10	2
Limerick Co. Borough	2	.	2	.	2
Tipperary N.R.	.	1	.	.	1	2	.	2	3	.	7	6	1
Tipperary, S.R.	.	3	.	2	.	5	3	4	3	1	16	12	4
Waterford Co.	1	1	4	.	6	2	2	1	2	13	8	5
Waterford Co. Borough.	1	.	.	.	1	1	.
PROVINCE OF MUNSTER	9	15	9	13	3	49	15	24	32	10	130	104	26
Galway ...	3	1	1	3	2	10	4	2	6	5	27	22	5
Leitrim	1	.	1	.	2	2	1	1
Mayo ...	1	1	.	.	1	3	6	2	9	2	22	20	2
Roscommon	1	1	1	.	1	.	3	3	.
Sligo ...	1	1	.	.	1	3	1	.	2	.	6	6	.
PROVINCE OF CONNAUGHT	5	4	1	4	5	19	12	4	18	7	60	52	8
Cavan ...	2	.	3	1	2	8	1	.	3	1	13	12	1
Donegal	3	3	4	6	3	3	19	13	6
Monaghan	1	.	1	1	3	.	1	3	2	9	6	3
PROVINCE OF ULSTER (Part of)	2	1	3	2	6	14	5	7	9	6	41	34	10

TABLE 14.—MARRIAGES, BIRTHS and DEATHS by Provinces, Counties and County Boroughs in 1941.

PROVINCES AND COUNTIES.	MARRI- AGES	BIRTHS		DEATHS FROM						Deaths of Infants under One Year of age.	
		Total.	Illegiti- mate Births.	All Causes.	Principal Epidemic Diseases. *	Tuber- culosis.	Cancer.	Puerperal Infection			Other Diseases of Child- birth.
ÉIRE.	15,021	56,780	1,975	43,797	1,359	3,711	3,790	27	16	139	4,175
Carlow ...	165	655	27	571	7	62	44	1	1	5	56
Dublin Co. ...	784	2,364	73	1,609	71	164	165	.	.	3	174
City of Dublin ...	3,446	11,305	286	6,839	605	761	598	7	3	11	1,293
Kildare ...	288	1,219	52	911	25	95	78	1	.	3	87
Kilkenny ...	384	1,236	71	996	18	83	86	1	.	6	100
Laoighis ...	194	839	39	718	12	54	58	1	1	1	59
Longford ...	158	615	21	560	12	39	38	.	.	3	45
Louth ...	339	1,338	53	962	23	89	97	3	.	6	86
Meath ...	279	1,183	60	939	12	58	102	1	.	3	54
Offaly ...	260	944	43	784	19	70	69	.	2	1	63
Westmeath ...	316	1,013	42	847	8	80	80	.	1	4	72
Wexford ...	418	1,828	112	1,560	32	149	144	1	2	7	121
Wicklow ...	272	1,145	52	927	28	84	78	.	.	2	83
LEINSTER ...	7,303	25,684	931	18,223	872	1,788	1,637	16	10	55	2,293
Clare ...	325	1,400	51	1,307	12	115	105	.	.	3	80
Cork Co. ...	1,072	4,512	155	4,239	66	285	412	2	2	8	331
Cork Co. Borough ...	651	1,753	25	1,236	45	106	124	.	.	7	143
Kerry ...	563	2,420	73	1,837	42	168	135	1	.	8	147
Limerick Co. ...	394	1,915	103	1,454	30	113	135	.	1	5	121
Limerick Co. Borough	342	1,007	33	554	32	67	40	.	1	2	90
Tipperary N.R. ...	263	1,088	37	883	23	82	86	1	1	4	66
Tipperary S.R. ...	345	1,433	61	1,218	29	94	119	.	.	3	104
Waterford Co. ...	229	802	58	762	17	60	58	2	.	1	47
Waterford Co. Boro'	178	613	13	445	36	40	38	.	.	1	53
MUNSTER ...	4,362	16,943	609	13,935	332	1,130	1,252	6	5	42	1,182
Galway ...	658	3,437	89	2,305	38	184	171	3	1	9	152
Leitrim ...	187	743	22	771	8	38	44	.	.	2	37
Mayo ...	649	2,794	57	2,158	31	139	178	2	.	5	125
Roscommon ...	278	1,091	22	1,124	10	73	70	.	.	5	45
Sligo ...	239	1,030	21	1,021	10	85	110	.	.	3	60
CONNAUGHT ...	2,011	9,095	211	7,379	97	519	573	5	1	24	419
Cavan ...	329	1,282	66	1,184	30	60	94	.	.	5	75
Donegal ...	720	2,728	110	2,146	17	160	170	.	.	8	144
Monaghan ...	296	1,048	48	930	11	54	64	.	.	5	62
ULSTER (part of) ...	1,345	5,058	224	4,260	58	274	328	.	.	18	281

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years of age).

TABLE 15.—MARRIAGE, BIRTH and DEATH RATES by Provinces, Counties and County Boroughs in 1941.

PROVINCES AND COUNTIES.	Popu- lation accord- ing to the Register of Popu- lation, 1941.	MARRI- AGES.	BIRTHS.		DEATHS.						
		Rates per 1,000 of Popula- tion.	Rates per 1,000 of Popula- tion.	Illegiti- mate per cent. of Total Births.	RATES PER 1,000 OF POPULATION.				RATES PER 1,000 BIRTHS.		
					All Causes.	Prin- cipal Epidem- ic Dis- eases.*	Tuber- culosis.	Cancer.	Puer- peral Infection	Other Diseases of Child- birth.	Deaths of Infants under One Year of age.
ÉIRE ...	2,989,700	5·02	18·97	3·48	14·63	0·45	1·24	1·27	0·76	2·45	74
Carlow ...	34,142	4·83	19·18	4·12	16·72	0·21	1·82	1·29	3·05	7·63	85
Dublin Co. ...	128,861	6·08	18·35	3·09	12·49	0·55	1·27	1·28	·	1·27	74
City of Dublin ...	489,276	7·04	23·10	2·53	13·98	1·24	1·56	1·22	0·88	0·97	114
Kildare ...	63,506	4·54	19·20	4·27	14·35	0·39	1·50	1·23	0·82	2·46	71
Kilkenny ...	68,268	5·62	18·11	5·74	14·59	0·26	1·22	1·26	0·81	4·85	81
Laoighis ...	49,920	3·89	16·81	4·65	14·38	0·24	1·08	1·16	2·38	1·19	7·0
Longford ...	37,771	4·18	16·28	3·41	14·83	0·32	1·03	1·01	·	4·88	73
Louth ...	65,772	5·15	20·34	3·96	14·63	0·35	1·35	1·47	2·24	4·48	64
Meath ...	65,124	4·28	18·17	5·07	14·42	0·18	0·89	1·57	0·85	2·54	46
Offaly ...	51,583	5·04	18·30	4·56	15·20	0·37	1·36	1·34	2·12	1·06	67
Westmeath ...	56,676	5·58	17·87	4·15	14·94	0·14	1·41	1·41	0·99	3·95	71
Wexford ...	93,777	4·46	19·49	6·13	16·64	0·34	1·59	1·54	1·64	3·83	66
Wicklow ...	59,023	4·61	19·40	4·54	15·71	0·47	1·42	1·32	·	1·75	72
LEINSTER ...	1,263,699	5·77	20·31	3·62	14·41	0·69	1·41	1·29	1·01	2·14	89
Clare ...	88,287	3·68	15·86	3·64	14·80	0·14	1·30	1·19	·	2·14	57
Cork Co. ...	275,323	3·89	16·39	3·44	15·40	0·24	1·04	1·50	0·89	1·77	73
Cork Co. Borough ...	76,758	8·48	22·84	1·43	16·10	0·59	1·38	1·62	·	3·99	82
Kerry ...	139,621	4·03	17·33	3·02	13·16	0·30	1·20	0·97	0·41	3·31	61
Limerick Co. ...	100,887	3·91	18·98	5·38	14·41	0·30	1·12	1·34	0·52	2·61	63
Limerick Co. Borough	42,522	8·04	23·68	3·28	13·03	0·75	1·58	0·94	0·99	1·99	89
Tipperary, N. R.	59,262	4·44	18·36	3·40	14·90	0·39	1·38	1·45	1·84	3·68	61
Tipperary, S. R.	78,100	4·42	18·35	4·26	15·60	0·37	1·20	1·52	·	2·09	73
Waterford Co. ...	48,943	4·68	16·39	7·23	15·57	0·35	1·23	1·19	2·49	1·25	59
Waterford Co. Boro'. ...	28,481	6·25	21·52	2·12	15·62	1·26	1·40	1·33	·	1·63	86
MUNSTER ...	938,184	4·65	18·06	3·59	14·85	0·35	1·20	1·33	0·65	2·48	70
Galway ...	168,451	3·91	20·40	2·59	13·68	0·23	1·09	1·02	1·16	2·62	44
Leitrim ...	48,418	3·86	15·35	2·96	15·92	0·17	0·78	0·91	·	2·69	50
Mayo ...	154,416	4·20	18·09	2·04	13·98	0·20	0·90	1·15	0·72	1·79	45
Roscommon ...	76,190	3·65	14·32	2·01	14·75	0·13	0·96	0·92	·	4·58	41
Sligo ...	64,676	3·70	15·93	2·04	15·79	0·15	1·31	1·70	·	2·91	58
CONNAUGHT ...	512,151	3·93	17·76	2·32	14·41	0·19	1·01	1·12	0·66	2·64	46
Cavan ...	73,766	4·46	17·38	5·15	16·05	0·41	0·81	1·27	·	3·90	59
Donegal ...	142,583	5·05	19·13	4·03	15·05	0·12	1·12	1·19	·	2·93	53
Monaghan ...	59,317	4·99	17·67	4·58	15·68	0·19	0·91	1·08	·	4·77	59
ULSTER (part of)	275,666	4·88	18·35	4·13	15·15	0·21	0·99	1·19	·	3·56	56

NOTE—The rates for Éire are calculated on the population estimated to the middle of 1941.

* See note page 20.

TABLE 16.—BIRTHS AND DEATHS for the Principal Towns and Urban and Rural areas, 1941.

URBAN AND RURAL AREAS.	Births.	DEATHS FROM							
		All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puerperal Infection.		Other Diseases of Child-birth.	Infants under One Year of Age
						Sepsis.	Other.		
ÉIRE	56,780	43,797	1,359	3,711	3,790	27	16	139	4,175
ALL COUNTY BOROUGHS AND URBAN DISTRICTS ...	21,197	14,168	888	1,523	1,287	9	5	40	2,097
ALL RURAL DISTRICTS	35,583	29,629	471	2,188	2,503	18	11	99	2,078
COUNTY BOROUGHS AND URBAN DISTRICTS, over 10,000 Population ...	17,533	11,156	799	1,218	1,000	7	4	30	1,792
CITY OF DUBLIN ...	11,305	6,839	605	761	598	7	3	11	1,293
Borough of Dun Laoghaire ...	673	595	27	49	61	.	.	1	53
Cork County Borough	1,753	1,236	45	106	124	.	.	7	143
Limerick County Borough ...	1,007	554	32	67	40	.	1	2	90
Waterford County Borough ...	613	445	36	40	38	.	.	1	53
Galway U.D. ...	427	232	18	30	15	.	.	1	29
Dundalk U.D. ...	310	217	4	26	20	.	.	1	17
Drogheda U.D. ...	381	187	9	22	25	.	.	1	21
Sligo U.D. ...	229	177	4	39	14	.	.	1	16
Wexford U.D. ...	256	220	3	29	27	.	.	1	19
Tralee U.D. ...	188	121	4	13	9	.	.	1	17
Kilkenny U.D. ...	202	163	3	15	16	.	.	2	19
Bray U.D. ...	189	170	9	21	13	.	.	.	22
URBAN DISTRICTS, under 10,000 Population	3,664	3,012	89	305	287	2	1	10	301
ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN :—									
Province of Leinster	14,636	9,360	689	1,023	840	7	3	20	1,551
Province of Munster	5,147	3,848	163	385	366	2	2	16	445
Province of Connaught	984	616	34	96	50	.	.	4	65
Province of Ulster (part of)	430	344	2	19	31	.	.	.	36
ALL RURAL DISTRICTS IN :—									
Province of Leinster	11,048	8,863	183	765	797	9	7	35	742
Province of Munster	11,796	10,087	169	745	886	4	3	26	737
Province of Connaught	8,111	6,763	63	423	523	5	1	20	354
Province of Ulster (part of)	4,628	3,916	56	255	297	.	.	18	245

* See note, page 20.

TABLE 17.—BIRTH AND DEATH RATES for the Principal Towns and Urban and Rural areas in 1941.

URBAN AND RURAL AREAS.	Population Census 1936.	Birth Rate, per 1,000 Population.	DEATHS.						
			RATE PER 1,000 POPULATION.				RATE PER 1,000 BIRTHS.		
			All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puer-peral Infection.	Other Diseases of Child-birth.	Infants under One Year of Age.
ÉIRE ...	2,968,420	18·97	14·63	0·45	1·24	1·27	0·76	2·45	74
ALL COUNTY BOROUGHS AND URBAN DISTRICTS ...	965,269	21·96	14·68	0·92	1·58	1·33	0·66	1·89	99
ALL RURAL DISTRICTS	2,003,151	17·76	14·79	0·24	1·09	1·25	0·81	2·78	58
COUNTY BOROUGHS AND URBAN DISTRICTS, over 10,000 Population ...	760,599	23·05	14·67	1·05	1·60	1·31	0·63	1·71	102
CITY OF DUBLIN ...	468,103	23·11	13·98	1·24	1·56	1·22	0·88	0·97	114
Borough of Dun Laoghaire ...	39,785	16·41	14·51	0·66	1·20	1·49	·	1·49	79
Cork County Borough	80,765	22·84	16·10	0·59	1·38	1·62	·	3·99	82
Limerick County Borough ...	41,061	23·68	13·03	0·75	1·58	0·94	0·99	1·99	89
Waterford County Borough ...	27,968	21·52	15·62	1·26	1·40	1·33	·	1·63	86
Galway U.D. ...	18,294	23·34	12·68	0·98	1·64	0·82	·	2·34	68
Dundalk U.D. ...	14,684	21·11	14·78	0·27	1·77	1·36	·	3·23	55
Drogheda U.D. ...	14,494	26·29	12·90	0·62	1·52	1·72	·	2·62	55
Sligo U.D. ...	12,565	18·23	14·09	0·32	3·10	1·11	·	4·37	70
Wexford U.D. ...	12,247	20·90	17·96	0·24	2·37	2·20	·	3·91	74
Tralee U.D. ...	10,285	18·28	11·76	0·39	1·26	0·88	·	5·32	90
Kilkenny U.D. ...	10,237	19·73	15·92	0·29	1·47	1·56	·	9·90	94
Bray U.D. ...	10,111	18·69	16·81	0·89	2·08	1·29	·	·	116
URBAN DISTRICTS, under 10,000 Population ...	204,670	17·90	14·72	0·43	1·49	1·40	0·82	2·73	83
ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN :—									
Province of Leinster	636,466	23·00	14·71	1·08	1·61	1·32	0·68	1·37	106
Province of Munster	254,689	20·21	15·11	0·64	1·51	1·44	0·77	3·11	86
Province of Connaught	50,656	19·43	12·16	0·67	1·90	0·99	·	4·07	66
Province of Ulster (part of)	23,458	18·33	14·24	0·09	0·81	1·32	·	·	84
ALL RURAL DISTRICTS IN :—									
Province of Leinster	583,945	18·92	15·18	0·31	1·31	1·36	1·45	3·17	67
Province of Munster	687,583	17·16	14·67	0·25	1·08	1·29	0·59	2·20	62
Province of Connaught	474,812	17·08	14·24	0·13	0·89	1·10	0·74	2·47	44
Province of Ulster (part of)	256,811	18·02	15·29	0·22	0·99	1·16	·	3·89	53

NOTE—The rates for Éire and for the Borough of Dun Laoghaire are calculated on the population estimated to the middle of 1941, and those for the Cities of Dublin, Cork, Limerick and Waterford on the population according to the Register of Population, 1941.

* See note, page 20.

TABLE 18.—BIRTHS and DEATHS registered during the YEAR 1941, for the Thirteen Principal Towns and for each URBAN DISTRICT.

AREA.	Popula- tion Census 1936.	Annual Rate per 1,000 persons represented by		BIRTHS.	DEATHS.																					
		DEATHS			Total Number.	Caused by																				
		BIRTHS.	All Causes.			Principal epidemic diseases.	Principal Epidemic Diseases.										Tuber- culosis.		Influenza.	Cancer.	Puerperal Infection.	Other Diseases of Childbirth.	Violence.	No. Uncertified.		
							Typhoid fever	Scarlet fever	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus fever.	Diarrhoea & En- teritis (under 2 years).	Pulmonary.	Other Forms.									
ÉIRE	2,968,420	19.0	14.6	0.5	56,730	43,797	4,175	23,080	38	32	150	165	4	.	.	89	6	875	2,882	829	1,335	3,790	43	139	953	6,894
Total Rural Districts	2,003,151	17.8	14.8	0.2	35,583	29,629	2,078	17,413	23	24	85	84	4	.	.	28	6	217	1,676	512	1,127	2,503	29	99	627	6,552
Total Urban Districts	965,269	22.0	14.7	0.9	21,197	14,168	2,097	5,667	15	8	65	81	.	.	.	61	.	658	1,206	317	208	1,287	14	40	326	342
Total 13 Principal Towns	760,599	23.1	14.7	1.1	17,533	11,156	1,792	4,265	11	6	51	71	.	.	.	49	.	611	966	252	123	1,000	11	30	260	195
City of Dublin	468,103	23.1	14.0	1.2	11,305	6,839	1,293	2,418	4	5	35	53	.	.	.	33	.	475	612	149	42	598	10	11	162	119
Borough of Dun Laoghaire	39,785	16.4	14.5	0.7	673	595	53	307	1	.	1	1	24	35	14	5	61	.	1	11	1
Cork Co. Borough	80,765	22.8	16.1	0.6	1,753	1,236	143	508	.	.	3	4	.	.	.	7	.	31	86	20	32	124	.	7	31	17
Limerick "	41,061	23.7	13.0	0.8	1,007	554	90	196	2	.	2	3	25	51	16	12	40	1	2	11	11
Waterford "	27,968	21.5	15.6	1.3	613	445	53	203	.	1	3	7	.	.	.	2	.	23	32	8	2	38	.	1	10	2
Galway U. D.	18,294	23.3	12.7	1.0	427	232	29	94	1	7	.	10	23	7	2	15	.	1	4	7
Dundalk	14,684	21.1	14.8	0.3	310	217	17	86	.	.	2	2	21	5	3	20	.	1	8	5
Drogheda	14,494	26.3	12.9	0.6	381	187	21	71	.	.	3	1	5	14	8	5	25	.	1	5	3
Sligo	12,565	18.2	14.1	0.3	229	177	16	78	.	.	.	1	3	33	6	.	14	.	1	2	3
Wexford	12,247	20.9	18.0	0.2	256	220	19	105	3	23	6	3	27	.	1	4	1
Tralee	10,285	18.3	11.8	0.4	188	121	17	44	1	.	1	2	11	2	7	9	.	1	5	13
Kilkenny	10,237	19.7	15.9	0.3	202	163	19	85	3	11	4	6	16	.	2	6	12
Bray ...	10,111	18.7	16.8	0.9	189	170	22	70	2	.	1	1	5	14	7	4	13	.	.	1	1

Total Urban Districts under 10,000 Population	...	204,670	17.9	14.7	0.4	3,664	3,012	305	1,402	4	2	14	19	.	12	.	17	249	65	85	287	3	10	66	117
I. LEINSTER.																									
An Uainb	4,123	16.7	13.3	0.2	69	55	6	18	.	.	1	4	1	2	4	.	.	2	1
Arklow	4,680	19.7	16.7	0.2	92	78	3	54	1	3	2	4	6	.	.	.	7
Athlone	7,257	19.6	11.4	0.3	142	83	10	31	2	9	.	1	6	.	.	3	1
Athy	3,628	22.6	16.0	1.1	82	58	8	27	1	.	3	2	2	1	4	.	.	3	3
Birr	3,297	17.0	18.8	0.6	56	62	9	30	.	.	1	1	6	1	1	5	.	.	.	3
Carlow	7,649	18.2	13.1	0.7	139	100	12	39	.	.	5	13	5	4	10	.	1	2	4
Ceannanus Mór	2,304	14.8	12.6	.	34	29	1	17	1	.	7	.	.	3	.
Enniscorthy	5,873	21.1	16.5	0.5	124	97	8	39	1	.	.	1	.	.	.	1	10	6	.	5	.	2	1	1
Granard	1,236	18.6	11.3	.	23	14	4	7	1	.	.	.	1
Howth	4,832	16.1	12.0	0.2	78	58	2	30	1	7	1	.	4	.	.	1	.
Longford	3,807	24.7	14.2	0.5	94	54	11	23	1	.	1	5	1	3	2	.	.	.	3
Naa	3,290	23.4	16.7	0.6	77	55	8	25	2	3	.	1	4	.	.	3	.
New Ross	5,056	19.2	14.6	0.8	97	74	5	37	.	.	.	2	.	.	.	2	5	1	2	6	.	.	.	1
Trim	1,455	17.9	17.2	.	26	25	2	13	4
Tullamore	5,135	22.0	14.8	.	113	76	11	28	5	6	3	6	.	.	1	2
Wicklow	3,183	23.2	16.0	0.6	74	51	7	28	2	1	.	2	6	.	.	1	.

NOTE.—The rates for Éire and the Borough of Dun Laoghaire are calculated on the estimated population in the middle of 1941, and those for the Cities of Dublin, Cork, Limerick and Waterford on the population according to the Register of Population, 1941.



TABLE 18.—URBAN DISTRICTS, 1941 (continued).

AREA.	Popula- tion Census 1936.	BIRTHS.		DEATHS		Total Number.	Under 1 year of Age.	At 65 years and up- wards.	Caused by											Tuber- culosis	Violence.	No. Uncertified.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		BIRTHS.	Principal epidemic diseases.	All Causes.	Principal Epidemic Diseases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
					Typhoid fever.				Scarlet fever.	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus fever.	Diarrhoea & En- teritis (under 2 years).	Tuber- culosis																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
																	Pulmonary.	Other forms.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
II. MUNSTER.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			</

TABLE 19.—BIRTH and DEATH RATES, for the aggregate Urban and Rural areas in each of the years 1911 to 1941.

YEAR.	RATES PER 1,000 OF POPULATION REPRESENTED BY								RATES PER 1,000 BIRTHS.	
	BIRTHS.		DEATHS. (All Causes).		PRINCIPAL EPI- DEMIC DISEASES.		TUBERCULOSIS (All forms).		INFANT MORTALITY.	
	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts
1911 ...	26.31	21.47	19.04	15.33	2.15	0.53	3.04	1.78	135	79
1912 ...	25.33	21.68	18.54	15.31	1.59	0.45	2.98	1.78	121	65
1913 ...	25.62	21.50	19.09	15.96	1.88	0.58	2.95	1.78	139	72
1914 ...	25.48	21.16	20.44	14.41	1.83	0.48	3.06	1.67	123	62
1915 ...	24.38	21.09	19.83	16.62	1.48	0.47	3.17	1.82	130	65
1916 ...	22.58	20.57	18.07	15.90	1.22	0.50	2.85	1.83	123	64
1917 ...	21.27	19.57	17.30	16.71	1.17	0.43	2.85	1.92	121	69
1918 ...	20.80	19.59	20.76	16.26	1.23	0.42	3.02	1.77	125	62
1919 ...	22.41	18.99	19.44	17.43	0.86	0.32	2.61	1.66	119	69
1920 ...	26.19	19.85	16.43	14.00	1.32	0.53	2.22	1.43	113	60
1921 ...	24.44	17.90	15.41	13.99	1.19	0.44	2.03	1.38	105	56
1922 ...	23.41	17.91	16.26	14.14	0.96	0.40	2.01	1.34	98	54
1923 ...	24.24	18.96	15.28	13.50	1.01	0.37	2.07	1.25	99	50
1924 ...	25.36	19.39	16.57	14.42	1.05	0.38	2.06	1.31	104	55
1925 ...	24.71	19.21	15.66	14.20	1.09	0.32	2.05	1.37	97	53
1926 ...	23.84	19.23	15.27	13.54	1.33	0.43	1.84	1.31	110	56
1927 ...	23.44	18.98	15.56	14.44	0.96	0.33	1.92	1.26	99	56
1928 ...	23.11	18.80	14.41	14.10	0.97	0.38	1.71	1.23	91	56
1929 ...	22.85	18.53	15.06	14.46	0.87	0.39	1.75	1.13	93	58
1930 ...	23.24	18.47	14.69	14.05	0.90	0.34	1.73	1.12	90	56
1931 ...	22.56	18.07	15.03	14.47	0.93	0.33	1.76	1.14	88	58
1932 ...	22.44	17.53	14.71	14.51	1.00	0.38	1.49	1.14	95	59
1933 ...	22.45	17.94	14.15	13.47	0.87	0.37	1.55	1.02	85	51
1934 ...	22.75	17.96	12.92	13.26	0.69	0.33	1.48	1.05	78	55
1935 ...	23.43	17.79	14.00	13.97	0.91	0.39	1.62	1.10	87	57
1936 ...	23.11	17.90	14.22	14.45	0.99	0.37	1.49	1.02	99	59
1937 ...	23.11	17.23	14.76	15.56	0.85	0.35	1.53	1.09	91	61
1938 ...	22.65	17.76	13.13	13.88	0.71	0.30	1.42	0.93	84	55
1939 ...	21.93	17.69	13.35	14.65	0.71	0.25	1.37	1.00	83	55
1940 ...	21.71	17.84	14.26	14.11	0.64	0.23	1.61	1.06	85	55
1941 ...	21.96	17.76	14.68	14.79	0.92	0.24	1.58	1.09	99	58

NOTE.—For 1923 and subsequent years the births and deaths on which the above rates are based have been assigned to the normal residence of the mother in the case of births and to that of the deceased in the case of deaths. Prior to 1923 the figures on which the rates were based were partially corrected for deaths in institutions. The rates given relate to the urban and rural areas as existing in the respective years.

PART III.

Abstracts.

ABSTRACT I.

MARRIAGES, BIRTHS AND DEATHS registered during the year 1941, in each Province, County, and County Borough.

[Wherever the minus sign (—) is prefixed to the numbers given in the column headed "Excess of Births over Deaths," it denotes that the births, instead of exceeding the deaths, were, in fact, less than the deaths to the extent stated.]

PROVINCES, ADMINISTRATIVE COUNTIES, AND COUNTY BOROUGH.	Area* in Statute Acres	Popula- tion accord- ing to Register of Popula- tion, 1941.	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
ÉIRE	17,024,485	2,989,700	15,021	56,780	—	—	56,780	1,975	—	—	1,975	43,797	—	—	43,797	12,983
PROVINCES																
I.—LEINSTER	4,851,340	1,263,699	7,303	26,028	579	235	25,684	1,029	187	89	931	18,443	311	91	18,223	7,461
II.—MUNSTER	5,962,595	938,181	4,362	16,959	190	174	16,943	642	94	61	609	13,881	80	134	13,935	3,008
III.—CONNAUGHT	4,230,822	512,151	2,011	8,830	51	316	9,095	141	4	74	211	7,267	17	129	7,379	1,716
IV.—ULSTER (part of)	1,979,728	275,666	1,345	4,963	50	145	5,058	163	—	61	224	4,206	12	66	4,260	798

PROVINCE OF LEINSTER.

1. CARLOW	221,485	34,142	165	605	10	60	655	17	1	11	27	558	29	42	571	84
2. DUBLIN CO.	208,984	128,861	784	1,201	126	1,289	2,364	130	92	35	73	1,382	225	452	1,609	755
3. CITY OF DUBLIN	18,740	489,276	3,446	13,669	2,505	141	11,305	520	289	55	286	7,743	1,090	186	6,839	4,466
4. KILDARE	418,644	63,506	288	1,027	20	212	1,219	17	—	35	52	824	13	100	911	308
5. KILKENNY	509,470	68,268	384	1,171	30	95	1,236	39	2	34	71	953	9	52	996	240
6. LAOIGHIS	424,892	49,920	194	769	11	81	839	12	—	27	39	717	31	32	718	121
7. LONGFORD	257,935	37,771	158	608	47	54	615	14	1	8	21	510	2	52	560	55
8. LOUTH	202,814	65,772	339	1,309	60	89	1,388	46	6	13	53	927	11	46	962	376
9. MEATH	577,824	65,124	279	1,015	27	195	1,183	29	7	38	60	864	7	82	939	244
10. OFFALY	493,636	51,583	260	859	11	96	944	14	—	29	43	717	8	75	784	160
11. WESTMEATH	435,605	56,676	316	1,031	89	71	1,013	64	39	17	42	881	80	46	847	166
12. WEXFORD	531,061	93,777	418	1,789	29	68	1,828	88	—	24	112	1,536	12	36	1,560	268
13. WICKLOW	500,250	59,023	272	975	18	188	1,145	39	—	13	32	831	10	106	927	218

14. CLARE	787,756	88,287	325	1,301	9	108	1,400	18	—	33	51	1,262	5	30	1,307	98
15. CORK CO.	1,810,908	273,323	1,072	1,036	158	634	1,312	192	30	13	155	1,121	165	280	1,259	173
16. CORK CO. BOROUGH ...	2,685	76,778	654	2,313	655	95	1,753	19	1	10	25	1,112	292	416	1,393	347
17. KERRY	1,161,705	139,621	563	2,375	30	75	2,420	63	1	11	73	1,797	3	43	1,837	583
18. LIMERICK CO.	661,585	100,887	394	1,504	49	290	1,315	111	25	17	463	1,174	172	172	1,154	464
19. LIMERICK CO. BOROUGH ...	2,386	12,522	342	1,244	278	41	1,007	16	4	21	55	526	150	178	551	465
20. TIPPERARY, N.R.	493,258	59,262	263	1,145	127	70	1,088	133	110	11	37	884	59	58	882	203
21. TIPPERARY, S.R.	558,634	78,100	345	1,454	71	53	1,433	38	3	26	61	1,209	37	46	1,248	213
22. WATERFORD CO.	452,840	48,943	229	684	10	131	802	36	1	29	58	680	19	101	762	40
23. WATERFORD CO. BOROUGH ...	1,438	28,484	178	709	112	16	613	22	13	4	13	513	94	23	445	168

PROVINCE OF CONNAUGHT.

24. GALWAY	1,467,660	168,451	658	3,418	70	89	3,437	95	33	27	89	2,331	68	42	2,305	1,132
25. LEITRIM	376,764	48,118	187	688	7	62	743	9	—	13	22	720	2	53	771	—28
26. MAYO	1,333,941	154,416	649	2,693	19	120	2,794	10	—	47	57	2,089	4	73	2,158	636
27. ROSCOMMON	608,540	76,190	278	1,035	44	100	1,091	15	3	10	22	1,095	19	48	1,124	—35
28. SLIGO	443,917	64,676	239	996	16	50	1,030	12	—	9	21	1,032	29	18	1,021	9

PROVINCE OF ULSTER (Part of).

29. CAVAN	467,162	73,766	329	1,209	14	87	1,282	36	—	30	66	1,123	3	64	1,184	98
30. DONEGAL	1,193,581	142,583	720	2,753	50	25	2,728	99	—	11	110	2,141	8	15	2,146	582
31. MONAGHAN	318,985	59,317	296	1,021	14	41	1,048	28	—	20	48	942	32	20	930	118

* Exclusive of the larger rivers, lakes and tideways.

ABSTRACT 1.—(continued)

MARRIAGES, BIRTHS AND DEATHS, 1941,—Superintendent Registrars' Districts, by Counties.—LEINSTER.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion, Census 1936	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
1. Carlow Co.																
No.																
1. CARLOW ...	221,485	34,452	165	605	10	60	655	17	1	11	27	558	29	42	571	84
2. Dublin Co.																
2. BALBOTHERY ...	84,405	20,997	91	267	5	180	442	7	—	12	19	268	86	81	263	179
3. DUBLIN (part of)	97,619	38,481	289	459	119	421	761	120	104	10	26	380	92	198	486	275
4. RATHDOWN ...	26,960	59,311	401	475	18	704	1,161	3	—	25	28	734	64	190	860	301
3. City of Dublin.																
5. DUBLIN (part of)	18,740	468,103	3,416	13,669	2,505	141	11,305	520	289	55	286	7,743	1,090	186	6,839	4,466
4. Kildare Co.																
6. ATHY ...	130,460	16,552	84	307	17	44	334	8	3	13	18	251	34	44	261	73
7. CELBRIDGE ...	53,703	8,233	36	93	3	61	151	—	—	6	6	94	—	29	123	28
8. NAAS ...	234,481	33,107	168	627	17	124	734	9	—	19	28	479	47	95	527	207
5. Kilkenny Co.																
9. OALLAN ...	62,169	7,112	31	97	—	23	120	2	—	3	5	73	—	37	110	10
10. OASTLECOMER ...	57,867	8,247	74	133	4	36	165	1	—	12	13	80	—	18	98	67
11. KILKENNY ...	133,462	23,377	146	517	117	27	427	14	5	11	20	420	107	26	339	88
12. THOMASTOWN ...	225,444	26,660	117	368	9	91	450	21	4	11	28	346	37	80	389	61
13. URLINGFORD ...	30,528	3,218	16	56	1	19	74	1	—	4	5	34	—	26	60	14
6. Laoighis Co.																
14. ABBEYLEIX ...	200,641	21,319	91	318	17	37	338	4	1	12	15	299	25	41	315	23
15. MOUNTMELICK ...	224,251	28,790	103	451	13	63	501	8	3	19	24	418	57	42	403	98

16. BALLYMAHON ...	69,834	7,972	29	69	—	26	105	—	3	72	—	35	197	-2
17. GRANARD ...	84,678	12,532	30	105	—	48	153	—	7	119	—	18	167	-14
18. LONGFORD ...	103,423	18,043	99	434	99	22	357	14	4	319	57	24	286	71
8. Louth Co.														
19. ARDEE ...	67,239	11,218	43	152	2	29	179	—	8	187	57	54	184	-5
20. DROGHEDA ...	41,979	19,674	146	575	103	19	491	13	4	286	30	27	283	208
21. DUNDALK ...	93,596	33,447	150	582	11	97	668	18	13	454	5	46	495	173
9. Meath Co.														
22. DUNSHAUGHLIN ...	106,757	7,724	36	107	3	53	157	—	10	61	—	51	92	65
23. KELLS ...	103,420	12,837	64	202	4	45	243	2	13	145	—	62	207	36
24. NAVAN ...	182,161	22,209	106	301	4	125	422	—	15	354	65	54	543	79
25. OLDCASTLE ...	44,099	4,596	10	64	1	17	80	—	5	55	—	12	77	5
26. TRIM... ..	141,387	14,039	63	341	96	36	281	27	10	249	68	39	220	61
10. Offaly Co.														
27. BIRR ...	248,865	23,462	99	292	4	74	362	4	17	280	—	87	367	-5
28. EDENDERRY ...	81,156	6,563	34	112	3	20	129	1	6	101	5	19	115	14
29. TULLAMORE ...	163,615	21,283	127	455	33	31	453	9	11	236	64	30	302	151
11. Westmeath Co.														
30. ATHLONE ...	98,984	18,109	140	327	40	45	332	2	7	202	2	65	263	69
31. DELVIN ...	110,987	10,087	43	165	42	44	167	45	5	131	15	59	175	-8
32. MULLINGAR ...	225,634	26,510	133	539	62	37	514	17	12	548	165	26	409	105
12. Wexford Co.														
33. ENNISCOORTHY ...	193,391	29,566	124	569	33	57	584	68	9	565	125	54	476	108
34. GOREY ...	130,202	13,850	59	248	10	26	264	4	12	163	—	40	203	61
35. NEW ROSS ...	124,426	19,417	96	343	10	59	392	2	18	255	15	66	506	86
36. WEXFORD... ..	133,042	31,412	139	638	77	27	588	14	11	553	44	66	575	12
13. Wicklow Co.														
37. BALTINGLASS ...	154,966	9,854	48	192	35	34	191	1	7	157	16	23	164	27
38. RATHDRUM ...	262,206	41,443	202	706	26	153	833	37	11	573	52	121	642	191
39. SHILLELAGH ...	83,078	7,272	22	77	1	45	121	1	4	101	—	20	121	—

See Note () on page 31.

ABSTRACT I.—(continued).
MARRIAGES, BIRTHS AND DEATHS, 1941.—Superintendent Registrars' Districts, by Counties.—MUNSTER.

SUPERINTENDENT REGISTRARS' DISTRICTS:	Area* in Statute Acres	Popula- tion, Census 1936	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	
No. 14. Clare Co.	71,629	3,263	10	40	—	8	48	—	—	2	2	30	—	9	39	9
40. BALLYVAUGHAN	61,381	3,865	21	60	—	5	65	—	—	2	2	27	—	10	37	28
41. COROFIN ...	113,312	18,634	101	348	66	23	305	15	9	5	11	431	151	7	287	18
42. ENNIS ...	99,600	14,390	33	226	8	30	248	—	—	8	8	168	2	36	202	46
43. ENNISTYMON ...	62,615	6,824	21	65	—	9	74	—	—	2	2	66	—	18	84	—10
44. KILLADYSERT ...	137,507	22,300	68	302	5	27	324	2	—	11	13	294	3	41	332	—8
45. KILRUSH ...	241,712	20,603	71	260	6	82	336	1	—	12	13	246	2	82	326	10
46. SCARRIFF ...																
15. Cork Co.	101,482	11,866	82	214	51	47	240	1	—	5	6	198	3	48	243	—3
47. BANDON ...	107,277	10,335	44	146	9	21	158	2	—	2	4	130	3	23	150	8
48. BANTRY ...	74,299	7,833	32	123	1	15	137	1	—	3	4	77	1	23	99	38
49. CASTLETOWN ...	80,994	11,716	41	212	12	38	238	13	10	2	5	246	35	27	238	—
50. CLONAKILTY ...	167,841	59,391	224	937	194	315	1,058	138	98	1	41	1,517	762	163	948	110
51. CORK (part of)	103,920	10,343	21	134	25	23	132	2	—	—	2	125	1	25	149	—17
52. DUNMANWAY ...	196,733	24,735	121	440	27	42	455	17	3	11	25	360	35	40	365	90
53. FERMOY ...	185,659	20,455	85	325	13	27	339	6	3	4	7	248	4	34	278	61
54. KANTURK ...	80,129	11,613	35	152	4	35	183	2	—	4	6	147	2	55	200	—17
55. KINSALE ...	179,153	17,760	80	251	7	54	298	—	—	5	5	205	—	62	267	31
56. MACROOM ...	169,102	24,511	97	353	—	98	451	3	—	22	25	308	24	47	361	90
57. MAILLOW ...	109,380	16,608	67	191	5	42	228	1	—	7	8	247	1	52	295	—67
58. MIDLETON ...	74,939	8,992	18	103	2	21	124	2	1	—	1	99	4	15	110	14
59. MILLSTREET ...	113,371	18,011	61	248	15	38	271	—	—	8	8	260	5	33	288	—17
60. SKIBBEREEN ...	57,669	6,312	30	55	2	25	78	3	—	3	6	76	—	16	92	—14
61. SKULL ...																

63. COKE (part of)	...	2,688	80,768	621	2,313	659	1,793	19	4	10	29	1,112	292	416	1,226	917
17. Kerry Co.																
64. CAHERCIVEN	198,101	15,371	44	222	2	21	3	—	2	5	172	—	34	206	35
65. DINGLE	126,454	13,838	46	164	2	22	—	—	4	4	141	—	30	171	11
66. KENMARE	198,416	10,143	23	127	2	24	1	—	6	7	106	1	26	151	18
67. KILLARNEY	251,430	31,660	150	528	37	29	35	20	—	15	499	111	57	445	75
68. LISTOWEL	165,503	29,407	119	521	10	61	6	—	9	15	327	1	61	587	187
69. TRALEE	221,801	39,415	181	813	95	36	18	4	13	27	552	124	69	497	257
18. Limerick Co.																
70. CROOM	83,369	10,007	44	382	238	31	76	65	—	11	196	81	52	147	28
71. KILMALLOCK	164,344	23,057	82	337	3	142	6	—	34	40	263	—	90	553	123
72. LIMERICK (part of)	...	142,828	26,625	97	389	40	164	26	22	15	19	460	189	95	366	147
73. NEWCASTLE	143,842	23,666	119	375	3	91	—	—	21	21	356	90	76	522	141
74. RATHKEALE	127,202	16,737	52	221	1	68	3	—	9	12	199	—	67	296	22
19. Limerick Co. Borough																
75. LIMERICK (part of)	...	2,386	41,061	342	1,244	278	41	16	4	21	33	526	150	178	554	153
20. Tipperary N.R.																
76. BORRISOKANE	109,667	8,842	27	129	1	33	—	—	4	4	98	1	42	159	22
77. NENAGH	183,395	20,688	78	375	45	25	—	—	9	9	277	22	46	301	54
78. ROSCREA	57,541	7,950	28	271	133	15	125	119	5	11	186	95	20	111	12
79. THURLES	142,655	22,071	130	370	7	56	8	2	7	13	323	42	51	332	87
21. Tipperary S.R.																
80. CARRICK-ON-SUIR	...	26,118	6,870	20	129	6	9	4	—	3	7	84	1	14	97	35
81. CASHEL	222,782	24,962	106	470	50	54	27	10	7	24	444	101	40	383	91
82. CLOGHEEN	117,415	11,500	59	168	8	30	2	—	9	11	138	—	45	183	7
83. CLONMEL	47,305	13,774	49	262	39	17	2	2	5	5	250	75	27	262	38
84. TIPPERARY	144,414	21,178	111	422	68	43	3	—	11	14	293	12	72	353	14
22. Waterford Co.																
85. DUNGARVAN	144,342	17,431	74	275	45	13	21	10	6	17	319	45	16	290	—47
86. KILMACTHOMAS	64,590	5,738	17	66	1	31	3	—	3	6	66	—	31	97	—1
87. LISMORE	97,186	10,172	73	118	1	42	1	—	13	14	128	—	28	163	7
88. WATERFORD (part of)	...	146,722	16,245	65	222	6	88	5	—	16	21	167	10	52	269	95
23. Waterford Co. Borough																
89. WATERFORD (part of)	...	1,438	27,968	178	709	112	16	22	13	4	13	513	91	23	445	168

See note () on page 31.

ABSTRACT I.—(continued).
MARRIAGES, BIRTHS AND DEATHS, 1941.—Superintendent Registrars' Districts, by Counties.—CONNAUGHT.

SUPERINTENDENT REGISTRARS' DISTRICTS.	Area* in Statute Acres	Popula- tion, Census 1936	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS				Excess of Births over Deaths (Net Num- bers)
				Registered	Transferred from Area	Transferred to Area	Net Number	Registered	Transferred from Area	Transferred to Area	Net Number	Registered	Transferred from Area	Transferred to Area	Net Number	
24. Galway Co.																
No.																
90. BALLINASLOE	155,542	18,442	68	270	1	63	332	2	—	12	14	246	76	57	227	105
91. CLIFDEN	193,692	12,434	52	254	1	13	266	2	—	3	5	136	2	16	150	116
92. GALWAY	198,506	38,297	168	1,095	225	23	893	12	2	10	20	779	253	42	568	325
93. GLENAMADDY	82,958	10,889	31	159	—	19	178	—	—	1	1	126	—	27	153	25
94. GORT	106,312	10,034	37	126	—	36	162	1	—	6	7	109	—	55	164	— 2
95. LOUGHREA	214,111	19,690	80	317	5	51	363	2	—	4	6	289	84	40	245	118
96. MOUNTBELLEW	72,439	8,562	25	138	—	15	153	1	—	5	6	90	—	25	115	38
97. OUGHTERARD	173,440	13,393	67	329	2	39	366	2	—	3	5	176	2	54	228	138
98. PORTUMNA	62,086	7,178	22	105	3	20	122	—	—	8	8	76	—	19	95	27
99. TUAM	208,574	29,279	108	625	70	47	602	73	61	5	17	304	33	89	360	242
25. Leitrim Co.																
100. CARRICK-ON-SHANNON	63,577	9,651	34	111	12	32	131	9	7	5	7	180	30	21	171	—40
101. MANORHAMILTON	177,423	19,556	78	266	4	25	287	—	—	10	10	274	9	29	294	— 7
102. MOHILL	135,764	21,701	75	311	4	18	325	—	—	5	5	266	—	40	306	19
26. Mayo Co.																
103. BALLINA	251,108	28,142	136	518	8	31	541	2	—	13	15	341	1	56	396	145
104. BALLINROBE	147,105	17,371	78	277	—	24	301	—	—	2	2	206	9	32	229	72
105. BELMULLET	179,761	13,447	60	309	5	6	310	3	—	—	3	128	2	22	148	162
106. CASTLEBAR	141,211	22,531	80	408	79	19	348	2	1	8	9	520	255	16	281	67

109. WESTPORT	347,904	27,865	112	416	7	3	—	—	206	—	63	531	116
27. Roscommon Co.														
110. BOYLE	122,372	16,729	56	229	37	19	—	—	250	—	26	276	—65
111. CASTLEREAGH	163,690	24,724	72	308	6	39	—	8	295	3	69	361	—20
112. ROSCOMMON	322,478	36,113	150	498	29	70	5	4	550	85	22	487	52
28. Sligo Co.														
113. DROMORE WEST	97,543	9,980	39	150	2	12	—	2	115	—	31	146	14
114. SLIGO	220,505	43,234	166	686	34	48	4	9	762	101	28	689	11
115. TOBERCURREY	125,869	14,233	34	160	1	11	—	2	155	—	31	186	—16

MARRIAGES, BIRTHS AND DEATHS, 1941.—Superintendent Registrars' Districts, by Counties.—ULSTER (part of).

29. Cavan Co.														
116. BAILIEBOROUGH	113,901	19,845	83	289	—	60	—	17	21	—	80	325	24
117. BAWNBOY	102,420	11,047	40	138	—	33	—	4	6	—	34	164	7
118. CAVAN	250,841	45,778	206	782	67	47	6	15	39	106	53	695	67
30. Donegal Co.														
119. BALLYSHANNON	41,628	7,976	25	161	19	12	—	3	3	17	17	137	17
120. DONEGAL	160,449	14,780	66	249	14	8	—	3	7	13	13	243	—
121. DUNPANAGHY	126,123	13,555	55	251	6	8	—	3	6	—	18	213	40
122. GLENTIES	258,505	27,569	128	440	12	30	—	13	16	4	52	400	58
123. INISHOWEN	160,021	23,240	133	496	7	9	—	6	12	5	31	358	140
124. LETTERKENNY	160,377	18,540	114	384	5	12	—	3	21	65	19	260	131
125. MILLFORD	112,089	15,513	91	256	5	11	—	7	21	—	26	217	45
126. STRANORLAR	174,389	21,137	108	496	41	14	30	3	24	84	17	318	151
31. Monaghan Co.														
127. CARRICKMACROSS	65,680	12,862	48	165	1	31	—	4	4	—	42	177	18
128. CASTLEBLAYNEY	63,834	13,205	83	188	9	63	8	11	23	56	32	226	16
129. CLONES	64,288	11,291	57	199	11	28	—	7	9	—	48	207	9
130. MONAGHAN	125,183	23,931	168	469	88	14	—	6	12	106	28	320	75

* See note (*) on page 31.

ABSTRACT II.—MARRIAGES

PROVINCES AND COUNTIES.	TOTAL MARRIAGES.	Catholic Marriages.	Marriages other than Catholic.								Total Marriages Registered in the Quarter ending the last day of			
			Total.	Protestant Episcopalian.	In Registered Pres- byterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	MARCH.	JUNE.	SEPTEMBER.	DECEMBER.	
ÉIRE	15,021	14,061	960	668	160	66	55	2	9	3,520	3,643	4,202	3,643	
PROVINCES.														
LEINSTER	7,303	6,743	560	427	34	47	44	2	6	1,447	1,718	2,292	1,843	
MUNSTER	4,362	4,244	118	97	2	7	9	.	3	1,230	1,024	1,110	943	
CONNAUGHT	2,011	1,980	31	30	1	503	603	458	443	
ULSTER (part of)	1,345	1,094	251	114	123	12	2	.	.	340	298	342	343	

PROVINCE														
CARLOW	165	154	11	10	.	1	.	.	.	44	30	47	143	143
DUBLIN CO.	784	682	102	94	4	3	.	1	.	121	216	268	268	268
CITY OF DUBLIN	3,446	3,148	298	187	29	36	39	1	6	590	773	1,217	843	843
KILDARE	288	277	11	10	.	.	1	.	.	45	66	72	143	143
KILKENNY	384	376	8	8	97	110	86	143	143
LAOIGHIS	194	168	26	25	.	1	.	.	.	59	46	43	143	143
LONGFORD	158	154	4	3	.	.	1	.	.	43	34	50	143	143
LOUTH	339	331	8	8	53	89	103	143	143
MEATH	279	269	10	10	66	60	85	143	143
OFFALY	260	244	16	14	.	1	1	.	.	63	54	65	143	143
WESTMEATH	316	310	6	5	.	1	.	.	.	108	76	65	143	143
WEXFORD	418	389	29	26	1	2	.	.	.	106	89	118	143	143
WICKLOW	272	241	31	27	.	2	2	.	.	52	75	73	143	143

PROVINCE														
CLARE	325	325	103	89	77	243	243
CORK CO.	1,072	1,029	43	39	.	1	3	.	.	306	248	266	266	266
CORK CO. BOROUGH	651	620	31	20	1	3	4	.	3	134	143	222	143	143
KERRY	563	558	5	5	181	148	118	143	143
LIMERICK CO.	394	390	4	2	.	2	.	.	.	148	83	92	143	143
LIMERICK CO. BOROUGH	342	330	12	11	.	1	.	.	.	80	84	102	143	143
TIPPERARY, N.R.	263	255	8	6	.	.	2	.	.	72	60	65	143	143
TIPPERARY, S.R.	345	345	102	64	74	143	143
WATERFORD CO.	229	220	9	9	60	58	57	143	143
WATERFORD CO. BOROUGH	178	172	6	5	1	44	47	37	143	143

PROVINCE														
GALWAY	658	654	4	3	1	193	192	133	143	143
LEITRIM	187	178	9	9	35	63	41	143	143
MAYO	649	646	3	3	134	196	177	143	143
ROSCOMMON	278	276	2	2	81	70	54	143	143
SLIGO	239	226	13	13	60	82	53	143	143

PROVINCE														
CAVAN	329	296	33	24	6	3	.	.	.	88	69	76	143	143
DCNEGAL	720	561	159	74	76	7	2	.	.	186	163	187	143	143
MONAGHAN	296	237	59	16	41	2	.	.	.	66	66	79	143	143

REGISTERED IN THE YEAR 1941.

MARRIAGES.								PROVINCES AND COUNTIES.
Contracted between				Of		Of Persons not of full Age		
Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	
14,193	187	543	98	641	285	277	1,196	ÉIRE.
								PROVINCES.
3,884	97	267	55	322	152	171	677	LEINSTER.
4,120	52	162	28	190	80	72	308	MUNSTER.
1,918	22	63	8	71	30	18	90	CONNAUGHT.
1,271	16	51	7	58	23	16	121	ULSTER (part of).
LEINSTER								
157	5	2	1	3	6	2	16	CARLOW.
746	8	27	3	30	11	20	65	DUBLIN CO.
3,228	45	135	38	173	83	89	288	CITY OF DUBLIN.
270	5	11	2	13	7	8	34	KILDARE.
357	9	18		18	9	6	22	KILKENNY.
186	4	3	1	4	5	2	16	LAOIGHIS.
117	1	9	1	10	2	7	21	LONGFORD.
325	3	10	1	11	4	9	32	LOUTH.
267	3	8	1	9	4	4	30	MEATH.
246	2	8	4	12	6	2	20	OFFALY.
303	3	10		10	3	4	38	WESTMEATH.
397	6	14	1	15	7	12	70	WEXFORD.
255	3	12	2	14	5	6	25	WICKLOW.
MUNSTER								
306	5	11	3	14	8	1	12	CLARE.
1,018	18	31	5	36	23	9	59	CORK CO.
599	3	38	11	49	14	17	43	CORK CO. BOROUGH.
548	4	10	1	11	5	10	29	KERRY.
369	3	20	2	22	5	5	23	LIMERICK CO.
326	3	11	2	13	5	11	34	LIMERICK CO. BOROUGH.
248	4	10	1	11	5	3	26	TIPPERARY, N.R.
328	1	16		16	1	4	35	TIPPERARY, S.R.
209	7	11	2	13	9	3	15	WATERFORD CO.
169	4	4	1	5	5	9	32	WATERFORD CO. BOROUGH.
CONNAUGHT								
631	8	19		19	8	5	30	GALWAY.
176	1	9	1	10	2		4	LEITRIM.
629	4	14	2	16	6	9	33	MAYO.
258	3	14	3	17	6	3	15	ROSCOMMON.
224	0	7	2	9	8	1	8	SLIGO.
ULSTER (part of)								
311	5	11	2	13	7	6	30	CAVAN.
678	8	30	4	34	12	7	68	DONEGAL.
282	3	10	1	11	4	3	23	MONAGHAN.

ABSTRACT III.—BIRTHS, and DEATHS at different Ages registered in the year 1941—by Provinces and Counties.

Provinces and Counties.		AGES AT DEATH.															95 & up-wards						
TOTAL BIRTHS	TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—
ÉIRE	56,780	43,797	566	269	175	143	5,328	461	348	695	910	902	898	910	1,148	1,274	1,726	2,374	3,743	4,643	6,483	9,564	2,204
	29,193	22,642	319	142	86	79	3,043	245	157	336	422	430	458	440	582	693	889	1,269	1,949	2,586	3,373	4,687	1,006
	27,582	21,155	247	127	89	64	2,285	216	191	359	408	472	440	470	566	581	837	1,105	1,794	2,057	3,110	4,877	1,198
LEINSTER	25,681	18,223	2,293	268	131	75	2,842	215	151	340	407	399	401	415	534	588	811	1,126	1,628	1,857	2,462	3,305	696
	13,224	9,420	1,337	148	71	39	1,636	114	67	164	180	192	194	205	289	333	432	608	908	1,012	1,233	1,559	279
	12,460	8,803	956	120	60	36	1,206	101	84	175	227	207	207	210	245	255	379	518	720	845	1,229	1,746	417
MUNSTER	16,943	13,935	1,182	200	86	62	1,571	156	100	190	285	282	288	288	357	392	558	739	1,263	1,555	2,110	3,015	714
	8,946	7,248	673	116	46	28	889	86	55	89	136	149	143	133	177	210	291	393	619	886	1,137	1,489	339
	8,247	6,687	509	84	40	34	682	70	45	101	149	133	145	155	180	182	267	346	644	669	973	1,526	375
CONNAUGHT	9,095	7,379	419	58	33	26	552	58	63	115	144	159	141	129	151	188	217	294	503	739	1,163	2,135	576
	4,657	3,774	240	33	18	11	309	32	25	57	71	66	82	65	65	103	108	148	259	409	612	1,058	277
	4,458	3,605	179	25	15	15	243	26	38	58	73	93	59	64	86	85	109	146	244	330	551	1,077	299
ULSTER (part of)	5,058	4,260	281	40	19	12	363	32	34	50	74	62	68	78	106	106	140	215	349	492	748	1,109	218
	2,641	2,200	167	22	7	8	209	13	10	26	35	23	39	37	51	47	58	120	163	279	391	581	111
	2,417	2,060	114	18	12	4	154	19	24	24	39	39	29	41	55	59	82	95	186	213	357	528	107
LEINSTER.																							
CARLOW	655	571	56	9	4	4	76	4	11	12	10	7	16	14	15	12	20	22	53	70	88	116	22
	345	269	38	5	3	2	50	3	6	6	5	3	8	3	5	6	9	11	25	27	40	53	8
	310	302	18	4	1	2	26	1	5	6	5	4	8	11	10	6	11	11	28	43	48	63	14
DUBLIN Co.	2,364	1,609	174	11	8	5	204	25	21	30	35	35	46	41	49	68	61	88	148	178	191	268	113
	1,241	808	99	5	5	4	116	7	14	20	16	22	24	18	21	37	32	48	83	96	92	110	49
	1,123	801	75	6	3	1	88	13	7	10	19	13	22	23	28	31	29	40	65	82	99	158	64
CITY OF DUBLIN	11,305	6,839	1,293	136	65	35	1,564	84	54	134	162	156	142	172	223	265	349	515	601	596	766	885	164
	5,814	3,394	760	73	34	17	902	53	21	54	75	58	63	94	126	148	190	281	335	306	330	322	36
	5,491	3,445	533	63	31	18	662	31	33	80	87	98	79	78	97	117	159	234	266	290	436	563	128
KILDARE	1,219	911	87	10	8	8	118	11	6	17	20	31	18	20	28	31	41	43	73	94	132	193	32
	639	485	47	6	5	4	64	5	2	7	7	21	7	9	13	18	21	24	37	62	72	102	12
	580	426	40	4	3	4	54	6	4	10	13	10	11	11	15	13	20	19	36	32	60	91	20
KILKENNY	1,236	996	100	17	6	2	129	6	6	16	20	20	25	25	26	14	38	53	103	107	166	204	34
	627	528	60	8	2	1	75	2	4	9	9	10	9	13	14	5	21	31	60	58	89	104	13
	609	468	40	9	4	1	54	4	2	7	11	10	16	12	12	9	17	22	43	49	77	100	21
LAOIGHIS	839	718	59	9	2	2	75	11	8	11	9	15	15	13	18	19	27	31	71	89	114	163	28
	427	392	32	4	1	1	38	5	2	7	1	10	10	8	9	12	15	20	40	51	52	93	19
	412	326	27	5	1	2	37	6	6	4	8	5	5	5	9	7	12	11	31	38	62	70	9
LONGFORD	615	560	45	4	4	1	55	3	1	7	16	8	11	9	13	16	20	28	55	55	87	145	28
	329	322	32	3	3	2	40	2	1	3	8	7	7	3	10	11	13	15	31	30	45	78	16
	286	238	13	1	1	1	15	1	1	4	8	1	4	6	3	5	7	13	24	25	42	67	12

LOUTH	{ Persons Males Females	1,338	962	86	9	7	1	1	104	9	10	20	29	29	24	19	37	28	52	62	83	105	125	186	36
		694	489	44	5	4	1	1	54	7	5	13	12	17	10	16	16	18	25	31	54	54	72	77	13
MEATH	{ Persons Males Females	614	473	42	4	3	1	1	50	2	5	7	17	12	14	9	21	10	27	31	29	51	53	109	23
		1,183	939	54	9	1	5	3	72	8	6	13	15	15	18	16	26	26	40	56	98	98	159	227	46
OFFALY	{ Persons Males Females	569	521	33	6	1	4	2	45	4	1	8	3	6	12	8	18	16	24	29	54	59	92	121	19
		614	418	21	3	1	4	1	27	4	5	5	10	9	6	8	8	10	16	27	44	39	67	106	27
WEST-MEATH	{ Persons Males Females	944	784	63	14	1	5	4	87	10	8	14	15	11	13	17	12	22	33	50	94	94	126	169	36
		486	426	30	9	1	3	3	45	4	2	5	7	3	5	8	8	13	17	26	63	63	71	97	17
WEXFORD	{ Persons Males Females	458	358	33	5	1	2	1	42	6	6	9	8	8	8	9	4	9	16	24	30	31	55	72	19
		1,013	847	72	10	2	1	1	86	8	6	18	19	19	20	20	25	19	31	47	80	85	130	199	38
WICKLOW	{ Persons Males Females	525	478	37	5	2	1	1	42	3	4	7	11	9	13	6	14	10	14	26	52	56	75	113	23
		488	369	35	5	2	1	1	44	5	2	11	8	10	7	9	11	9	17	21	28	29	55	86	15
WEXFORD	{ Persons Males Females	1,828	1,560	121	17	14	5	6	163	25	10	28	39	33	36	29	42	37	67	80	130	180	233	351	74
		944	821	69	12	8	2	2	93	11	3	13	19	16	19	17	23	21	37	42	69	96	126	178	37
WICKLOW	{ Persons Males Females	884	739	52	5	6	3	4	70	14	7	15	20	17	17	12	19	16	30	38	61	84	107	173	37
		1,115	927	83	13	9	2	2	109	11	4	20	20	20	17	25	20	31	32	51	106	106	145	199	45
CLARE	{ Persons Males Females	584	487	56	7	6	2	1	72	8	2	12	7	10	7	8	12	18	14	24	33	54	77	111	17
		561	440	27	6	3	1	1	37	3	2	8	13	10	10	10	17	8	13	27	35	52	68	88	28
MUNSTER.	{ Persons Males Females	1,400	1,307	80	15	4	5	1	105	9	9	22	22	22	13	23	38	30	45	56	106	155	218	342	84
		799	657	43	10	2	2	1	58	4	4	7	13	10	4	6	23	17	25	29	51	84	112	165	43
CORK CO.	{ Persons Males Females	691	650	37	5	2	3	3	47	5	5	15	9	12	9	17	15	13	20	27	55	71	106	177	41
		1,512	4,239	331	38	21	13	12	415	46	29	46	71	84	82	75	101	123	150	229	407	496	664	963	233
CORK CO. BOROUGH	{ Persons Males Females	2,212	2,212	196	25	13	1	6	241	21	16	28	32	45	45	30	45	65	75	123	192	271	371	496	107
		2,217	2,927	135	13	8	12	6	174	25	13	18	39	39	37	45	56	58	75	106	215	225	293	467	126
KERRY	{ Persons Males Females	1,753	1,236	143	29	6	6	5	189	11	5	8	28	25	30	38	36	47	71	94	146	138	169	170	29
		900	572	81	14	1	3	4	103	8	4	5	17	16	13	17	18	20	39	45	66	68	75	50	8
LIMERICK CO.	{ Persons Males Females	853	664	62	15	5	3	1	86	3	1	3	11	9	17	21	18	27	32	49	80	70	94	120	21
		2,420	1,837	147	20	15	12	6	200	21	14	29	41	50	43	37	50	45	78	83	159	177	260	432	102
LIMERICK CO. BOROUGH	{ Persons Males Females	1,264	992	82	15	6	7	4	114	10	6	13	21	28	23	24	27	24	40	46	80	107	149	219	53
		1,156	845	65	5	9	5	2	86	11	8	16	20	22	20	13	23	21	38	37	79	70	111	213	49
LIMERICK CO. BOROUGH	{ Persons Males Females	1,915	1,454	121	9	6	5	4	145	16	9	26	36	25	32	23	23	40	67	72	128	160	226	312	96
		965	718	72	5	5	3	2	87	7	6	8	15	13	16	7	12	21	32	41	74	75	130	156	44
TIPPERARY, N.R.	{ Persons Males Females	950	706	49	4	1	2	2	58	9	3	18	21	12	16	16	11	19	35	31	64	85	96	156	52
		1,007	554	90	18	11	6	3	125	9	7	12	7	20	11	22	25	17	23	36	44	54	65	61	16
TIPPERARY, S.R.	{ Persons Males Females	502	280	47	9	6	3	3	65	6	3	6	7	7	5	7	12	11	12	23	21	37	27	30	8
		505	274	43	9	5	3	3	60	3	4	6	7	13	6	6	15	6	11	13	23	17	38	31	8
TIPPERARY, S.R.	{ Persons Males Females	1,088	883	66	18	2	3	5	94	7	6	17	25	21	21	17	26	26	38	46	63	88	142	198	43
		565	486	39	9	1	2	3	54	3	3	9	11	13	12	9	13	12	20	25	35	52	83	107	22
TIPPERARY, S.R.	{ Persons Males Females	523	397	27	9	1	1	2	40	4	3	8	14	8	9	8	13	14	18	21	28	36	59	91	21
		1,433	1,218	104	27	7	9	5	152	15	11	11	26	18	33	25	30	34	48	64	104	145	186	265	49
TIPPERARY, S.R.	{ Persons Males Females	737	639	52	14	4	5	3	78	11	7	6	13	11	14	14	14	22	28	28	51	89	98	126	26
		696	579	52	13	3	4	2	74	4	4	5	13	7	19	11	16	12	20	36	50	56	88	139	23

AGES AT DEATH.

Provinces and Counties.	TOTAL BIRTHS.	TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards		
WATERFORD CO.	{ Persons Males Females	762	47	10	6	.	.	63	11	9	12	15	7	13	16	20	18	28	31	60	102	110	198	46	3		
		436	32	7	5	.	.	44	8	5	3	6	3	7	13	8	10	15	21	28	72	65	104	24	.		
		326	15	3	1	.	.	19	3	4	9	9	4	6	3	12	8	13	10	32	30	45	91	22	3		
WATERFORD CO. BOROUGH	{ Persons Males Females	445	53	16	8	3	3	83	11	1	7	14	10	10	12	8	12	10	28	36	40	70	74	16	3		
		226	29	8	3	2	3	45	8	1	4	8	3	4	6	5	8	5	12	18	31	27	36	4	1		
		219	24	8	5	1	.	38	3	.	3	6	7	6	6	3	4	5	16	18	9	43	38	12	2		
CONNAUGHT.																											
GALWAY	{ Persons Males Females	2,305	152	28	11	9	6	206	24	23	44	59	52	45	46	60	68	62	75	126	203	355	645	190	22		
		1,200	86	17	7	5	4	119	15	6	17	28	23	23	20	24	31	33	43	63	113	186	313	100	13		
		1,105	66	11	4	4	2	87	9	17	27	31	29	22	26	36	37	29	32	63	90	169	302	99	9		
LEITRIM	{ Persons Males Females	771	37	6	4	2	3	52	6	5	6	10	18	13	14	16	16	21	39	62	89	138	206	56	4		
		401	25	4	3	1	.	33	2	2	2	5	9	8	6	6	10	11	22	30	55	71	103	25	1		
		370	12	2	1	1	3	19	4	3	4	5	9	5	8	10	6	10	17	32	34	67	103	31	3		
MAYO	{ Persons Males Females	2,158	125	19	9	4	4	161	17	21	33	36	40	42	37	38	53	58	81	132	233	321	653	186	13		
		1,073	71	11	4	1	2	89	9	11	18	17	15	27	21	15	34	26	36	67	129	159	317	77	6		
		1,085	54	8	5	3	2	72	8	10	15	19	25	15	16	23	19	32	48	65	104	162	336	109	7		
ROSCOMMON	{ Persons Males Females	1,124	45	2	4	7	2	60	5	8	16	18	27	20	16	18	22	31	44	102	117	173	363	74	10		
		573	24	.	2	2	.	28	3	4	9	10	11	11	9	10	10	16	22	55	59	97	172	42	5		
		551	21	2	2	5	2	32	2	4	7	8	16	9	7	8	12	15	22	47	58	76	191	32	5		
SLIGO	{ Persons Males Females	1,021	60	3	5	4	1	73	6	6	16	21	22	21	16	19	29	45	52	81	97	176	268	70	3		
		527	34	1	2	2	1	40	3	2	11	11	8	13	9	10	18	22	25	44	53	99	123	33	3		
		494	26	2	3	2	.	33	3	4	5	10	14	8	7	9	11	23	27	37	44	77	145	37	.		
ULSTER (part of).																											
CAVAN	{ Persons Males Females	1,184	75	14	8	4	1	102	6	3	13	24	17	18	22	29	27	40	79	95	132	206	506	60	5		
		631	54	8	2	4	1	69	2	.	7	12	5	8	10	16	16	13	49	50	79	109	152	39	4		
		553	21	6	6	.	.	33	4	3	6	12	12	10	12	13	11	27	30	45	53	97	154	30	1		
DONEGAL	{ Persons Males Females	2,146	144	17	10	6	6	183	22	21	24	37	33	35	40	55	60	70	81	162	252	377	569	116	9		
		1,108	86	10	5	4	2	107	9	6	10	17	16	22	18	27	23	33	42	72	142	195	306	61	2		
		1,038	58	7	5	2	4	76	13	15	14	20	17	13	22	28	37	37	39	90	110	182	263	55	7		
MONAGHAN	{ Persons Males Females	930	62	9	1	2	4	78	4	10	13	13	12	15	16	22	19	30	55	92	108	165	234	42	2		
		461	27	4	.	.	2	33	2	4	9	6	2	9	9	8	8	12	29	41	58	87	123	20	1		
		512	35	5	1	2	2	45	2	6	4	7	10	6	7	14	11	18	26	51	50	78	111	22	1		

ABSTRACT IV.

Causes of Death.

[illegible]

different Periods of Life in the Year 1941.

TH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—
157 191	336 359	422 488	430 472	458 440	440 470	582 566	693 581	889 837	1,269 1,105	1,949 1,794	
62 89	188 250	241 346	239 279	241 219	184 175	210 156	158 110	153 113	129 85	151 146	
1	2			5	4	4			1	1	
1	3		2	1	1	2	2	2	2	2	
					1						
2	2		1						1	1	
2	3	2	1								1
4	1	2	1								
7	2		1	1	1	1	1				
1											
3											
21	5	1			1						
24	10	1		2		1		2	1		1
			1						1	1	
									2	2	
3	3	2					1	1	1	1	2
											1
45	41	166	225	230	210	171	172	126	120	92	84
53	65	237	335	259	199	159	132	87	81	47	53
6	16	123	179	182	183	155	155	112	109	78	70
11	38	180	280	227	176	136	113	80	68	41	46
39	25	43	46	48	27	16	17	11	11	14	11
42	27	57	55	32	23	23	19	7	13	6	7
27	15	17	18	15	7	4	4	3	2		1
26	17	30	18	6	8	3	2			2	1
8	4	7	4	6	3	3	2		2	2	1
4	7	11	10	9	3	8	8	4	4		3
	4	4	5	9	2	3	7	3	2	3	2
2		1	9	5	3	3	3		2	3	1
	2	5	4	2	5	2	2	3		3	5
1		4	3	1	4	1	1		3	1	
										1	
			1	1	1			1	1		1
			2			1		1	1		
1		1		1	1	3	1	1	1	2	
1		1	2	3	1	1	4	1	1		1

Intermediate International List Nos.	Detailed International List Nos.	95 & up- wards	Detailed International List Nos.	Intermediate International List Nos.
		Infec Di		
7	21	Tube Or	21	7
7	22	Disse los	22	7
17	23	Lepr	23	17
8	24	Puru Se	24	8
17	25	Gonc	25	17
17	26	Othe Di ex	26	17
9	27	Dyse	27	9
10	28	Mala	28	10
17	29	Othe Pa ex	29	17
11	30	Syph	30	11
17	31	Rela	31	17
17	32	Othe Sp	32	17
12	33	Influ	33	12
13	34	Smal	34	13
14	35	Meas	35	14
17	36	Acut Po	36	17
17	37	Acut ce or	37	17
17	38	Othe Vi	38	17
15	39	Typh Di ios	39	15
16	40	Anky	40	16
16	41	Hyd	41	16
16	42	Othe Ho	42	16
17	43	Myco	43	17
17	44	Othe sit	44	17

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death. C.	AGES										
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—
		Active And Parasitic Diseases—continued.											
		Total I											
		Caus.											
(1-17)	(1-44)	Tuberculosis of Other organs. {M. F.
		Unminated Tubercu- lis. {M. F.	76 70	4 6	4 7	2 1	2 2	.	1 1
1	1	Typhoid fever ... {M. F.
1	2	Paratyphoid Infection, and Septicæmia. {M. F.	46 38	1 .	2 .	1 .	1 3	1 1	6 4	.	.	1 .	.
2	3	Plague bacterial Infections {M. F.
17	4	Cholera and Bacterial Dysentery {M. F.
17	5	Undulant (Brucella) Typhus ... {M. F.	3 1
17	6	Cerebro spinal Meningitis ... {M. F.	4
17	7	Malignant Scarlet Fever due to Protozoa, {M. F.
3	8	Scarlet fever due to Protozoa, {M. F.
4	9	Whooping cough ... {M. F.	57 15	1 .	.	2 2	1 .	2 2	6 7
5	10	Diphtheria and Croup ... {M. F.
17	11	Erysipelatous Infection due to Micrococci {M. F.	1
17	12	Tetanus and Spasms ... {M. F.	614 721	4 3	5 2	8 4	5 6	10 5	32 20	6 5	3 2	1 3	3 4
6-7	13- 22	Tuberculous Pneumonia ... {M. F.
6	13	Tuberculous Pneumonia ... {M. F.	47 42	1 .	1 .	.	1 1	9 8	12 9	18 17	4 1	2 5	1 .
7	14- 22	Tuberculous Poliomyelitis and Encephalitis {M. F.	13 7	1 1	.	.	.
7	14	Tuberculous Infectious En- cephalitis (Lethargic Nervous Epidemic). {M. F.	15 9	1 1	.	1 .	.
7	15	Tuberculous Diseases due to Micrococci {M. F.	1 2	2 .	.	.
7	16	Tuberculous Diseases (Ricketts- diseases). {M. F.	5 1
7	17	Tuberculous Osteomyelitis ... {M. F.
7	18	Tuberculous Catarrhal Disease and Cellulitis ... {M. F.
7	19	Tuberculous Diseases due to Micrococci {M. F.	1 1	1 .	1 .	.
7	20	Tuberculous Diseases ... {M. F.	5 2	1	1
		For Infective or Para- sitic Diseases. {M. F.	17 10

Including deaths from Locomotor ataxia, General Paralysis of the Insane and Aneurysm of aorta.

Different Periods of Life in the Year 1941.

H.																95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65	70—	75—	85—				
.	}	21	7
3	9 7	14 11	14 8	8 4	1 6	1 1	4 1	4 2	3	4 1	1 4	1	.	.	.	}	22	7
.	}	23	17
2 1	2 2	1 3	2 1	4 2	.	1 2	2	1 3	3	6 1	4 5	7 3	3 4	.	.	}	24	8
.	}	25	17
.	}	26	17
.	3 1	}	27	9
.	1	.	.	.	2	1	.	.	.	}	28	10
.	}	29	17
.	1	1 1	1 1	4	1	3 2	7 1	5 1	7	9	4 1	7 1	1	.	.	}	30	11
.	}	31	17
.	.	.	.	1	}	32	17
2 4	6 1	7 6	2 8	10 9	5 10	19 14	18 16	21 21	20 34	46 87	78 99	141 168	155 180	30 27	4	}	33	12
.	}	34	13
3 2	1	1	1	3	1	1	.	.	.	}	35	14
1 1	4 2	2	.	1	.	1	1	1	}	36	17
.	1	.	2 1	1 1	1	2 1	2 1	1 1	2	.	1	}	37	17
.	}	38	17
.	.	.	.	1	.	3	1	1	.	.	.	}	39	15
.	}	40	16
.	}	41	16
.	}	42	16
1	1	2	1	.	1	}	43	17
1	1	.	1 2	2 3	2 1	2	.	2 1	.	2	1	1	2	.	.	}	44	17

different Periods of Life in the Year 1941.

																Detailed International List Nos.	Intermediate International List Nos.		
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards				
2 2	4 1	3 6	5 7	24 25	21 31	61 86	88 119	138 189	228 235	328 305	447 279	388 298	291 239	24 33	· 1	}	(45- 57)	(18- 24)	
1 ·	2 1	3 5	4 6	17 21	17 26	56 81	82 114	136 182	224 229	320 298	440 270	385 291	289 226	24 31	· 1		}	45- 55*	18- 23
· ·	· ·	· 1	1 ·	1 1	2 2	1 1	1 3	· 1	· 1	· 4	2 5	1 4	1 3	· 1	· ·			}	56
1 2	2 ·	· ·	· 1	6 3	2 3	4 1	5 2	2 3	4 5	8 3	5 4	2 3	1 1	· 1	· ·		}		57
5 11	7 17	16 8	9 11	8 12	10 10	8 24	10 17	19 28	33 41	36 53	47 65	52 63	44 52	2 5	· ·	}	(58- 71)	(25- 30)	
5 8	5 13	6 2	2 4	2 3	3 2	· 3	1 1	3 2	3 1	· ·	1 3	2 ·	2 ·	· ·	· ·		}	58	25
· ·	· ·	· ·	1 ·	· 4	· 2	2 7	2 1	6 9	11 14	15 17	17 27	32 35	22 35	1 3	· ·			}	59
· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·		}		60
· 3	· 2	9 3	5 2	5 1	4 4	5 4	6 5	7 7	14 16	19 27	25 21	15 25	19 15	1 1	· ·	}		61	27
· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·		}	62	29
· ·	2 2	· 2	1 3	· 1	1 1	· 9	· 8	1 4	2 9	· 5	· 12	· 2	1 ·	· ·	· ·			}	63
· ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·		}		64
· ·	· ·	· ·	1 ·	3 ·	1 1	1 ·	2 ·	2 3	3 1	· 3	· 1	1 1	2 ·	1 ·	· ·	}		65	29
· ·	· ·	· ·	1 ·	1 ·	1 ·	1 ·	1 ·	· 2	· ·	· 1	· ·	1 ·	· ·	· ·	· ·		}	66	29
· ·	· ·	1 ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·			}	67- 71
· ·	· ·	· ·	· ·	· ·	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·		}		67
· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	}		68	30
· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·			}	69
· ·	· ·	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	}			70
· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·		}	71	30

ABSTRACT IV.—continued.—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	AGES											
			All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	To un- der 5 years
(31-32)	(72-76)	IV. Diseases Of The Blood And Blood-Forming Organs. { M. F.	178 240	2 1	4 2	1 1	7 4	. 3	2 2	2 1	3 .	
32	72	Hæmorrhagic Con- ditions. { M. F.	24 11	2 1	1 .	. .	3 1	. .	2	
31	73	Anaemias ... { M. F.	113 197	2 2	. 1	2 3	. 1	. 2	1 .	2 .	
32	74	Leukæmias and Aleuk- æmias. { M. F.	31 17	1 .	1 .	2	1 1	1 .	
32	75	Diseases of the Spleen { M. F.	5 13 2	
32	76	Other Diseases of the Blood and Blood- forming Organs. { M. F.	5 2	
(33-34)	(77-79)	V. Chronic Poisoning And Intoxication { M. F.	4 2	
33	77	Alcoholism (Ethylism) { M. F.	3 2	
34	78	Lead Poisoning ... { M. F.	1	
34	79	Chronic Poisoning by other Mineral and Organic Substances. { M. F.	
(35-41)	(80-89)	VI. Diseases Of The Nervous System And Sense Organs. { M. F.	1,822 1,978	57 29	31 13	15 12	47 26	40 25	190 105	38 19	7 14	7 3	8 2	2 1
40	80	Encephalitis (non- epidemic). { M. F.	28 17	. .	1	1 .	2 .	2 1	. 3	. .	1 .	
35	81	Meningitis (non- meningococcal). { M. F.	95 79	1 1	1 3	2 2	7 5	14 9	25 20	9 10	2 3	3 1	3 .	
36	82	Diseases of the Medulla and Spinal Cord. { M. F.	49 31	1	
37	83	Intra-cranial Lesions of Vascular Origin. { M. F.	1,213 1,508	
38	84	Mental Disorders and Deficiency. { M. F.	56 79 1	1 .	1 1	1 1	1 .	. .	1 .	
39	85	Epilepsy ... { M. F.	81 56	1 .	1 .	2 2	1 1	2 .	1 1	
40	86	Convulsions (under 5 years). { M. F.	184 93	56 28	28 10	13 10	37 20	22 16	156 84	20 4	3 4	2 1	3 .	
40	87	Other Diseases of the Nervous System. { M. F.	95 98	1 .	. .	
41	88	Diseases of the Organs of Vision. { M. F.	1 5	1	
41	89	Diseases of the Ear and of the Mastoid An- trum. { M. F.	20 12	. .	1 .	. .	3 .	1 .	5 .	3 1	. 2	

Different Periods of Life in the Year 1941.

10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards	Detailed International List Nos.	Intermediate International List Nos.
2 2	8 5	8 9	4 5	3 6	9 10	8 13	7 12	16 25	17 24	19 33	27 34	21 33	11 17	.	.	(72-76)	(31-32)
1 2	6 1	2 2	.	1 .	1 .	.	.	1 2	2 .	1 .	2 1	1 2	.	.	.	} 72	32
.	1 2	3 4	4 4	2 6	6 8	4 10	4 9	9 19	10 21	18 30	20 28	17 31	9 17	.	.	} 73	31
1 .	1 2	3 3	.	.	2 1	2 1	.	4 3	5 2	.	3 2	3 .	1 .	.	.	} 74	32
.	1 .	1 2	2 1	1 1	.	.	3 .	.	1 .	.	.	} 75	32
.	.	.	1	.	.	1 .	1 1	1 .	.	.	2	} 76	32
.	.	.	.	1	.	1	.	.	1	1	1	.	1	.	.	} (77-79)	(33-34)
.	.	.	.	1	.	1	.	.	.	1	1	.	1	.	.	} 77	33
.	1	} 78	34
.	} 79	34
16 22	20 15	26 20	23 21	35 25	30 30	36 45	53 76	72 94	116 149	190 238	247 268	308 354	331 390	42 61	1	(80-89)	(35-41)
2	.	4 1	3 .	2 .	3 2	3 .	1 2	2 1	2 .	1 1	} 80	40
6 11	8 5	5 4	2 1	2 3	2 1	.	4 .	3 .	5 1	1 .	1 1	1 1	.	.	.	} 81	35
1	.	1 1	1 1	4 1	.	2 4	1 4	1 2	6 6	11 3	9 4	6 2	4 .	1 .	.	} 82	36
.	2 2	6 2	3 5	11 8	13 12	21 24	31 50	47 75	80 116	144 205	212 241	284 327	315 379	41 59	1	} 83	37
2	2 3	1 3	3 2	4 3	2 5	1 5	4 12	7 3	4 8	6 16	10 5	4 8	2 2	.	.	} 84	38
6 3	4 4	5 5	7 7	9 3	5 5	6 5	5 2	3 1	6 2	6 2	4 5	3 4	3 2	1 .	.	} 85	39
.	} 86	40
1 2	1 1	3 2	4 5	3 7	4 2	3 5	6 6	8 12	12 15	20 11	11 10	10 10	7 5	1 .	.	} 87	40
.	.	1	1	.	.	2	1	.	.	} 88	41
2 2	3	1 1	.	.	1 1	.	1	1	1	1	1	.	1	.	.	} 89	41

ABSTRACT IV.—continued—CAUSES OF DEATH

Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—
(42-48)	(90-103)	VII. Diseases Of The Circulatory System. { M. F.	5,248 4,867	1 1	. .	1 .	. 1	. 1	2 3	. 1	1 1	2 1	4 1
42-46	90-95	Heart Diseases ... { M. F.	4,837 4,501	. 1	. .	1 .	. 1	. 1	1 2	. .	1 .	2 1	3 1
42	90	Pericarditis ... { M. F.	24 19
46	91	Acute Endocarditis ... { M. F.	43 45	1 .	. .
43	92	Chronic Affection of the Valves and Endocardium. { M. F.	798 780	2 .
44	93	Diseases of the Myocardium. { M. F.	2,788 2,644	. .	. 1	. .	. 1	. 1	1 1	2 .	. 1
45	94	Diseases of the Coronary Arteries : Angina Pectoris. { M. F.	429 209
46	95	Other Diseases of the Heart. { M. F.	755 804	. 1 1	. .	1 .	. .	1 .
48	96	Aneurysm (except of Heart and Aorta). { M. F.	3 5	1 .
47	97	Arterio-sclerosis (exclud. Coron. or Renal Sclerosis or Cereb Hæm.) { M. F.	234 183
47	98	Gangrene ... { M. F.	57 52
48	99	Other Diseases of the Arteries. { M. F.	17 8
48	100	Diseases of the Veins { M. F.	12 23
48	101	Diseases of the Lymphatic System. { M. F.	3 3	1 .	. .	1 1	1 1
48	102	High Blood Pressure (Idiopathic). { M. F.	80 88
48	103	Other Diseases of the Circulatory System. { M. F.	5 4	1	1
(49-52)	(104-114)	VIII. Diseases Of The Respiratory System. { M. F.	2,407 2,097	43 27	45 34	50 31	103 78	109 90	350 260	90 75	29 37	12 14	6 9
52	104	Diseases of the Nasal Fossæ and Annexa. { M. F.	4 4	1 .	. .	1 .	1
52	105	Diseases of the Larynx { M. F.	13 9 1	2 2	2 3	4 .	1 .	. 1	. 1
49	106	Bronchitis ... { M. F.	1,017 935	12 7	11 11	13 10	23 12	19 15	78 55	10 10	3 7	1 3	. 3
50	107-9	Pneumonia, All Forms { M. F.	1,017 864	29 19	33 22	34 21	77 59	86 70	259 191	72 64	24 29	11 9	6 5
50	107	Broncho-pneumonia ... { M. F.	523 454	18 9	29 16	24 8	48 41	68 46	187 120	63 50	15 23	8 6	5 4
50	108	Lobar Pneumonia ... { M. F.	165 104	6 2	. .	3 1	2 4	4 3	15 10	2 3	1 2	2 .	1 .
50	109	Pneumonia (un-specified). { M. F.	329 306	5 8	4 6	7 12	27 14	14 21	57 61	7 11	8 4	1 3	. 1

ifferent Periods of Life in the Year 1941.

10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
9 16	21 28	28 34	41 39	38 41	58 73	82 99	144 103	231 194	392 324	662 610	939 720	1,161 1,028	1,250 1,304	162 224	8 13	(90-103)	(42-48)
8 15	27 28	28 34	39 36	37 38	55 67	77 96	137 94	213 175	365 300	605 571	870 681	1,058 941	1,152 1,191	146 209	7 11	90-95	42-46
1	.	3 2	5 1	.	1 2	4 1	1 4	3 2	1 .	1 1	2 1	1 2	1 1	.	.	90	42
3 5	4 6	4 11	6 8	3 .	7 3	2 2	2 .	3 1	.	2 3	2 2	2 1	.	.	.	91	46
2 4	6 12	11 8	14 11	13 14	11 21	18 29	31 31	50 45	66 68	100 104	154 127	171 142	136 142	10 19	1 .	92	43
1 2	5 5	6 7	7 11	15 14	21 23	35 43	60 33	91 84	184 151	311 314	486 385	677 579	768 830	111 148	4 9	93	44
.	1	1 1	.	1 3	5 3	4 11	17 7	37 10	61 20	89 36	77 42	68 32	64 40	4 4	.	94	45
2 3	5 5	3 5	7 5	5 7	10 15	14 10	26 19	29 33	53 60	102 113	149 124	139 185	183 178	21 38	2 2	95	46
.	.	.	3	1	1	.	.	1	.	.	96	48
.	1	1	2 2	7 4	13 5	31 12	35 13	68 55	66 76	11 13	.	97	47
1	1	.	3	1	2 4	5 4	7 6	18 12	19 20	4 1	1	98	47
1	.	.	1	1 1	1	.	2	.	2 1	2 3	5 .	1 1	1 2	.	.	99	48
.	.	.	.	1	1	.	1	1 3	3 4	1 3	3 4	3 6	2 1	1	.	100	48
.	3	101	48
.	.	.	1	1	5	4 3	3 1	9 11	7 9	16 15	18 16	14 13	8 13	.	.	102	48
.	2	1	.	1 1	1 .	.	1 1	.	.	103	48
10 13	18 13	24 16	29 25	31 26	41 37	53 35	88 45	91 62	136 112	237 177	293 243	363 359	408 441	70 75	2 3	(104-114)	(49-52)
.	.	1	2 1	104	52
.	1	.	2	1	1	.	1	.	.	.	105	52
1 2	1	4 3	2 6	11 5	6 10	16 9	33 17	28 30	61 51	116 75	148 125	195 202	259 271	44 47	1 1	106	49
6 10	15 6	15 9	17 14	14 14	20 21	22 17	30 16	42 19	45 37	73 69	94 80	112 96	97 119	18 24	.	107-9	50
2 3	8 4	6 1	7 5	5 5	7 10	7 6	7 6	12 10	16 17	20 24	29 39	44 45	56 56	5 14	.	107	50
1 5	3 1	4 2	1 3	5 1	5 4	5 4	9 4	18 6	16 8	18 10	14 13	21 10	15 15	3 2	.	108	50
3 2	4 1	5 6	9 6	4 8	8 7	10 7	14 6	12 3	13 12	35 35	51 28	47 41	26 48	10 8	.	109	50

ABSTRACT IV.—Continued—CAUSES OF DEATH

			AGES										
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—
VIII. Diseases Of The Respiratory System—contd.													
51	110	Pleurisy ... { M. F.	64 35	· ·	· ·	· ·	1 ·	· ·	1 ·	2 ·	· ·	· ·	· ·
52	111	Congestion, Oedema { M. F. Haemorrhagic Infarc- tion and Thrombosis of the Lungs.	124 125	2 1	1 1	3 ·	2 5	2 3	10 10	1 1	· ·	· ·	· ·
52	112	Asthma ... { M. F.	117 109	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 1	· 1	· ·
52	113	Pulmonary Emphysema { M. F.	9 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
52	114	Other Diseases of the { M. F. Respiratory System.	42 15	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
(53- 60)	(115- 129)	IX. Diseases Of The { M. F. Digestive System.	1,331 1,054	56 42	75 61	93 67	175 133	96 80	495 383	50 34	19 7	9 15	5 4
60	115	Diseases of the Buccal { M. F. Cavity and Annexa and of the Pharynx and Tonsils.	22 28	· 1	· ·	· ·	1 1	1 ·	2 2	· 2	· 1	1 1	· ·
60	116	Diseases of the Oeso- { M. F. phagus.	3 4	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
53	117	Ulcer of the Stomach { M. F. and Duodenum.	246 93	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
60	118	Other Diseases of the { M. F. Stomach.	103 105	4 2	9 4	3 6	4 4	3 5	23 21	5 1	· ·	1 1	1 ·
54- 55	119- 120	Enteritis and Diarrhoea { M. F.	571 449	52 39	64 57	90 60	168 122	86 67	460 345	41 29	14 5	3 7	1 1
56	121	Appendicitis ... { M. F.	70 57	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	3 1	2 1	1 3
57	122	Hernia, Intestinal { M. F. Obstruction.	159 146	· ·	1 ·	· 1	2 6	6 7	9 14	2 2	2 ·	1 1	2 ·
60	123	Other Diseases of the { M. F. Intestines.	25 27	· ·	1 ·	· ·	· ·	· 1	1 1	· ·	· ·	· 2	· ·
58	124	Cirrhosis of the Liver { M. F.	41 21	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
59	125	Other Diseases of the { M. F. Liver.	32 19	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·
59	126	Biliary Calculi ... { M. F.	22 42	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
59	127	Diseases of the Gall { M. F. Bladder and Ducts.	9 33	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
60	128	Diseases of the Pancreas { M. F. (other than Diabetes).	10 9	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
60	129	Peritonitis, without { M. F. stated cause.	18 21	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 2	· ·

Different Periods of Life in the Year 1941.

H.																95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—				
	1 5	2 3	4 1	3	7 2	4	8	4 3	3 2	8 5	8 2	6 6	2 6	1			110	51
	1 1	1	1 2	2 3	4 2	2 3	5 3	3 4	11 6	17 10	14 16	23 32	25 25	3	1 12		111	52
1		1	1 1	3	1	6 1	5 9	7 6	10 15	15 18	22 14	26 23	23 17	4			112	52
			1					2	1	1	1	1					113	52
2 1	1	1	1	1	3 2	3 3	7	3	5	6	6 4	3	1 3				114	52
12 13	13 9	25 9	24 17	24 14	29 21	48 31	57 41	54 50	76 49	82 81	83 81	93 77	94 96	9 4	2		(115-129)	(53-60)
1	2 1	2 2	3	1	1	2	3 1	2 1		1 3	2	3 1	2 1		1		115	60
						1	1			2	1		2				116	60
	1	9	6 2	13 1	14 5	26 5	24 7	27 11	24 9	34 15	24 16	22 9	21 12	1			117	53
1	1	1 2	1 1		2	6 2	3	1 6	7 10	11 8	9 15	12 17	15 18	2			118	60
3	1	2 1	3 1	3 1	1 1	3 5	3 4	1 4	7 5		7 5	5 8	9 9				119-120	54-55
5 7	6 4	7 1	8 1	2 2	5 3	4 7	3 6	1 1	3 1	3 5	4 1	6 2	1 2	1			121	56
1 2	1	2 2	1 1	1 1	2 4	3 6	10 11	7 8	15 8	13 21	22 15	27 17	36 26	3			122	57
1			1 1	1 1	1		2	2 1	1 3	6 1	5 1	4 6	2 1	1 2	1		123	60
1	1			2	3	1	7 3	3 1	7 1	5 3	5 3	8 4	1				124	58
1	1 1	2 1	2 2	1	2	2 1	1 2	2	7 3	2 2	1 1	2	1 1				125	59
				1		1	2	2 7	2 3	3 3	4 7	6 5	3 12	1			126	59
					1 1	1 1		1 1	1	5	2 11	1 7	2 3	1			127	59
1	1		1		1 2	1		2 2	2	1 1		1	1 1				128	60
1	1		1 3	1 1	1	1	1 2	2 2	1 2	1	1	1 1	2				129	60

[illegible]

Different Periods of Life in the Year 1941.

[illegible]

ABSTRACT IV.—continued—CAUSES OF DEATH

														AGES				
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	T u y				
73	(151-153)	XII. Diseases Of The Skin And Cellular Tissue. { M. F.	63 44	2 1	2 2	• •	• 4	3 3	7 10	2 1	• •	1 •	• •					
73	151	Carbuncle, Bolls ... { M. F.	8 7	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •					
73	152	Cellulitis, Acute Abscess { M. F.	27 20	• 1	• 1	• •	• 2	• 2	• 6	• •	• •	• •	• •					
73	153	Other Diseases of Skin and Cellular Tissue { M. F.	28 17	2 •	2 1	• •	• 2	3 1	7 4	2 1	• •	1 •	• •					
74	(154-156)	XIII. Diseases Of The Bones And Organs Of Movement. { M. F.	65 21	• 1	• •	• •	1 •	• •	1 1	2 •	3 •	3 1	1 1					
74	154	Osteomyelitis and Periostitis. { M. F.	48 16	• 1	• •	• •	• •	• •	• 1	2 •	3 •	3 1	1 1					
74	155	Other Diseases of the Bones. { M. F.	5 3	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •					
74	156	Diseases of the Joints, and Other Organs of Movement. { M. F.	12 2	• •	• •	• •	1 •	• •	1 •	• •	• •	• •	• •					
75	(157)	XIV. Congenital Malformations :																
75	157	Congenital Malformations. { M. F.	199 176	91 88	30 17	11 5	22 24	14 14	168 148	8 8	4 •	1 3	• 3					
(76-79)	(158-161)	XV. Diseases Peculiar to the First Year of Life { M. F.	1,015 704	719 502	117 81	68 48	84 64	27 9	1,015 704	• •	• •	• •	• •					
76	158	Congenital Debility ... { M. F.	494 309	251 152	89 57	54 42	76 51	24 7	494 309	• •	• •	• •	• •					
77	159	Premature Birth ... { M. F.	367 290	325 255	23 18	12 5	6 11	1 1	367 290	• •	• •	• •	• •					
78	160	Injury at Birth ... { M. F.	45 34	45 32	• 2	• •	• •	• •	45 34	• •	• •	• •	• •					
79	161	Other Diseases Peculiar to the First Year of Life. { M. F.	109 71	98 63	5 4	2 1	2 2	2 1	109 71	• •	• •	• •	• •					
80	(162)	XVI. Senility Old Age :																
80	162	Senility Old Age ... { M. F.	3,011 3,429	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •					
(81-86)	(163-193)	XVII. Deaths From Violence. { M. F.	612 341	11 15	• 3	2 1	2 3	2 •	17 22	15 11	17 15	12 6	12 5					
81	163-164	Suicide ... { M. F.	76 14	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •					
82	165-168	Homicide : Infanticide { M. F.	11 7	5 4	• •	• •	• •	1 •	6 4	• •	• •	• •	1 •					
83-86	169-193	Other Deaths by Violence { M. F.	525 320	6 11	• 3	2 1	2 3	1 •	11 18	15 11	17 15	12 6	11 5					
84	169	Railway Accidents ... { M. F.	8 4	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •					
83	170	Motor Vehicle Accidents { M. F.	71 22	• •	• •	• •	• •	• •	• •	• 1	• •	• 1	1 2					
84	171	Other Road Transport Accidents. { M. F.	60 17	• •	• •	• •	• •	• •	• •	• 1	• 2	• •	1 •					
84	172	Water Transport Accidents. { M. F.	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •					
84	173	Air Transport Accidents { M. F.	1 •	• •	• •	• •	• •	• •	• •	• •	• •	• •	• •					

ABSTRACT IV.—continued—CAUSES OF DEATH

			AGES										
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—
		XVII. Deaths from Violence											
		— <i>contd.</i>											
84	174	Accidents in Mines and Quarries. { M. F.	3
84	175	Agricultural and Forestry Accidents. { M. F.	5
84	176	Accidents caused by Machinery. { M. F.	10 1	1
84	177	Food Poisoning ... { M. F.
84	178	Accidental Absorption of Poisonous Gas. { M. F.	5 3
84	179	Other Acute Accidental Poisoning (not by Gas). { M. F.	1 4 1 1
84	180	Conflagration ... { M. F.
84	181	Accidental Burns (Conflagration excepted). { M. F.	64 73	1 .	. .	1 .	2 .	12 7	8 11	7 5	6 1
84	182	Accidental Mechanical Suffocation. { M. F.	3 7	1 1	. 3	. 1	. 2	. .	1 7
84	183	Accidental Drowning ... { M. F.	91 26	1 .	2 1	2 .	1 .
84	184	Accidental Injury by Firearms. { M. F.	16 1
84	185	Accidental Injury by Cutting or Piercing Instruments. { M. F.
84	186	Accidental Injury by Fall, Crushing, Landslide, etc. { M. F.	77 31	1 1	. .	1 1	1 1	5 .	2 .	1 .
84	187	Cataclysm ... { M. F.
84	188	Injury by Animals ... { M. F.	7 4	. 1 1 1
84	189	Hunger or Thirst ... { M. F.
84	190	Excessive Cold ... { M. F.	1
84	191	Excessive Heat ... { M. F.
84	192	Lightning ... { M. F.	. 1
84	193	Other Accidents due to Electric Currents { M. F.	4
84	194	Attack by Venomous Animals. { M. F.
84	195	Other Accidents ... { M. F.	76 108	5 9	1 .	. .	6 9	1	1 .
85	196	Deaths of Persons in Military Service during Operations at War { M. F.	6
85	197	Deaths of Civilians due to Operations of War. { M. F.	14 18	1	1 .	. .	1 1	1 .	. .
86	198	Legal Executions ... { M. F.	2
87	(199-200)	XVIII. Ill-defined Causes of Death. { M. F.	242 240	5 1	. 1	. .	. 1	. .	5 3	13 6	4 4	1 1	. 1
87	199	Sudden Death { M. F.	9 5
87	200	Causes of Death Unstated or Ill-defined. { M. F.	233 235	5 1	. 1	. .	. 1	. .	5 3	13 6	4 4	1 1	. 1

fferent Periods of Life in the Year 1941.

10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards	Detailed International List Nos.	Intermediate International List Nos.
.	.	.	.	1	1	1	.	.	174	84
.	1	.	1	1	1	175	84
.	3	.	.	1	.	1	1	1	1	.	1	176	84
.	177	84
.	.	.	2	.	.	.	1	.	.	2	1	1	.	.	.	178	84
.	1	.	.	1	179	84
.	180	84
1 1	2	1 1	.	1	1 3	1 2	1	1 5	2 2	2 3	3 4	2 8	7 12	4 2	.	181	84
.	1	1	.	.	182	84
7 2	8 2	8 3	3 2	4 2	3	5 2	6 2	5 1	6 2	7 1	7 3	7 2	1	2	.	183	84
.	1	5	5 1	1	.	.	.	2	1	.	.	1	.	.	.	184	84
.	185	84
2 1	4	2	3 1	3	9	5	5 1	5 2	2 3	7 2	5 1	5 5	5 9	5 3	1	186	84
.	187	84
1	1	.	1	.	3	1 1	1	.	.	188	84
.	189	84
.	1	190	84
.	191	84
1 2	192	84
.	1	193	84
.	194	84
3	1	.	5 2	4	2 1	1 1	5 2	1 2	4 1	5 3	9 7	9 28	13 37	2 13	1	195	84
.	1	.	1	1	196	85
.	1	1	1 2	2 1	3	1	1	2	2 1	2 1	2	.	1	.	.	197	85
.	.	.	1	.	1	198	86
1 2	1 1	3 1	5 1	5 1	5 6	7 6	9 13	17 21	25 18	45 60	92 87	1 1	3 4	.	.	(199 -200)	87
.	1	.	3	2	1	1	.	1	.	.	199	87
1 2	1 1	3 1	5 1	5 1	5 6	6 5	9 13	11 21	23 18	41 58	91 87	1 1	2 2	.	.	200	87



ABSTRACT V.

ABSTRACT V.—Causes of Death in ÉIRE, by Sexes, Ages, and Places of Occurrence during the Year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES	43,797	22,642 21,155	2,417 1,758	626 527	402 407	758 847	888 912	1,022 1,036	1,582 1,418	3,218 2,899	5,959 5,167	5,770 6,184	2,878 2,267	699 657	4,663 3,475	14,402 14,756	3,356 3,538
1	Typhoid Fever (including Para-typhoid).	38	18 20	.	.	1 2	2 3	5 3	8 3	.	2 4	.	.	4 5	2 8	10 7	2 .	.
2	Cerebro-spinal Fever ...	41	24 17	4 2	9 6	4 5	2 2	1 1	2 .	1 .	1 1	.	.	13 6	.	6 6	5 5	.
3	Scarlet Fever ...	32	15 17	3 2	4 2	5 9	3 1	.	1	5 3	.	7 9	3 5	1 .
4	Whooping-cough ...	150	77 73	50 33	26 37	1 3	21 12	.	6 6	50 55	9 7
5	Diphtheria ...	165	85 80	12 7	45 31	26 34	1 1	1 2	1 .	.	1 .	.	.	37 32	1 .	38 38	10 9	.
6	Tuberculosis of the Respiratory System.	2,882	1,438 1,444	2 1	8 8	22 49	302 460	365 403	310 249	221 148	148 87	53 36	7 3	383 371	107 89	339 293	609 691	38 16
7	All other forms of Tuberculosis ...	829	417 412	17 20	75 64	64 69	89 112	75 55	33 42	25 20	28 13	10 13	1 4	118 94	13 28	132 125	154 165	6 4
8	Dysentery ...	4	3 1	3 1	.	.	3 .	.	1 .	.
9	Influenza ...	1,335	614 721	32 20	13 14	7 7	13 7	12 17	24 24	39 37	66 121	219 267	189 207	18 7	17 13	95 49	484 652	135 169
10	Measles ...	89	47 42	12 9	25 23	8 4	1 1	4 .	1 .	.	.	1 .	.	12 9	.	8 3	27 30	2 2
11	Acute Infectious Encephalitis ...	24	15 9	.	2 2	1 1	1 .	3 2	3 1	3 2	2 .	1 .	.	4 3	2 2	6 3	3 1	.
12	Typhus ...	6	5 1	1 .	3 .	.	.	1	3 1	2 .	.
13	Cancer ...	3,790	2,004 1,786	.	1 3	4 1	5 6	21 27	73 107	218 296	544 527	825 561	313 258	266 253	30 39	525 327	1,183 1,167	47 33
14	Diabetes Mellitus ...	277	136 141	1 .	.	1 .	9 .	10 .	9 .	13 .	33 .	40 .	20 .	17 .	1 .	36 .	82 .	8 .

15	Intra-cranial Lesions of Vascular Origin.	M. F.	2,721	1,213	1,508	.	.	3	8	14	34	78	224	496	356	99	28	255	821	107
16	Diseases of the Heart	M. F.	9,338	4,837	4,501	1	6	20	49	76	132	350	970	1,928	1,305	295	257	986	3,299	274
17	Other Diseases of the Circulatory System.	M. F.	777	411	366	1	1	2	.	3	8	25	84	172	115	41	15	118	212	5
18	Bronchitis	M. F.	1,952	1,017	935	78	14	1	4	15	22	61	177	343	304	45	15	292	750	113
19	Pneumonia	M. F.	1,881	1,017	864	259	113	31	50	31	42	72	118	296	115	133	18	189	677	48
20	Other Diseases of the Respiratory System.	M. F.	671	373	298	15	10	1	8	16	30	46	78	107	61	59	9	79	226	14
21	Ulcer of the Stomach or Duodenum.	M. F.	339	246	93	.	.	.	10	19	40	51	58	46	22	63	4	88	91	7
22	Diarrhea and Enteritis	M. F.	1,020	571	449	460	59	8	2	6	4	4	7	12	9	278	5	95	193	8
23	Appendicitis	M. F.	127	70	57	.	7	9	13	10	9	4	6	10	2	26	1	36	7	2
24	Cirrhosis of the Liver	M. F.	62	41	21	.	.	.	1	.	1	10	12	13	4	7	1	6	27	.
25	Diseases of the Liver and Biliary Passages.	M. F.	157	63	94	.	1	1	3	3	6	6	14	19	10	18	.	16	29	4
26	Other Diseases of the Digestive System.	M. F.	680	340	340	35	16	14	9	10	17	36	61	86	56	63	3	105	169	25
27	Nephritis	M. F.	1,184	694	490	2	4	11	15	23	39	71	147	243	139	103	6	211	374	22
28	Puerperal Infection	M. F.	43	43	13	15	15	10	2	15	16	.
29	Other Diseases of Childbirth	M. F.	139	139	9	68	58	4	.	.	.	35	.	42	62	1
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	2,094	1,214	880	1,183	13	9	5	2	1	1	.	.	.	371	10	203	630	196
31	Senility	M. F.	6,440	3,011	3,429	538	2,473	12	54	250	2,695	1,949
32	Suicide	M. F.	90	76	14	.	.	.	8	6	16	22	11	11	2	12	4	7	53	1
33	Other Violence	M. F.	863	536	327	17	56	47	61	60	53	58	69	67	48	107	5	117	307	1
34	Other Causes	M. F.	3,557	2,014	1,543	255	118	98	104	102	103	167	358	510	219	248	96	442	1,228	538
						141	81	89	81	87	130	186	290	348	110	191	77	270	1,005	304

ABSTRACT V.—continued—Causes of Death in PROVINCE OF LEINSTER, by Sexes, Ages, and Places of Occurrence during the Year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURRENCE.								
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and Hospls. District Hospls. and Co. Infir- maries.	Else- where.	Un- certified Deaths.	
	ALL CAUSES	18,223 {	9,420 8,803	1,337 956	299 250	181 185	344 403	386 414	494 455	765 634	1,516 1,238	2,245 2,074	1,853 2,194	2,022 1,534	307 282	1,909 1,397	5,182 5,540	636 601
1	Typhoid Fever (including Para- M. typhoid).	15 {	6 9	.	.	2	.	1	3	2	2 4	1	.	2 3	5	5 1	1	.
2	Cerebro-spinal Fever ... M. F.	13 {	11 7	3 1	2 2	2 1	1 1	1 1	2	1	.	.	.	8 5	.	1 1	2 1	.
3	Scarlet Fever ... M. F.	12 {	7 5	2 1	2 2	2 3	1	1	3 1	.	3 3	1 1	.
4	Whooping-cough ... M. F.	83 {	43 40	28 22	14 18	1	19 11	.	2 3	22 26	5 3
5	Diphtheria ... M. F.	98 {	49 49	7 5	28 21	13 19	1 1	2	.	1	.	.	.	33 28	1	14 15	2 5	.
6	Tuberculosis of the Respiratory M. System.	1,387 {	713 674	2	7 5	10 24	152 229	162 201	154 112	116 57	77 32	29 12	4 2	182 190	33 34	181 135	317 315	12 5
7	All other forms of Tuberculosis ... M. F.	401 {	201 200	11 11	40 39	34 27	43 55	32 27	13 23	11 7	12 4	4 5	1 2	87 72	2 13	48 42	64 73	2
8	Dysentery ... M. F.	2 {	2	2	.	.	2	.	.	.
9	Influenza ... M. F.	333 {	146 187	9 3	4 4	3 2	3 2	4 2	9 10	10 15	19 29	45 67	40 53	8 3	2 4	30 9	106 171	22 24
10	Measles ... M. F.	43 {	19 24	6 7	11 12	1 2	.	3	.	.	.	1	.	11 9	.	1 1	8 14	1
11	Acute Infectious Encephalitis ... M. F.	13 {	7 6	.	1 2	1 1	.	3 2	.	1	1	.	.	3 3	1 2	3 .	1	.
12	Typhus ... M. F.
13	Cancer ... M. F.	1,637 {	859 778	.	2	1	2 2	13 7	38 46	103 134	264 230	323 235	115 122	174 167	14 16	205 123	466 470	13 4
14	Diabetes Mellitus ... M. F.	93 {	43 50	.	.	4	2 4	5 1	4 2	3 6	9 13	12 14	8 6	10 16	1	9 6	23 28	2

15	Intra-cranial Lesions of Vascular Origin.	M. F.	1,245	562 683	.	.	1	4	7	20	36	117	216	161	80	13	129	340	25
16	Diseases of the Heart	... M. F.	4,212	2,098 2,114	.	5	10	17	33	71	177	452	764	569	207	145	367	1,379	81
17	Other Diseases of the Circulatory System.	M. F.	448	232 216	.	.	1	.	1	6	14	53	93	64	33	2	95	102	1
18	Bronchitis M. F.	833	438 395	29	7	1	2	5	13	35	81	143	122	33	3	108	294	15
19	Pneumonia M. F.	820	461 359	145	51	14	18	13	19	31	61	74	35	116	6	80	259	13
20	Other Diseases of the Respiratory System.	M. F.	305	178 127	4	1	3	4	9	19	31	38	42	24	40	7	35	96	2
21	Ulcer of the Stomach or Duodenum.	M. F.	140	100 40	.	.	1	3	7	16	21	24	16	13	42	1	26	31	2
22	Diarrhoea and Enteritis	... M. F.	674	392 282	348	27	3	1	1	1	1	3	5	3	248	4	57	83	2
23	Appendicitis	... M. F.	48	21 27	.	1	3	2	5	2	2	3	2	1	12	.	6	3	.
24	Cirrhosis of the Liver	... M. F.	34	22 12	.	.	1	1	1	1	7	7	5	1	6	.	4	12	.
25	Diseases of the Liver and Biliary Passages.	M. F.	65	30 35	.	1	.	2	2	3	2	7	8	5	15	.	5	10	1
26	Other Diseases of the Digestive System.	M. F.	260	136 124	12	7	8	2	4	10	18	26	27	22	41	2	31	62	4
27	Nephritis	... M. F.	541	315 226	2	1	3	6	12	17	40	72	103	59	67	3	107	138	8
28	Puerperal Infection	... F.	26	26	.	.	.	9	8	9	7	1	6	12	.
29	Other Diseases of Childbirth	... F.	55	55	.	.	.	4	25	24	2	.	.	.	19	.	10	26	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	1,108	647 461	632	8	4	1	1	.	1	.	.	.	294	8	89	256	52
31	Senility	... M. F.	1,508	657 851	139	518	5	13	87	552	297
32	Suicide	... M. F.	38	31 7	.	.	.	5	2	5	12	5	1	1	10	3	1	17	350
33	Other Violence	... M. F.	427	261 166	6	29	22	35	33	24	27	37	29	19	80	2	42	137	1
34	Other Causes	... M. F.	1,301	733 568	91	49	40	38	30	44	65	146	162	68	153	40	141	399	76
					58	34	35	34	36	48	65	97	119	42	141	26	72	329	58

ABSTRACT V—continued—Causes of Death in Administrative County of CARLOW, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES	571	269 302	38 18	12 8	9 6	11 11	11 12	8 21	15 17	36 39	62 79	22 17	6 8	62 53	179 224	27 40
1	Typhoid Fever (including Para-typhoid).	
2	Cerebro-spinal Fever ...	1	.	.	.	1	1	.
3	Scarlet Fever	
4	Whooping-cough	5	2 3	1 3	1 3	2 3	1 1
5	Diphtheria
6	Tuberculosis of the Respiratory System.	45	29 16	.	.	2 1	8 4	8 4	5 4	3 2	1 1	.	4	2	10 4	13 12	1
7	All other forms of Tuberculosis ...	17	6 11	1 2	1 2	2 1	2 3	1	2	1	.	.	3	.	1 4	5 4	.
8	Dysentery
9	Influenza ...	31	13 18	3 1	1 1	.	.	1	2	1 1	1 2	1 2	2	.	3	11 14	3 2
10	Measles
11	Acute Infectious Encephalitis...	
12	Typhus
13	Cancer ...	44	20 24	1 5	10 8	2 3	2 2	.	6 4	12 18	.
14	Diabetes Mellitus ...	4	2	1	.	.	2	.	.

ABSTRACT V—continued—Causes of Death in Administrative County of DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURRENCE.					Un-certified Deaths			
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and Hospls. District Hospls. and Co. Infirm aries.	Else-where.	
			808 801	99 75	17 13	21 25	36 29	46 35	39 51	69 60	131 105	188 181	162 227	213 153	27 22	126 77	442 549	1 4
1	Typhoid Fever (including Para-typhoid).	4 { M. F.	1 3	1	1	1	1	.	1 1	2	.	.	.
2	Cerebro-spinal Fever	1 { M. F.	1	1	.	.	1
3	Scarlet Fever	. { M. F.
4	Whooping-cough	9 { M. F.	3 6	1 2	2 4	1 2	.	2	.	4
5	Diphtheria	6 { M. F.	2 4	.	2 1	2 2	.	2	.	.
6	Tuberculosis of the Respiratory System.	128 { M. F.	71 57	.	1 4	16 16	24 18	9 10	3 3	10 5	6 2	3	2 1	8 8	1 2	23 14	39 33	.
7	All other forms of Tuberculosis	36 { M. F.	14 22	2 1	2 7	2 4	3 4	1 3	1 3	2 1	1	.	.	5 13	2 2	2 2	7 5	.
8	Dysentery	. { M. F.
9	Influenza	10 { M. F.	3 7	.	1	1	.	.	.	1	1	2	1 3	1	.	1	1 7	.
10	Measles	. { M. F.
11	Acute Infectious Encephalitis	1 { M. F.	1	1
12	Typhus	. { M. F.
13	Cancer	165 { M. F.	85 80	.	.	1	2	2 5	2	13 12	23 22	36 21	9 19	22 20	3	18 9	42 51	.
14	Diabetes Mellitus	6 { M. F.	3 3	.	.	1	1 1	1 2	.	2 1	.	.	1 2	.

15	Intra-cranial Lesions of Vascular Origin.	149 {	58 91	2	1	3	13	24	15	13	2	7	36
16	Diseases of the Heart	430 {	204 226	.	2	2	2	2	2	2	2	4	7	17	43	63	64	28	13	14	149
17	Other Diseases of the Circulatory System.	53 {	31	1	1	6	13	11	5	1	11	14
18	Bronchitis ...	51 {	22 29	1	1	1	2	3	6	11	2	.	7	13
19	Pneumonia ...	64 {	44 20	14	3	2	3	2	3	2	3	2	4	4	4	4	4	16	2	4	22
20	Other Diseases of the Respiratory System.	27 {	20 7	.	1	.	.	1	.	.	.	1	2	7	1	2	2	6	.	4	10
21	Ulcer of the Stomach or Duodenum.	17 {	14 3	.	.	1	1	2	5	3	2	10	.	3	1
22	Diarrhea and Enteritis ...	56 {	33 23	31	.	1	1	.	.	1	.	20	1	7	5
23	Appendicitis ...	4 {	2 2	1	1	.	.	.	2	.	.	1
24	Cirrhosis of the Liver	3 {	2 1	.	.	.	1	1	1	1
25	Diseases of the Liver and Biliary Passages.	7 {	4 3	1	1	2	2	.	1	1
26	Other Diseases of the Digestive System.	29 {	18 11	1	1	1	1	.	1	.	.	.	2	2	5	3	5	10	.	1	8
27	Nephritis ...	42 {	25 17	1	.	.	2	1	3	8	9	4	5	.	11	9
28	Puerperal Infection
29	Other Diseases of Childbirth ...	3	3	2	2	1	1	.	.	2
30	Congenital Debility, etc. (Nos. 157-161).	75 {	39 36	36	.	2	1	22	.	8	9
31	Senility ...	68 {	19 49	2	17	3	1	.	15
32	Suicide ...	2 {	2	1	.	.	1	.	2	.	.	.
33	Other Violence	43 {	28 15	2	1	1	6	1	1	1	5	5	1	1	2	6	3	7	1	1	19
34	Other Causes	120 {	61 59	11	5	5	3	3	3	3	11	9	3	9	5	14	6	20	2	5	34
				6	1	1	6	6	6	6	5	5	5	9	5	7	7	18	2	2	37

ABSTRACT V—continued.—Causes of Death in CITY OF DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.		Else-where.	
	ALL CAUSES	6,839	3,394 3,445	760 533	142 129	74 64	129 167	121 177	220 175	338 276	616 500	636 726	358 698	1,414 1,106	97 118	612 566	1,271 1,655	60 59
1	Typhoid Fever (including Para-typhoid).	4	1 3	.	.	2	.	.	1	.	1	.	.	1 2	1	.	.	.
2	Cerebro-spinal Fever...	14	9 5	3 1	2 2	1 1	.	1 1	1	1	.	.	.	8 4	.	.	1 1	.
3	Scarlet Fever	5	4 1	2 1	2	3 1	.	.	1	.
4	Whooping-cough	35	21 14	14 10	7 4	18 7	.	2	3 5	.
5	Diphtheria ...	53	28 25	5 2	16 12	7 9	.	2	28 23	1	.	1	.
6	Tuberculosis of the Respiratory System.	612	307 305	1 .	5 3	5 8	60 104	46 99	75 47	57 28	43 11	14 5	1 .	88 101	7 19	103 69	109 116	1
7	All other forms of Tuberculosis...	149	80 69	5 5	18 23	14 8	19 14	10 7	3 5	4 4	6 .	1 2	1 .	55 44	1	12 4	13 20	.
8	Dysentery
9	Influenza ...	42	18 24	1 1	1 .	1 1	.	.	1	2 2	4 5	6 4	2 11	3 3	.	1 1	14 20	.
10	Measles ...	33	15 18	6 5	8 11	1 2	11 9	.	.	4 9	1
11	Acute Infectious Encephalitis...	7	3 4	.	1 2	1	.	2	.	.	1	.	.	3 2	2	.	.	.
12	Typhus
13	Cancer	598	291 307	.	1	.	2 1	6 5	12 22	46 55	107 90	90 87	28 46	116 109	6 7	65 48	104 143	.
14	Diabetes Mellitus ...	28	8 90	.	.	9	8 3	1 .	1 .	1 .	3 8	2 6	2 1	5 12	.	3 6	3 6	.

ABSTRACT V—continued.—Causes of Death in Administrative County of KILDARE, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.				Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.		Else-where.
	ALL CAUSES	911 {	485 426	47 40	17 14	7 10	14 23	28 21	22 26	39 33	61 55	134 92	116 112	58 44	8 16	111 57	308 309	19 24
1	Typhoid Fever (including Para-M. typhoid).	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
2	Cerebro-spinal Fever	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
3	Scarlet Fever	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
4	Whooping-cough	2 {	• 2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
5	Diphtheria	2 {	1 1	•	1	1	•	•	•	•	•	•	•	•	•	1 1	•	•
6	Tuberculosis of the Respiratory System.	68 {	31 37	•	1	1 1	3 10	10 8	7 9	6 5	2 3	1	1	10 9	1	1 3	20 24	•
7	All other forms of Tuberculosis	27 {	13 14	1 1	2 2	1 3	4 5	3 2	1 1	1	•	•	•	7 3	1	5 3	1 7	•
8	Dysentery	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
9	Influenza	17 {	3 14	1	•	•	•	•	•	•	•	1	1	1	•	2 1	13	1
10	Measles	2 {	• 2	• 1	•	•	•	•	•	•	•	•	•	•	•	•	•	•
11	Acute Infectious Encephalitis	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
12	Typhus	• {	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
13	Cancer	78 {	46 22	•	•	•	•	1 1	2 3	4 10	13 5	22 9	4 4	7 2	1 1	10 6	28 23	•
14	Diabetes Mellitus	3 {	• 3	•	•	•	•	•	1	•	1	1	•	1	•	1	1	•

15	Intra-cranial Lesions of Vascular M. Origin.	53 {	28	25	126	96	15	2	27	27	19	19	3	4	3	12	6	4	2	1	2	10	9	19	1		
16	Diseases of the Heart	222 {	126	96	15	2	27	27	19	19	3	4	3	12	6	4	2	1	2	10	9	19	1	18	1		
17	Other Diseases of the Circulatory M. System.	17 {	15	2	27	27	19	19	3	4	3	12	6	4	2	1	2	10	9	19	1	81	4	81	4		
18	Bronchitis ...	54 {	27	27	19	19	3	4	3	12	6	4	2	1	2	10	9	19	1	22	25	3	34	18	68	3	
19	Pneumonia ...	38 {	19	19	3	4	3	12	6	4	2	1	2	10	9	19	1	22	25	3	34	18	68	3	3	3	
20	Other Diseases of the Respiratory M. System.	7 {	3	4	3	12	6	4	2	1	2	10	9	19	1	22	25	3	34	18	68	3	3	3	3	3	
21	Ulcer of the Stomach or Duo- denum.	3 {	3	4	3	12	6	4	2	1	2	10	9	19	1	22	25	3	34	18	68	3	3	3	3	3	
22	Diarrhoea and Enteritis	22 {	14	8	12	6	4	2	1	2	10	9	19	1	22	25	3	34	18	68	3	3	3	3	3	3	3
23	Appendicitis	4 {	4	2	1	2	10	9	19	1	22	25	3	3	12	6	4	2	1	2	10	9	19	1	1	1	
24	Cirrhosis of the Liver	2 {	2	1	2	10	9	19	1	22	25	3	3	12	6	4	2	1	2	10	9	19	1	1	1	1	1
25	Diseases of the Liver and Biliary Passages.	3 {	1	2	1	2	10	9	19	1	22	25	3	3	12	6	4	2	1	2	10	9	19	1	1	1	
26	Other Diseases of the Digestive M. System.	21 {	9	12	1	2	10	9	19	1	22	25	3	3	12	6	4	2	1	2	10	9	19	1	1	1	
27	Nephritis ...	19 {	10	9	1	2	10	9	19	1	22	25	3	3	12	6	4	2	1	2	10	9	19	1	1	1	
28	Puerperal Infection ...	1	1	2	1	2	10	9	19	1	22	25	3	3	12	6	4	2	1	2	10	9	19	1	1	1	
29	Other Diseases of (Childbirth ...	3	3	1	2	10	9	19	1	22	25	3	3	12	6	4	2	1	2	10	9	19	1	1	1	1	1
30	Congenital Debility, etc. (Nos. M. 157-161).	54 {	31	23	30	22	1	2	10	9	19	1	22	25	3	3	12	6	4	2	10	9	19	1	1	1	
31	Senility ...	71 {	32	39	3	4	3	12	6	4	2	1	2	10	9	19	1	22	25	3	34	18	68	3	3	3	
32	Suicide ...	6 {	5	1	2	10	9	19	1	22	25	3	3	12	6	4	2	1	2	10	9	19	1	1	1	1	1
33	Other Violence	46 {	32	14	3	4	3	12	6	4	2	1	2	10	9	19	1	22	25	3	34	18	68	3	3	3	
34	Other Causes	66 {	33	33	3	4	3	12	6	4	2	1	2	10	9	19	1	22	25	3	34	18	68	3	3	3	

ABSTRACT V—continued.—Causes of Death in Administrative County of KILKENNY, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un- certified Deaths.
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospis.	Mental Hos- pitals.	County Homes and District Hospis. and Co. Infir- maries.	Else- where.		
	ALL CAUSES	996 {	528 468	60 40	15 14	6 6	18 18	19 26	27 24	26 26	91 65	147 126	119 123	47 53	19 20	105 59	357 336	68 55
1	Typhoid Fever (including Para-typhoid).	1 {	1	1	1	.	.
2	Cerebro-spinal Fever ...	1 {	1	1	1	.	.
3	Scarlet Fever
4	Whooping-cough ...	1 {	1	.	1	1
5	Diphtheria ...	4 {	4	1	2	1	2	.	2	.	.
6	Tuberculosis of the Respiratory System.	62 {	33 29	.	.	.	7 7	9 11	6 6	2 3	8	1 2	.	15 14	4 3	1	14 11	3
7	All other forms of Tuberculosis ...	21 {	10 11	1	3 2	1	3 5	1 2	.	.	1	1	.	3 2	1	5 4	2 4	.
8	Dysentery
9	Influenza ...	20 {	11 9	2	1	.	2	1	2	1	2 1	1 2	1	.	1	5	6 8	1
10	Measles ...	4 {	3 1	.	2 1	1	3 1	.
11	Acute Infectious Encephalitis
12	Typhus
13	Cancer ...	86 {	43 43	1	2 2	2 4	17 11	17 18	5 7	3 9	.	9 4	31 30	1 1
14	Diabetes Mellitus ...	9 {	5 4	.	.	.	1	.	1	.	.	2	2 2	1	.	2	3 1	.

No.	Disease	M.	F.	Total
15	Intra-cranial Lesions of Vascular Origin.	29	50	79
16	Diseases of the Heart	109	102	211
17	Other Diseases of the Circulatory System.	12	15	27
18	Bronchitis ...	17	20	37
19	Pneumonia ...	16	16	32
20	Other Diseases of the Respiratory System.	10	4	14
21	Ulcer of the Stomach or Duodenum.	3	2	5
22	Diarrhoea and Enteritis	3	5	8
23	Appendicitis	1	1	2
24	Cirrhosis of the Liver	2	2	4
25	Diseases of the Liver and Biliary Passages.	2	2	4
26	Other Diseases of the Digestive System.	9	4	13
27	Nephritis	9	18	27
28	Puerperal Infection	1	1	2
29	Other Diseases of Childbirth	6	6	12
30	Congenital Debility, etc. (Nos. 157-161).	41	26	67
31	Senility	86	77	163
32	Suicide	4	4	8
33	Other Violence	20	9	29
34	Other Causes	41	35	76

ABSTRACT V—continued.—Causes of Death in Administrative County of LAOIGHIS, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES	718 {	392 326	32 27	6 10	7 12	8 12	20 10	17 14	27 19	60 42	103 80	112 80	23 22	18 9	84 59	267 236	58 49
1	Typhoid Fever (including Para-typhoid).	1 {	1	1	1	.	.
2	Cerebro-spinal Fever	. {
3	Scarlet Fever	3 {	1 2	.	.	1 2	1 1	.	.
4	Whooping-cough	1 {	1	1	1	.
5	Diphtheria	2 {	1 1	.	1 1	1 1	.	.
6	Tuberculosis of the Respiratory System.	40 {	24 16	.	.	2	5 5	6 4	6 4	5	1 1	1	.	13 9	2	1 1	8 6	1
7	All other forms of Tuberculosis	14 {	7 7	.	1 1	1 2	1 3	3	1	.	.	1	.	1	.	3 4	4 2	.
8	Dysentery	. {
9	Influenza	24 {	10 14	1	1	.	.	.	1 2	1	1 4	6 3	1 3	1	.	2	7 14	1 1
10	Measles	. {
11	Acute Infectious Encephalitis	2 {	1 1	1	1	.	1	.
12	Typhus	. {
13	Cancer	58 {	32 26	2	2	2	10 7	11 11	5 3	2 2	.	4 3	26 21	1
14	Diabetes Mellitus	4 {	2 2	1	.	.	1	.	.	.	1	.	.

ABSTRACT V—*contd.*—Causes of Death in Administrative County of LONGFORD, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and Hospls. District Hospls. and Co. Infirm-aries	Else-where.
	ALL CAUSES	560 { M. ... F. ...	322 238	32 13	8 2	3 1	11 12	14 5	13 9	24 12	46 37	75 67	96 80	16 12	14 4	94 44	198 178	82 79
1	Typhoid Fever (including Para-typhoid).	{ M. F.
2	Cerebro-spinal Fever ...	{ M. F.
3	Scarlet Fever	{ M. F.
4	Whooping-cough	{ M. F.	3 1	2 1	1	3 1	2 1
5	Diphtheria ...	{ M. F.	1 1	.	1	1	1 1	.	.
6	Tuberculosis of the Respiratory System.	{ M. F.	21 11	.	.	5 5	7 4	7 1	1 .	1 1	1 1	1	.	5 1	2 .	8 6	6 4	1
7	All other forms of Tuberculosis...	{ M. F.	5 2	.	.	1	2 1	1 .	.	.	1	.	.	2 .	1 .	1 1	2 .	.
8	Dysentery ...	{ M. F.
9	Influenza ...	{ M. F.	15 21	1	.	.	.	1	.	2 2	2 5	6 8	4 5	.	1	2	13 20	6 13
10	Measle ...	{ M. F.	1	1	1	.	.
11	Acute Infectious Encephalitis...	{ M. F.	1	1	1	.	.
12	Typhus ...	{ M. F.
13	Cancer ...	{ M. F.	30 8	1	4 1	7 2	13 3	5 2	1 1	.	12 2	17 5	5
14	Diabetes Mellitus ...	{ M. F.	6 1	1	1	1	1	2	1	1	1	3 1	1

ABSTRACT V—continued.—Causes of Death in Administrative County of Louth, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.				Un- certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and District Hospls. and Co. Infir- maries.		Else- where.
	ALL CAUSES	962	489 473	44 42	10 8	12 7	25 24	27 26	26 30	43 37	85 60	126 104	91 135	51 39	21 17	100 102	317 315	26 36
1	Typhoid Fever (including Para-M. typhoid).	{
2	Cerebro-spinal Fever	{
3	Scarlet Fever	{
4	Whooping-cough	10 {	5 5	3 2	2 3	5 5	1
5	Diphtheria	1 {	1	.	.	1	1	.	.
6	Tuberculosis of the Respiratory System.	62 {	31 31	.	.	.	9 16	11 10	5 3	4	2 1	1	.	1 2	3 2	6 10	21 17	1
7	All other forms of Tuberculosis ...	27 {	15 12	1 1	2	4 2	3 3	3 4	1 1	1	1	.	.	4	3	3	8 6	.
8	Dysentery ...	{
9	Influenza ...	14 {	5 9	2 1	1 1	1 1	1 4	1 2	.	1	2	3 8	1
10	Measles ...	{
11	Acute Infectious Encephalitis ...	{
12	Typhus ...	{
13	Cancer ...	97 {	54 43	2 1	8 8	14 16	23 12	7 6	5 4	.	13 8	36 31	1
14	Diabetes Mellitus ...	2 {	2	2	.	.	1	.	.	1	.

ABSTRACT V—continued.—Causes of Death in Administrative County of MEATH, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	939 {	521 418	33 21	12 6	5 9	11 15	18 15	26 16	40 26	83 71	151 106	142 133	34 23	21 10	140 82	326 303	52 42
1	Typhoid Fever (including Para-typhoid).	{
2	Cerebro-spinal Fever ... M. F.	{
3	Scarlet Fever ... M. F.	1 {	1	.	.	1	1	.	.
4	Whooping-cough ... M. F.	3 {	2	1	.	1	2	1
5	Diphtheria ... M. F.	3 {	1	1	.	.	1	.	.	1	.	.	.	1	.	.	1	.
6	Tuberculosis of the Respiratory System. M. F.	45 {	28 17	.	1	3	6 4	6 6	6 1	6	2 2	1 1	.	6	2	6 8	14 9	2
7	All other forms of Tuberculosis ... M. F.	13 {	7 6	.	2	1 1	1 3	1 1	.	1	1	.	.	2	.	2 2	3 4	1
8	Dysentery ... M. F.	{
9	Influenza ... M. F.	17 {	7 10	1	1	.	2 2	1 5	2 3	.	.	1	6 10	1
10	Measles ... M. F.	1 {	1	.	1	1	.
11	Acute Infectious Encephalitis ... M. F.	{
12	Typhus ... M. F.	{
13	Cancer ... M. F.	102 {	57 45	6 4	6 6	11 14	24 9	10 12	6 3	1 1	14 7	36 34	2
14	Diabetes Mellitus ... M. F.	5 {	4 1	2	.	.	.	2	1	.	.	1	3 1	1

No.	Disease	Males	Females	Total
15	Intra-cranial Lesions of Vascular M. Origin.	79 {	40 39	119
16	Diseases of the Heart	248 {	129 119	248
17	Other Diseases of the Circulatory System.	18 {	9 9	18
18	Bronchitis ...	42 {	25 17	42
19	Pneumonia ...	48 {	31 17	48
20	Other Diseases of the Respiratory System.	14 {	10 4	14
21	Ulcer of the Stomach or Duodenum.	5 {	5 0	5
22	Diarrhoea and Enteritis	6 {	4 2	6
23	Appendicitis	{	0 0	0
24	Cirrhosis of the Liver	2 {	1 1	2
25	Diseases of the Liver and Biliary Passages.	5 {	2 3	5
26	Other Diseases of the Digestive System.	15 {	8 7	15
27	Nephritis ...	37 {	21 16	37
28	Puerperal Infection ...	1	1	1
29	Other Diseases of Childbirth	3	3	3
30	Congenital Debility, etc. (Nos. 157-161).	37 {	23 14	37
31	Senility ...	86 {	43 43	86
32	Suicide ...	1 {	1 0	1
33	Other Violence	24 {	11 13	24
34	Other Causes	78 {	52 26	78

ABSTRACT V—continued.—Causes of Death in Administrative County of OFFALY, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-17	25-35	45-55	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals,	County Homes and District Hospls. and Co. Infir-maries.	Else-where.				
	ALL CAUSES	784 { ... M. ... F.	426 353	30 33	15 9	6 12	12 17	8 16	16 13	30 25	61 54	134 96	114 93	21 25	11 11	94 54	300 263	62 51
1	Typhoid Fever (including Para-M. typhoid).	1 { ... M. ... F.	1	1	1	.	.
2	Cerebro-spinal Fever	. { ... M. ... F.
3	Scarlet Fever	. { ... M. ... F.
4	Whooping-cough	7 { ... M. ... F.	4 3	3 3	1	1	.	.	4 2	1
5	Diphtheria	6 { ... M. ... F.	2 4	1 1	1 1	1 2	2 2	.	.
6	Tuberculosis of the Respiratory System.	53 { ... M. ... F.	19 34	.	1 1	1 2	4 11	3 7	4 6	4 3	2 4	.	1	3 14	1 1	.	15 19	1
7	All other forms of Tuberculosis	17 { ... M. ... F.	7 10	.	1 1	1 1	3	1 3	2 2	1 .	1	.	.	2 1	1 2	2 3	2 4	.
8	Dysentery	. { ... M. ... F.
9	Influenza	37 { ... M. ... F.	17 20	.	.	1	.	.	1 2	1 3	1	8 9	6 5	.	.	5 3	12 17	3 1
10	Measles	2 { ... M. ... F.	2	2	2	.
11	Acute Infectious Encephalitis	1 { ... M. ... F.	1	1	1	.	.
12	Typhus	. { ... M. ... F.
13	Cancer	69 { ... M. ... F.	39 30	2 1	5 5	11 12	13 8	8 4	1 2	1	14 9	24 18	1
14	Diabetes Mellitus	5 { ... M. ... F.	2 3	1	.	.	1	.	1	.	.	2 2	.

No.	Disease	M.	F.	Total
15	Intra-cranial Lesions of Vascular Origin.	21	25	46
16	Diseases of the Heart	106	70	176
17	Other Diseases of the Circulatory System.	5	3	8
18	Bronchitis ...	18	20	38
19	Pneumonia ...	24	14	38
20	Other Diseases of the Respiratory System.	6	1	7
21	Ulcer of the Stomach or Duodenum.	1	1	2
22	Diarrhoea and Enteritis	22	3	25
23	Appendicitis	1	1	2
24	Cirrhosis of the Liver	1	1	2
25	Diseases of the Liver and Biliary Passages.	2	2	4
26	Other Diseases of the Digestive System.	5	4	9
27	Nephritis	9	3	12
28	Puerperal Infection	2	2	4
29	Other Diseases of Childbirth	1	1	2
30	Congenital Debility, etc. (Nos. 157-161).	20	18	38
31	Senility	74	61	135
32	Suicide	3	1	4
33	Other Violence	10	2	12
34	Other Causes	27	21	48

ABSTRACT V—contd.—Causes of Death in Administrative County of WESTMEATH, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un- certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospis.	Mental Hos- pitals.		County Homes and District Hospis. and Co. Infir- maries.	Else- where.	
	ALL CAUSES	847 { M. F.	478 369	37 35	5 9	7 7	18 19	22 17	20 20	24 26	78 49	131 84	136 103	24 15	30 23	132 82	292 249	58 53
1	Typhoid Fever (including Para-typhoid).	{ M. F.
2	Cerebro-spinal Fever ...	{ M. F.
3	Scarlet Fever ...	{ M. F.	1	.	.	1	1	.	.
4	Whooping-cough ...	{ M. F.	1	1	1	1
5	Diphtheria ...	{ M. F.	1 1	1	1	1	1	.
6	Tuberculosis of the Respiratory System.	{ M. F.	33 24	.	.	.	9 11	7 5	5 2	5 4	3 2	4	.	.	1 4	19 12	11 7	.
7	All other forms of Tuberculosis ...	{ M. F.	11 12	1	1 2	1 1	2 4	3 2	2 1	1	1	1	.	.	1 1	5 6	2 3	.
8	Dysentery ...	{ M. F.
9	Influenza ...	{ M. F.	12 8	1	1	2 2	9 5	.	1	2	9 8	3 2
10	Measles ...	{ M. F.
11	Acute Infectious Encephalitis ...	{ M. F.	1	1	1	.	.
12	Typhus ...	{ M. F.
13	Cancer ...	{ M. F.	44 36	.	.	1	.	.	1 3	6 5	8 11	13 12	15 5	2 4	1 2	14 12	27 18	1
14	Diabetes Mellitus ...	{ M. F.	1 3	.	.	1	.	2	.	.	.	1	1	.	.	1	3	.

[illegible]

ABSTRACT V—continued.—Causes of Death in Administrative County of WEXFORD, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos- pits.	County Homes and Hospls. District Hospls. and Co. Infirm- aries.	Else- where.
	ALL CAUSES	1,560 {	821 739	69 52	24 18	14 21	32 35	35 34	40 31	58 46	111 99	222 191	216 212	38 31	19 17	179 110	585 581	91 79
1	Typhoid Fever (including Para-M. typhoid).	1 {	1	1	.	.	.	1	.	.	.
2	Cerebro-spinal Fever	1 {	1	.	.	.	1	1	.	.
3	Scarlet Fever	2 {	1 1	.	.	.	1 1	1	1 1	.	.
4	Whooping-cough	1 {	1	1	.
5	Diphtheria	13 {	4 9	1 1	1 5	3 3	1	.	4 7	1	.
6	Tuberculosis of the Respiratory System.	119 {	57 62	1 .	.	3	13 24	20 17	9 9	7 4	5 3	2 2	.	16 16	5 1	3 6	33 39	1 3
7	All other forms of Tuberculosis	30 {	15 15	1 1	5 3	2 1	1 5	1 1	3 4	.	1 .	1 .	.	1 .	1 .	5 4	9 10	1 .
8	Dysentery	2 {	2	2	.	.	2	.	.	.
9	Influenza	29 {	11 18	.	1	1	2	2	1	1	3 2	1 6	2 5	.	1	5	5 18	1 2
10	Measles
11	Acute Infectious Encephalitis
12	Typhus
13	Cancer	144 {	79 65	.	1	.	1	.	3 3	5 8	21 19	38 25	11 9	1 4	1 3	21 8	56 50	2 2
14	Diabetes Mellitus	7 {	1 6	.	.	1	.	.	.	1	1	1	.	.

ABSTRACT V---contd.---Causes of Death in Administrative County of WICKLOW, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else. where.
	ALL CAUSES	927 {	487 440	56 27	16 10	10 5	19 21	17 20	20 25	32 31	57 62	131 120	129 119	61 44	16 7	70 52	340 337	32 30
1	Typhoid Fever (including Para-typhoid).	3 {	1 2	1 1	.	.	.	1	1	1	.
2	Cerebro-spinal Fever
3	Scarlet Fever
4	Whooping-cough ...	4 {	1 3	1 2	1	1 3	.
5	Diphtheria ...	4 {	3 1	.	3	1	1 1	.	1	1	.
6	Tuberculosis of the Respiratory System.	64 {	29 35	.	.	7 12	5 12	1 1	10 7	6 3	1 1	.	.	11 15	3 1	1 1	14 18	.
7	All other forms of Tuberculosis ...	20 {	11 9	.	3 1	3 2	1 1	.	1 1	1 1	2	1	.	3 3	.	2 2	6 4	.
8	Dysentery
9	Influenza ...	36 {	21 15	1 1	2	.	.	.	1	1	2 2	6 7	9 3	.	.	2 1	19 14	2 2
10	Measles
11	Acute Infectious Encephalitis
12	Typhus
13	Cancer ...	78 {	39 39	.	.	.	1	.	3 2	1 10	12 13	16 12	6 2	6 5	1 1	5 5	27 28	.
14	Diabetes Mellitus ...	6 {	3 3	.	.	.	1	.	.	1 2	.	1	.	.	.	1	3 2	.

No.	Diagnosis	Sex	Age	Occupation	Duration	Site	Character	Course	Result	Total
15	Intra-cranial Lesions of Vascular Origin.	M.	F.							84
16	Diseases of the Heart	M.	F.							211
17	Other Diseases of the Circulatory System.	M.	F.							13
18	Bronchitis	M.	F.							27
19	Pneumonia	M.	F.							40
20	Other Diseases of the Respiratory System.	M.	F.							26
21	Ulcer of the Stomach or Duodenum.	M.	F.							13
22	Diarrhea and Enteritis	M.	F.							19
23	Appendicitis	M.	F.							1
24	Cirrhosis of the Liver	M.	F.							1
25	Diseases of the Liver and Biliary Passages.	M.	F.							2
26	Other Diseases of the Digestive System.	M.	F.							15
27	Nephritis	M.	F.							24
28	Puerperal Infection	M.	F.							
29	Other Diseases of Childhood	M.	F.							2
30	Congenital Debility etc. (Nos. 157-161).	M.	F.							51
31	Senility	M.	F.							93
32	Suicide	M.	F.							3
33	Other Violence	M.	F.							16
34	Other Causes	M.	F.							70

ABSTRACT V—contd.—Causes of Death in PROVINCE OF MUNSTER, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and District Hospls. and Co. Infirm- aries.	Else- where.		
	ALL CAUSES	13,935 {	7,248 6,687	673 509	216 173	141 115	225 250	292 278	310 335	501 449	1,012 990	2,023 1,642	1,855 1,946	681 538	212 209	1,701 1,280	4,654 4,660	1,041 1,019
1	Typhoid Fever (including Para-typhoid).	12 {	5 7			1 3	1 1		3 3					1 2		3 4	1 .	.
2	Cerebro-spinal Fever	13 {	8 5	1 1	5 2		1 1				1			4 1		3 3	1 1	.
3	Scarlet Fever	14 {	5 9	1 2	1 1	2 4	1 1	1	1					2 1		2 5	1 3	1
4	Whooping-cough	22 {	10 12	5 5	5 6												10 9	1
5	Diphtheria	50 {	26 24	1 1	12 7	12 13		1	1					3 4		18 17	5 3	.
6	Tuberculosis of the Respiratory System.	889 {	452 437	1 1		9 8	84 133	128 115	103 90	75 54	35 24	15 11	3	151 125	44 26	89 80	168 206	12 2
7	All other forms of Tuberculosis	241 {	126 115	5 5	23 15	18 23	25 32	27 11	10 9	6 8	8 5	4 6	1	23 14	7 9	46 48	50 44	2 1
8	Dysentery	2 {	1 1									1 1			1			.
9	Influenza	483 {	219 264	12 6	7 4	1 3	6 4	3 10	7 8	14 10	18 50	79 103	72 66	10 4	2 1	42 18	165 241	32 37
10	Measles	34 {	22 12	4 1	12 9	5	1	1	1					1		7 1	14 11	22 1
11	Acute Infectious Encephalitis	8 {	6 2		1		1		3 1	1				1	1	3 2	1	.
12	Typhus	3 {	2 1						1							1 1		.
13	Cancer	1,252 {	673 579		1	2	2 2	6 15	22 34	70 99	173 182	291 181	106 66	75 68	7 14	221 132	370 365	6 5
14	Diabetes Mellitus	102 {	53 49			1 1	3	4 1	4 2	4 3	15 18	16 18	6 6	5 7		14 12	34 28	3 1

No.	Intra-cranial Lesions of Vascular M. F.	834 {	372 462
15	Origin.		
16	Diseases of the Heart ... M. F.	2,942 {	1,546 1,396
17	Other Diseases of the Circulatory System. M. F.	173 {	90 83
18	Bronchitis ... M. F.	649 {	337 312
19	Pneumonia ... M. F.	598 {	308 290
20	Other Diseases of the Respiratory System. M. F.	221 {	116 105
21	Ulcer of the Stomach or Duo- denum. M. F.	116 {	84 32
22	Diarrhoea and Enteritis ... M. F.	252 {	125 127
23	Appendicitis ... M. F.	42 {	29 13
24	Cirrhosis of the Liver ... M. F.	19 {	13 6
25	Diseases of the Liver and Biliary Passages. M. F.	57 {	21 36
26	Other Diseases of the Digestive System. M. F.	217 {	107 110
27	Nephritis ... M. F.	351 {	211 140
28	Puerperal Infection ... F.	11	11
29	Other Diseases of Childbirth ... F.	42	12
30	Constitutional Debility, etc. (Nos. 157—161). M. F.	591 {	337 254
31	Senility ... M. F.	2,165 {	1,011 1,124
32	Suicide ... M. F.	36 {	31 5
33	Other Violence ... M. F.	256 {	166 90
34	Other Causes ... M. F.	1,238 {	706 532

ABSTRACT V—continued.—Causes of Death in Administrative County of CLARE, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	1,307 { ... M. ... F.	657 650	43 37	15 10	8 10	20 24	14 21	29 32	42 33	80 32	196 177	210 224	41 42	26 20	127 115	463 473	169 179
1	Typhoid Fever (including Para-typhoid).	{ ... M. ... F.
2	Cerebro-spinal Fever ...	{ ... M. ... F.
3	Scarlet Fever	{ ... M. ... F.
4	Whooping-cough	{ ... M. ... F.
5	Diphtheria ...	{ ... M. ... F.
6	Tuberculosis of the Respiratory System.	{ ... M. ... F.	46 46	.	1 1	11 12	7 9	12 12	10 5	3 4	3 2	10 2	10 13	10 22	3 1	10 7	23 16	2 .
7	All other forms of Tuberculosis ...	{ ... M. ... F.	10 13	.	3 .	5 6	2 1	2 .	.	1	2 .	.	2 8	6 5	1 1
8	Dysentery ...	{ ... M. ... F.
9	Influenza ...	{ ... M. ... F.	25 33	1 2	1 .	1 .	1 .	2 .	1 .	.	2 3	10 12	10 13	2 .	.	1 1	24 30	11 12
10	Measles ...	{ ... M. ... F.	2 .	1 .	1 .	1	2 .	1 .
11	Acute Infectious Encephalitis...	{ ... M. ... F.
12	Typhus ...	{ ... M. ... F.	2 1	1	1 1	.	.	.	1 1	1 .	.
13	Cancer ...	{ ... M. ... F.	60 45	1 .	2 5	5 9	13 14	27 11	13 5	7 2	2 3	15 11	36 29	2 .
14	Diabetes Mellitus ...	{ ... M. ... F.	5 3	1 .	3 3	1 .	.	.	2 .	3 3	2 1

15	Intra-cranial Lesions of Vascular Origin.	M. F.	59	26 33	7	11	7	1	1	2	20	4
16	Diseases of the Heart	M. F.	217	127 90	.	.	2	1	1	3	9	5	1	1	1	1	1	1	1	35 21	57 39	22 22	7	32 19	80 67	11 5	6
17	Other Diseases of the Circulatory System.	M. F.	13	5 8	2 3	2 3	2	1	1	3	.	.
18	Bronchitis	M. F.	50	21 29	1	.	.	1	.	2	6 11	9 12	1 3	3	1	15 28	3 6	.
19	Pneumonia	M. F.	62	30 32	6 8	2 2	.	2 1	1	1	3 1	1	1	1	1	1	1	1	1	3 3	9 6	4 7	6 5	6 5	23 26	1 2	.
20	Other Diseases of the Respiratory System.	M. F.	26	9 17	.	.	.	1	3 2	1 7	2 6	.	3 4	5 13	1	.
21	Ulcer of the Stomach or Duodenum.	M. F.	9	6 3	1	2	1 1	3 1	.	3 2	1 .	1	.
22	Diarrhea and Enteritis	M. F.	10	5 3	4 3	1	1	.	2	.	3 5	2	.
23	Appendicitis	M. F.	2	1 1	.	.	1	.	1	1	1	.	.	.
24	Cirrhosis of the Liver	M. F.
25	Diseases of the Liver and Biliary Passages.	M. F.	5	1 4	1	1	1	1	1	1	1	1	1	1 1	1 1	3 2	.	1 3	1 3	1	.
26	Other Diseases of the Digestive System.	M. F.	21	10 11	1 2	1 2	3 2	1 2	1	1	1	1	1	1	2	3 3	3 3	3 2	1 3	8 5	3	.
27	Nephritis	M. F.	38	25 13	.	.	.	1	1	.	4 2	6	1	1	1	1	1	1	1	3 3	11 7	6	9 2	11 1	3 1	3	.
28	Puerperal Infection	F.
29	Other Diseases of Childbirth	F.	3	3	.	.	.	1	2	1	1	1	.	.
30	Congenital Debility etc. (Nos. 157-161).	M. F.	41	21 20	21 19	5	19 11	3 4	3	.
31	Scalding	M. F.	320	138 182	112 150	26 32	.	3 3	18 27	100 133	1	.
32	Suicide	M. F.	3	2 1	1	1	.	.	.	2 1	.	.
33	Other Violence	M. F.	17	10 7	.	2 1	1	.	.	2	1	3	1	2	1	1	1	1	1	.	1 2	.	1	10 5	1	.	.
34	Other Causes	M. F.	120	70 50	8 3	7 3	5 1	1 1	1 1	3 3	6 5	6 12	13 10	16 29	16 16	16 16	16 16	16 16	16 16	13 10	13 10	13 10	13 10	13 10	13 10	16 16	16 16

ABSTRACT V—continued.—Causes of Death in Administrative County of CORK, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES	4,239 {	2,212 2,027	196 135	45 39	37 38	60 57	90 76	75 101	140 133	315 321	642 518	612 609	261 206	52 48	491 344	1,408 1,429	318 296
1	Typhoid Fever (including Para-M. typhoid).	4 {	1 3	.	.	.	2	.	1 1	1	.	2	1	.
2	Cerebro-spinal Fever	3 {	2 1	.	2	.	1	2 1
3	Scarlet Fever	7 {	3 4	.	2 2	2 1	1 1	2 1	.	1 2	1	.
4	Whooping-cough	1 {	1	1	.	.
5	Diphtheria	10 {	5 5	1	2 1	3 3	2 2	.	3 3	.	.
6	Tuberculosis of the Respiratory System.	235 {	123 112	1	.	4 2	25 32	35 31	17 23	24 14	12 6	4 3	2	51 45	14 8	27 11	31 48	2
7	All other forms of Tuberculosis	50 {	27 23	3 2	2 6	5 3	2 5	8 1	1 2	1 2	3	2 1	1	9 5	1 1	8 8	9 9	.
8	Dysentery
9	Influenza	156 {	60 96	3 1	3 3	2	3 1	4	3 5	4 4	4 18	23 40	17 18	4 1	.	9 5	47 90	5 5
10	Measles	6 {	5 1	1	4	1	1	4 1	.
11	Acute Infectious Encephalitis	1 {	1	1	.	.	.	1	.	.	.
12	Typhus
13	Cancer	412 {	227 185	.	.	.	1	2	7 7	25 30	72 67	99 57	23 21	40 21	1 5	70 44	116 115	2 2
14	Diabetes Mellitus	25 {	12 13	2	1 1	4 5	4 7	1	3 5	1	1 1	8 6	.

15	Intra-cranial Lesions of Vascular M. F.	279	110	1	1	.	.	3	7	19	22	47	25	.	1	33	68	10
16	Diseases of the Heart	934	471	2	6	10	10	8	9	19	88	201	140	22	17	120	315	10
17	Other Diseases of the Circulatory M. F.	55	35	1	1	1	3	.	4	18	12	3	13	19	19	1
18	Bronchitis ...	191	113	6	4	1	1	1	.	.	1	1	3	3	3	20	42	38	4	1	27	81	11
19	Pneumonia ...	162	83	24	6	2	2	3	2	1	2	2	3	2	11	6	16	11	6	6	9	62	3
20	Other Diseases of the Respiratory M. F.	83	45	2	1	2	1	2	1	1	5	18	10	5	1	10	29	1
21	Ulcer of the Stomach or Duo- M. F.	38	29	2	2	3	1	2	8	10	1	10	9	10	.	
22	Diarrhea and Enteritis ... M. F.	58	30	18	4	1	1	1	.	.	1	1	1	1	.	2	1	2	2	12	9	2	
23	Appendicitis ... M. F.	11	7	.	.	1	1	1	2	1	1	1	1	1	1	.	1	.	2	1	1	.	
24	Cirrhosis of the Liver ... M. F.	2	1	1	.	1	.	.	1	1	.	
25	Diseases of the Liver and Biliary M. F.	15	4	1	1	1	1	1	2	1	1	3	3	1	.	
26	Other Diseases of the Digestive M. F.	69	37	7	1	3	3	1	3	3	3	3	2	2	10	4	10	5	8	17	12	7	
27	Nephritis ... M. F.	80	46	.	.	1	1	1	1	2	1	1	1	1	7	10	17	6	6	9	31	3	
28	Puerperal Infection ... F.	4	4	2	2	2	2	2	5	6	9	3	2	5	27	.	
29	Other Diseases of Childbirth ... F.	8	8	1	1	1	1	1	2	1	3	3	
30	Congenital Debility, etc. (Nos. M. F.	188	107	103	.	1	1	2	1	2	1	1	24	16	67	13	
31	Scrophulous ... M. F.	695	342	74	3	1	62	280	2	3	20	317	307
32	Scrophulous ... M. F.	9	9	1	3	3	50	297	2	3	11	337	308	
33	Other Violence ... M. F.	84	59	4	6	2	2	2	2	2	7	7	2	2	6	3	9	2	9	15	33	1	
34	Other Causes ... M. F.	364	245	22	13	5	12	19	12	3	16	16	5	19	14	42	53	27	26	26	127	38	
			119	11	3	14	12	19	3	3	12	12	19	24	24	33	22	2	16	38	92	37	

ABSTRACT V—continued.—Causes of Death in Administrative COUNTY BOROUGH OF CORK, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES	1,236 {	572 664	81 62	22 24	12 4	22 14	29 26	35 39	59 59	111 129	143 164	58 143	141 127	17 21	157 170	257 346	3 14
1	Typhoid Fever (including Para-typhoid).	{
2	Cerebro-spinal Fever ...	1 {	1	1	1	.	.
3	Scarlet Fever	{
4	Whooping-cough	3 {	3	1	2	1	.	1	1	1
5	Diphtheria ...	4 {	1 3	.	1 1	.	.	.	1	.	1	1 2	1	.
6	Tuberculosis of the Respiratory System.	86 {	46 40	.	.	.	8 5	9 9	13 13	9 9	7 4	.	.	32 18	4 1	4 5	6 16	.
7	All other forms of Tuberculosis ...	20 {	12 8	1	1 2	4 1	2 2	4	1	.	.	2	.	5 2	.	5 5	2 1	.
8	Dysentery ...	{
9	Influenza ...	32 {	11 21	.	.	.	2	1	.	2	1 4	4 4	4 8	1 1	1 1	3 1	6 18	.
10	Measles ...	7 {	6 1	1	5 1	1	.	5 1	.	.
11	*Acute Infectious Encephalitis...	{
12	Typhus ...	{
13	Cancer ...	124 {	58 66	.	1	1	1	1	1	10 15	17 19	25 24	1 2	11 17	1 2	19 13	27 34	.
14	Diabetes Mellitus ...	5 {	2 3	1 2	1 1	.	.	.	1 3	1 .	.

15	Intra-cranial Lesions of Vascular Origin.	M. F.	74 {	27 47	.	.	1	.	3	6	13	1	4	.	3	29 27
16	Diseases of the Heart	... M. F.	333 {	148 186	.	.	1	3	7	12	53	26	27	9	52	60
17	Other Diseases of the Circulatory System.	M. F.	13 {	7 6	.	.	.	1	1	2	1	3	2	.	2	3
18	Bronchitis M. F.	109 {	48 61	.	.	.	1	1	5	18	6	3	1	2	1
19	Pneumonia M. F.	70 {	28 42	10 7	5 10	1	3	2	2	2	4	4	.	9	15
20	Other Diseases of the Respiratory System.	M. F.	24 {	12 12	1	.	.	.	2	2	2	.	1	.	1	7
21	Ulcer of the Stomach or Duodenum.	M. F.	7 {	5 2	3	1	1	.	.	.	2	3
22	Diarrhea and Enteritis	... M. F.	35 {	15 29	13 15	2 3	1	3	.	5	7
23	Appendicitis	... M. F.	4 {	3 1	.	.	1	2	.	1	.	.	2	.	1	11
24	Cirrhosis of the Liver	... M. F.	1 {	1	1	.	.	.
25	Diseases of the Liver and Biliary Passages.	M. F.	7 {	4 3	.	.	1	1	.	1	1	.	2	.	2	2
26	Other Diseases of the Digestive System.	M. F.	21 {	8 13	3 3	1 2	1	1	1	1	2	2	3	.	2	3
27	Nephritis M. F.	15 {	4 11	.	.	1	1	1	3	3	1	2	.	5	2
28	Puerperal Infection	... F.
29	Other Diseases of Childbirth	... F.	7	7	.	.	1	3	3	.	.	.	3	.	4	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	58 {	34 24	34 23	1	8	.	10	16
31	Senility	... M. F.	45 {	45 59	5	10	2	1	1	13
32	Suicide	... M. F.	4 {	3 1	.	.	.	1	1	1	.	.	1	.	.	2
33	Other Violence	... M. F.	27 {	16 11	1	1	2	2	2	1	1	1	9	.	1	7
34	Other Causes	... M. F.	100 {	58 42	13 9	2 2	6 2	2 1	2 4	8 6	12 7	3 2	14 8	1 2	13 6	30 26

ABSTRACT V--continued.--Causes of Death in Administrative County of KERRY, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hosps.		Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	
			932 815	82 65	32 21	16 19	34 36	51 42	51 36	64 59	126 116	256 181	280 270	67 59	42 35	205 136	678 615	266 247
1	ALL CAUSES	1,837 { M. } F. }	1 1	.	.	.	1 1	1 1	1 .	.	.
2	Typhoid Fever (including Para-M. typhoid).	2 { M. } F. }	2 3	.	2 2	2 2	1	.
3	Cerebro-spinal Fever	5 { M. } F. }	1 2	1	1 2	1
4	Scarlet Fever	3 { M. } F. }	1 1	1	1	.
5	Whooping-cough	1 { M. } F. }	1 .	1
6	Diphtheria	19 { M. } F. }	11 8	.	6 3	4 5	.	1	2	.	9 4	2 2	.
7	Tuberculosis of the Respiratory System.	139 { M. } F. }	75 64	.	.	.	12 13	28 21	20 11	10 9	2 6	3 3	.	35 27	11 8	5 4	24 25	3
8	All other forms of Tuberculosis...	29 { M. } F. }	15 14	1	5 1	1 2	2 4	3 3	1 1	1 .	1 1	1 1	.	3	2 2	8 4	5 5	.
9	Dysentery	. { M. } F. }
10	Influenza	77 { M. } F. }	37 40	4 3	1 1	1	3	.	1 1	1 1	4 7	11 17	12 9	.	.	3 2	34 38	12 14
11	Measles	4 { M. } F. }	1 3	.	1	.	1	1	1	1 3	1
12	Acute Infectious Encephalitis...	2 { M. } F. }	1 1	.	.	.	1	.	.	1	1 1	.	.
13	Typhus	. { M. } F. }
14	Cancer	135 { M. } F. }	70 65	5	4 5	7 12	16 20	29 18	14 5	3 7	.	26 20	41 38	1 1
15	Diabetes Mellitus	12 { M. } F. }	3 9	1	2	3	1	.	.	1	3	.

15	Intra-cranial Lesions of Vascular Origin.	M. F.	102	37	45	174	129	11	11	35	32	49	37	8	9	8	5	19	8	5	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
----	---	-------	-----	----	----	-----	-----	----	----	----	----	----	----	---	---	---	---	----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--

ABSTRACT V—contd.—Causes of Death in Administrative County of LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					Un-certified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

15	Intra-cranial Lesions of Vascular Origin.	M. F.	93 {	27 56	1	2	1	1	7	6	19	10	.	1	3	2	27 47	3
16	Diseases of the Heart	... M. F.	277 {	152 125	4	3	1	1	16	30 22	54 48	45 41	4	5	9	22 18	117 97	5 4
17	Other Diseases of the Circulatory System.	M. F.	22 {	13 9	1	1	2	6	3	.	.	7	6	6	1
18	Bronchitis	... M. F.	52 {	26 26	2	1	.	1	3	.	12	4	5	.	.	1	4	21 22	1 3
19	Pneumonia	... M. F.	60 {	32 28	9	4	1	.	.	.	1	3	2	2	3	8	3	1	1	.	9	22 20	1 1
20	Other Diseases of the Respiratory System.	M. F.	22 {	16 6	1	1	.	.	.	1	.	.	2	.	3	8	1	.	2	.	2	12 6	1
21	Ulcer of the Stomach or Duodenum.	M. F.	15 {	12 3	2	3	3	3	1	2	1	.	3	1	6	2 3	1
22	Diarrhea and Enteritis	... M. F.	27 {	12 15	9	13	1	.	.	1	2	.	2	8 9	1
23	Appendicitis	... M. F.	9 {	6 3	.	.	.	1	1	.	1	.	.	.	2	2	1	.	.
24	Cirrhosis of the Liver	... M. F.	2 {	2	1	1	1	2	.
25	Diseases of the Liver and Biliary Passages.	M. F.	7 {	3 4	1	1	3	1	2 2	.
26	Other Diseases of the Digestive System.	M. F.	24 {	13 11	2	1	1	1	1	1	3	3	1	3	.	.	6	4 6	1 2
27	Nephritis	... M. F.	57 {	35 22	.	.	1	.	.	1	1	3	1	2	6	13	9	6	2	1	9	24 17	1
28	Puerperal Infection	... F.	1	1	1	1	.	.
29	Other Diseases of Childbirth	... F.	5	5	3	1	1	1	4	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	64 {	40 24	49	5	.	7	10	10
31	Senility	... M. F.	201 {	93 108	16	77	.	1	6	1	87 98	56 64
32	Suicide	... M. F.	3 {	2 1	1	.	.	.	1	1	1	.
33	Other Violence	... M. F.	29 {	15 11	1	1	3	1	.	1	1	1	1	1	2	1	4	.	.	.	7	7	.
34	Other Causes	... M. F.	128 {	65 65	6	5	4	3	1	6	9	1	1	1	15	12	11	10	1	3	15	41 40	7 10

ABSTRACT V—continued.—Causes of Death in Administrative County Borough of Limerick, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURENCE.				Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES	554 {	280 274	47 43	18 17	9 7	6 13	12 19	23 17	44 36	64 55	38 39	42 14	2 6	85 82	151 172	6 5
1	Typhoid Fever (including Para-typhoid).	2 {	2	1	.	1	.	.
2	Cerebro-spinal Fever	1 {	1	.	1	1
3	Scarlet Fever
4	Whooping-cough	2 {	2	1	1	2	.
5	Diphtheria	3 {	1 2	.	1	1	.	.	1	2	1	.
6	Tuberculosis of the Respiratory System.	51 {	19 32	.	.	1 12	7 9	5 8	4 1	2	1	.	2	1	12 18	4 13	.
7	All other forms of Tuberculosis	16 {	8 8	.	2 2	2 3	2 1	2 2	2 2	.	3 4	3 2	.
8	Dysentery
9	Influenza	12 {	5 7	1 1	2	4 2	2	.	.	1 3	4 4	.
10	Measles
11	Acute Infectious Encephalitis	2 {	2	.	1	.	.	1	1	.	1	.	.
12	Typhus
13	Cancer	40 {	19 21	2 3	5 6	11 6	3 4	2 2	1	8 7	9 11	.
14	Diabetes Mellitus	8 {	3	1	2

[illegible]

ABSTRACT V—continued—Causes of Death in Administrative County of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un- certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up	General and Special Hospitals.	Mental Hos- pitals.	County Homes and District Hospitals. and Co. Infir- maries.		Else- where.	
	ALL CAUSES	762 {	436 326	32 15	12 4	13 7	9 18	10 10	21 15	25 21	49 42	137 75	128 119	15 11	17 9	109 79	295 227	43 46
1	Typhoid Fever (including Para-typhoid).	1 {	1	.	.	1	1	.	.
2	Cerebro-spinal Fever {
3	Scarlet Fever	. {
4	Whooping-cough	5 {	2 3	1 2	1	1	2 3	.
5	Diphtheria ...	1 {	1	.	.	1	1
6	Tuberculosis of the Respiratory System.	44 {	23 21	.	.	2 1	2 9	5 4	8 3	3 3	2 1	1	.	.	4 1	7 7	12 13	.
7	All other forms of Tuberculosis ...	16 {	10 6	1	2	1 1	3 3	.	2	1 1	.	1	.	1	1	6 4	2 2	.
8	Dysentery ...	1 {	1	1	.	.	1	.	.	.
9	Influenza ...	14 {	8 6	1	.	.	.	1	1	.	2	3 2	2	1	.	2	7 4	1
10	Measles ...	3 {	3	.	.	3	3	.
11	Acute Infectious Encephalitis ...	1 {	1	1	1	.	.
12	Typhus {
13	Cancer	58 {	40 18	.	.	.	1	1	1 2	5 2	7 6	16 6	10 1	1	.	12 5	28 12	.
14	Diabetes Mellitus	4 {	2 2	1 1	.	1	.	.	1	1	.

No.	Disease	Males	Females	Total
15	Intra-cranial Lesions of Vascular Origin.	29	14	43
16	Diseases of the Heart	94	88	182
17	Other Diseases of the Circulatory System.	3	7	10
18	Bronchitis ...	18	15	33
19	Pneumonia ...	14	6	20
20	Other Diseases of the Respiratory System.	6	2	8
21	Ulcer of the Stomach or Duodenum.	8	1	9
22	Diarrhea and Enteritis	6	4	10
23	Appendicitis	3	1	4
24	Cirrhosis of the Liver	.	.	.
25	Diseases of the Liver and Biliary Passages.	2	3	5
26	Other Diseases of the Digestive System.	2	.	2
27	Nephritis	15	8	23
28	Puerperal Infection	2	.	2
29	Other Diseases of Childbirth	1	.	1
30	Congenital Debility, etc. (Nos. 157-161).	18	9	27
31	Senility	76	74	150
32	Suicide	3	.	3
33	Other Violence	12	1	13
34	Other Causes	42	31	73

ABSTRACT V—continued.—Causes of Death in PROVINCE OF CONNAUGHT, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURRENCE.					Un-certified Deaths			
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES	7,379 { ... M. ... F.}	3,774 3,605	240 179	69 64	57 64	128 131	148 152	130 150	211 194	407 390	1,021 881	1,363 1,400	129 102	129 126	663 512	2,853 2,865	1,161 1,349
1	Typhoid Fever (including Para-typhoid).	9 { ... M. ... F.}	7 2	.	.	.	1	4	2	1	2	4	.	.
2	Cerebro-spinal Fever ...	5 { ... M. ... F.}	4 1	.	2 1	1	1	1	.	2	1	.
3	Scarlet Fever	2 { ... M. ... F.}	2	1	.	1	1	.
4	Whooping-cough	22 { ... M. ... F.}	15 7	11 3	4 4	2	.	4	9	3
5	Diphtheria ...	14 { ... M. ... F.}	8 6	2	5 3	1 2	.	.	.	1	.	.	.	1	.	6	1	.
6	Tuberculosis of the Respiratory System.	397 { ... M. ... F.}	188 209	.	1 12	2 11	48 62	54 59	38 29	22 21	20 18	4 7	.	44 41	22 19	44 41	78 108	10 5
7	All other forms of Tuberculosis	122 { ... M. ... F.}	60 62	1	6 6	8 11	13 19	13 13	7 5	6 2	5 3	2 1	1	6 7	4 4	33 19	17 32	1 2
8	Dysentery ...	{ ... M. ... F.}
9	Influenza ...	305 { ... M. ... F.}	146 159	6 9	1 4	2 2	2 1	4 3	3 4	11 7	21 22	50 50	46 57	.	13 8	14 8	119 143	54 71
10	Measles ...	9 { ... M. ... F.}	6 3	2	2 1	2 1	1	1	5	.
11	Acute Infectious Encephalitis...	1 { ... M. ... F.}	1	1
12	Typhus ...	3 { ... M. ... F.}	3	1	2	2	1	.
13	Cancer ...	573 { ... M. ... F.}	307 266	.	.	1 1	1	2 3	9 13	30 31	67 75	135 97	62 44	9 12	6 8	71 55	221 191	20 12
14	Diabetes Mellitus ...	51 { ... M. ... F.}	27 24	1	1	1	3	1	1	4 2	7 10	8 6	4 1	2 2	.	7 8	18 14	3 2

15	Intra-cranial Lesions of Vascular Origin.	346 {	148 198
----	---	-------	------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

ABSTRACT V—continued—Causes of Death in Administrative County of GALWAY, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.		Else-where.	
	ALL CAUSES	2,305 {	1,200 1,105	86 66	33 21	21 26	45 58	46 51	44 62	64 66	106 95	299 259	456 401	45 38	37 31	250 187	868 849	358 367
1	Typhoid Fever (including Para-M. typhoid).	6 {	4 2	.	.	.	1	2	1	1	1	3 1	.	.
2	Cerebro-spinal Fever	2 {	2	.	1	.	1	1	.	1	.	.
3	Scarlet Fever	1 {	1	1	1
4	Whooping-cough	3 {	2 1	1 1	1	1 1	1	.
5	Diphtheria	4 {	3 1	1	1	1	1	.	1	1	.
6	Tuberculosis of the Respiratory System.	138 {	59 79	.	.	7	16 26	19 18	10 13	9 10	4 3	1 2	.	12 13	6 4	18 14	23 48	2 1
7	All other forms of Tuberculosis	46 {	20 26	1	4 1	3 6	3 11	5 3	2 3	1	2	1	.	3 3	1 3	12 10	4 10	1 1
8	Dysentery
9	Influenza	92 {	44 48	2 4	2	1 2	1 .	2 1	1	5 1	5 6	11 17	17 14	.	1	5 3	39 44	15 19
10	Measles	7 {	4 3	1	2 1	1 1	1	4 3	.
11	Acute Infectious Encephalitis
12	Typhus
13	Cancer	171 {	98 73	.	.	1 1	.	1	3 7	6 7	23 19	39 30	26 8	2 4	3 3	17 14	76 52	4 3
14	Diabetes Mellitus	15 {	6 9	.	.	.	1	1	.	1	1	2	2	.	.	1	5	.

15	Intra-cranial Lesions of Vascular Origin.	M. F.	100 {	44	1	.	.	7	11	12	13	1	1	13	29	2
				56	4	10	24	16	.	.	11	44	9
16	Diseases of the Heart	M. F.	431 {	216	.	1	2	.	.	4	3	11	30	93	72	3	3	51	159	13
				215	6	3	13	14	28	76	75	1	5	42	167	15
17	Other Diseases of the Circulatory System.	M. F.	39 {	25	1	2	4	15	3	2	3	6	14	.
				14	2	1	5	6	.	.	2	12	1
18	Bronchitis	M. F.	68 {	41	2	1	1	.	.	.	1	1	3	15	18	.	.	6	35	12
				27	2	1	1	.	.	.	1	.	1	6	15	1	.	3	23	5
19	Pneumonia	M. F.	97 {	54	8	6	2	1	1	2	2	2	3	14	14	.	1	15	38	7
				43	8	5	1	.	.	3	.	4	3	13	6	.	.	10	33	7
20	Other Diseases of the Respiratory System.	M. F.	24 {	13	.	2	1	.	1	5	4	.	.	3	10	2
				11	1	1	.	1	3	5	.	1	1	3	7	4
21	Ulcer of the Stomach or Duodenum.	M. F.	11 {	7	2	.	2	1	1	.	1	.	.	3	4	.
				4	1	.	3	.	.	.	2	2	.
22	Diarrhœa and Enteritis	M. F.	26 {	15	9	3	.	.	.	2	1	.	1	1	1	4	.	2	9	.
				11	5	1	.	1	1	.	1	1	1	.	1	1	1	4	5	.
23	Appendicitis	M. F.	9 {	5	3	.	.	.	1	.	1	1	.	3	1	.
				4	1	2	.	.	.	1	1	.	2	1	.
24	Cirrhosis of the Liver	M. F.	6 {	4	1	1	2	.	1	.	3	.
				2	1	.	1	.	.	.	1	.	.
25	Diseases of the Liver and Biliary Passages.	M. F.	8 {	4	1	1	1	2	1	.	.	2	2	1
				4	1	1	1	.	.	.	2	2	.
26	Other Diseases of the Digestive System.	M. F.	43 {	22	2	3	.	1	.	1	3	4	2	6	1	1	.	11	10	3
				21	1	.	1	.	1	3	1	2	3	3	6	.	.	12	8	1
27	Nephritis	M. F.	56 {	30	.	.	.	1	1	2	2	2	2	11	12	2	.	12	16	1
				26	.	.	1	1	1	2	3	2	3	7	7	2	.	7	17	2
28	Puerperal Infection	M. F.	4 {	4	2	.	2	4	.	.
29	Other Diseases of Childbirth	M. F.	9 {	9	7	2	1	.	2	3	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	80 {	45	41	2	2	10	.	13	22	13
				35	32	1	.	1	1	.	1	3	.	9	23	13
31	Senility	M. F.	566 {	289	37	252	.	9	.	280	209
				277	41	236	1	7	1	268	258
32	Scoliosis	M. F.	3 {	3	2	.	.	1	.	.	1	.	2	.
33	Other Violence	M. F.	39 {	26	3	1	1	4	4	3	1	5	1	5	2	.	2	9	15	.
				13	1	2	.	.	.	1	.	2	.	3	4	.	.	6	7	.
34	Other Causes	M. F.	201 {	115	16	5	7	10	10	6	10	7	11	28	15	1	6	12	66	23
				86	10	6	5	7	7	6	8	10	11	17	6	1	4	16	65	27

ABSTRACT V—continued.—Causes of Death in Administrative County of LEITRIM, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.				Un-certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.	Else-where.			
	ALL CAUSES	771 {	401 370	25 12	8 7	4 7	7 9	17 14	12 18	21 16	52 49	126 101	129 137	13 5	16 11	73 42	299 312	132 168
1	Typhoid Fever (including Para-typhoid).	{ M. F.
2	Cerebro-spinal Fever ...	{ M. F.
3	Scarlet Fever	{ M. F.
4	Whooping-cough	{ M. F.	1 1	.	1 1	1 1	1 .
5	Diphtheria ...	{ M. F.	3 .	.	3	3 .	.	.
6	Tuberculosis of the Respiratory System.	{ M. F.	16 12	.	.	1 1	2 6	7 6	4 1	2 1	2 1	.	2 3	3 .	.	6 5	5 4	1 .
7	All other forms of Tuberculosis ...	{ M. F.	5 5	.	1 2	2 1	1 .	1 .	1	1 .	2 .	.	1 2	2 3	.
8	Dysentery ...	{ M. F.
9	Influenza ...	{ M. F.	15 17	.	.	1 .	1 .	1 .	1 1	.	4 3	7 6	2 6	.	.	1 1	14 16	4 10
10	Measles ...	{ M. F.
11	Acute Infectious Encephalitis ...	{ M. F.
12	Typhus ...	{ M. F.	3	1 .	1 .	2	2 .	1 .	.
13	Cancer ...	{ M. F.	22 22	1 2	1 2	7 10	10 5	3 3	1 .	.	6 5	15 17	2 1
14	Diabetes Mellitus ...	{ M. F.	5 2	.	.	.	1 .	.	.	2 .	1 1	2	3 1	2 1	.

ABSTRACT V—continued.—Causes of Death in Administrative County of MAYO, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-15	25-35	45-55	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.	Else-where.					
	ALL CAUSES	2,158 {	1,073 1,085	71 54	18 18	20 18	35 34	42 40	36 39	60 51	103 113	288 266	400 452	33 28	46 50	158 132	836 875	363 452
1	Typhoid Fever (including Para-M. typhoid).	2 {	2	1	1	2	.	.	.
2	Cerebro-spinal Fever	2 {	2	.	1	1	1	1	.
3	Scarlet Fever	1 {	1	.	.	1	1	.
4	Whooping-cough	13 {	9 4	7 2	2 2	2	.	2	5 4	1 .
5	Diphtheria	4 {	2 2	1 .	1 1	2 2	.	.
6	Tuberculosis of the Respiratory System.	109 {	52 57	.	.	1 1	13 18	15 13	7 9	7 4	7 9	2 3	.	14 11	9 5	7 6	22 35	6 3
7	All other forms of Tuberculosis...	30 {	16 14	.	2	3 1	4 3	2 5	1 1	3 1	1 1	2	.	.	3 1	7 3	6 8	1
8	Dysentery
9	Influenza	78 {	34 44	1 4	1	.	1	1	1	2 3	4 4	17 14	8 16	.	11 6	3 1	20 37	15 29
10	Measles	1 {	1	1	1	.
11	Acute Infectious Encephalitis
12	Typhus
13	Cancer	178 {	94 84	2 2	13 10	19 23	43 30	17 19	4 4	.	18 14	72 64	11 5
14	Diabetes Mellitus	11 {	3 8	.	.	1	1	.	.	1	4	2	1	.	.	1 2	2 4	1

No.	Disease	M.	F.	Total
15	Intra cranial Lesions of Vascular Origin.	97	44	141
16	Diseases of the Heart	307	166	473
17	Other Diseases of the Circulatory System.	30	19	49
18	Bronchitis ...	86	46	132
19	Pneumonia ...	75	32	107
20	Other Diseases of the Respiratory System.	20	10	30
21	Ulcer of the Stomach or Duodenum.	14	10	24
22	Diarrhoea and Enteritis	16	9	25
23	Appendicitis	9	3	12
24	Cirrhosis of the Liver	6	1	7
25	Diseases of the Liver and Biliary Passages.	42	21	63
26	Other Diseases of the Digestive System.	38	24	62
27	Nephritis	2	2	4
28	Puerperal Infection	5	5	10
29	Other Diseases of Childbirth	67	35	102
30	Congenital Debility, etc. (Nos. M. 157-161).	670	32	702
31	Senility	3	3	6
32	Suicide	34	23	57
33	Other Violence	208	123	331
34	Other Causes		85	85

ABSTRACT V—continued.—Causes of Death in Administrative County of ROSCOMMON, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES	1,124 {	573 551	24 21	4 11	7 6	19 15	22 25	19 15	26 27	77 69	156 134	219 228	13 8	8 14	97 79	455 450	191 231
1	Typhoid Fever (including Para-typhoid).	1 {	1	1	1	.	.
2	Cerebro-spinal Fever ...	{
3	Scarlet Fever ...	{
4	Whooping-cough ...	2 {	1 1	1	1	1	1	1
5	Diphtheria ...	2 {	2	.	1	1	1	1	.
6	Tuberculosis of the Respiratory System.	57 {	24 33	.	1	2	5 8	6 11	9 4	1 1	3 5	1	.	5 2	6	6 14	13 11	1 1
7	All other forms of Tuberculosis ...	16 {	9 7	.	1 1	1	3 1	2 3	1 1	1	1	.	.	1 1	.	6 2	2 4	.
8	Dysentery ...	{
9	Influenza ...	64 {	29 35	2 1	1 1	1	.	.	2	1 2	4 7	8 7	12 15	.	.	5 3	24 32	8 5
10	Measles ...	{
11	Acute Infectious Encephalitis ...	{
12	Typhus ...	{
13	Cancer ...	70 {	37 33	2 1	1	3 4	8 12	14 13	9 3	1 .	1	14 11	21 22	2 1
14	Diabetes Mellitus ...	8 {	4 4	1	1	2	1	2	1	.	.	3 4	. 1

No.	Disease	Males	Females	Total
15	Intra-cranial Lesions of Vascular Origin.	52	34	86
16	Diseases of the Heart.	192	72	264
17	Other Diseases of the Circulatory System.	14	9	23
18	Bronchitis ...	57	28	85
19	Pneumonia ...	44	25	69
20	Other Diseases of the Respiratory System.	12	10	22
21	Ulcer of the Stomach or Duodenum.	9	7	16
22	Diarrhoea and Enteritis ...	6	1	7
23	Appendicitis ...	2	1	3
24	Cirrhosis of the Liver ...	1	1	2
25	Diseases of the Liver and Biliary Passages.	5	4	9
26	Other Diseases of the Digestive System.	6	1	7
27	Nephritis ...	28	13	41
28	Puerperal Infection
29	Other Diseases of Childbirth ...	5	5	10
30	Congenital Debility, etc. (Nos. 157-161).	27	15	42
31	Senility ...	328	152	480
32	Suicide ...	2	2	4
33	Other Violence ...	13	5	18
34	Other Causes ...	101	63	164

ABSTRACT V—continued.—Causes of Death in Administrative County of SLIGO, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.						Un- certified Deaths.	
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospitals.	Mental Hos- pitals.	County Homes and District Hospitals and Co. Infirm- aries.	Else- where.		
	ALL CAUSES	1,021	527 494	34 26	6 7	5 7	22 15	21 22	19 16	40 34	69 64	152 121	159 182	25 23	22 20	85 72	395 379	117 131
1	Typhoid Fever (including Para-typhoid).	{																
2	Cerebro-spinal Fever	{	1														1	
3	Scarlet Fever	{																
4	Whooping-cough	{	2	2														1
5	Diphtheria	{	1			1										1		
6	Tuberculosis of the Respiratory System.	{	37 28			1 1	13 8	7 11	8 2	3 5	4	1 1		10 15	5 1	7 2	15 10	
7	All other forms of Tuberculosis	{	10 10		1 1	1 1	1 3	3 2	2	1 1	1 2			1		7 2	3 7	
8	Dysentery	{																
9	Influenza	{	24 15	1				1	1	3 1	4 2	7 6	7 6		2 1		22 11	12 8
10	Measles	{	1			1										1		
11	Acute Infectious Encephalitis	{	1															
12	Typhus	{														1		
13	Cancer	{	56 54				1		2 4	7 8	10 11	29 19	7 11	1 4	2 3	16 11	37 36	1 2
14	Diabetes Mellitus	{	9 1				1			2	5 1	1		1		2 1	6	2

15	Intra-cranial Lesions of Vascular Origin.	M. F.	52 {	21 31	1	1	21 3	7 12	9 8	.	1	2	3 8	15 21
16	Diseases of the Heart	... M. F.	206 {	109 97	.	.	.	1	1 3	4 1	12 19	21 40	23 24	.	2 1	6 7	10 14	91 73
17	Other Diseases of the Circulatory System.	M. F.	12 {	7 5	2	3 3	2 2	.	.	.	7 3	1
18	Bronchitis M. F.	34 {	18 16	1	.	.	1	.	.	2	9 3	8 6	.	.	1	13 13	2 6
19	Pneumonia M. F.	36 {	16 20	5 2	1 2	.	1	2	.	2 2	4 3	1 8	.	1	1	3 1	12 12
20	Other Diseases of the Respiratory System.	M. F.	16 {	9 7	1	.	1 3	2 1	2 2	.	1	.	1 6	1 1
21	Ulcer of the Stomach or Duodenum.	M. F.	7 {	5 2	1 1	.	1 1	.	1	.	.	.	1 1	3 1
22	Diarrhea and Enteritis	... M. F.	9 {	3 6	2 1	.	.	.	1	.	.	.	1	.	1	1	1 4	.
23	Appendicitis	... M. F.	2 {	2	.	.	.	1	2	.
24	Cirrhosis of the Liver	... M. F.	1 {	1	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. F.	2 {	2	1	1	2	.
26	Other Diseases of the Digestive System.	M. F.	15 {	6 9	1	1	.	1	.	1	1 1	2 3	2 1	.	.	.	1 6	1 2
27	Nephritis	... M. F.	22 {	16 6	2	1 2	4 2	5 1	4 1	.	1	.	2 6	.
28	Puerperal Infection	... F.
29	Other Diseases of Childbirth	... F.	3	3	2	1	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	37 {	22 15	21 15	.	.	.	1	3	.	16 2	3 2
31	Senility	... M. F.	235 {	108 127	28 17	80 110	.	1	3	15 5	20 123
32	Suicide	... M. F.	2 {	2	1	2
33	Other Violence	... M. F.	10 {	5 5	.	1	1	2	2 1	.	1	1	1 4	2 2
34	Other Causes	... M. F.	70 {	36 31	3 3	1 1	.	1	3 2	8 6	7 10	11 7	4 2	.	3	1 3	27 23	7 9

ABSTRACT V—continued.—Causes of Death in PROVINCE OF ULSTER (part of), by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURRENCE.					Un- certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospis.	Mental Hos- pitals.		County Homes and District Hospis. and Co. Infirm- aries.	Else- where.	
	ALL CAUSES	4,260 {	2,200 2,060	167 114	42 40	23 43	61 63	62 68	88 96	105 141	283 281	670 570	699 644	46 43	51 40	390 286	1,713 1,691	518 569
1	Typhoid Fever (including Para-typhoid).	2 {	2	2	1	.	.	.
2	Cerebro-spinal Fever ...	5 {	1 4	.	1 3	2	1 2	.
3	Scarlet Fever	4 {	3 1	.	1 1	1	2 1	1	.
4	Whooping-cough	23 {	9 14	6 3	3 9	9 14	1 1
5	Diphtheria ...	3 {	2 1	2 1	1	2	.
6	Tuberculosis of the Respiratory System.	209 {	85 124	.	1 1	18 36	21 28	15 18	8 16	16 13	5 6	1	.	6 15	8 10	25 37	46 62	4 6
7	All other forms of Tuberculosis ...	65 {	30 35	1 3	6 4	8 6	3 4	3 5	2 3	3 1	.	1	.	2 1	.	5 16	23 16	1 1
8	Dysentery
9	Influenza ...	214 {	103 111	5 2	1 2	2	1 2	5 2	4 5	8 20	45 47	31 31	.	.	.	9 14	94 97	27 37
10	Measles ...	3 {	3	1	1	1	2	.
11	Acute Infectious Encephalitis ...	2 {	2	2	2	.
12	Typhus
13	Cancer ...	328 {	165 163	.	1	.	2	2	4 12	15 32	40 48	30 26	8 6	3 1	28 15	126 141	8 12	8 12
14	Diabetes Mellitus ...	31 {	13 18	.	.	1	1	1	2 1	2 1	4 8	2 3	.	.	6 4	7 14	.	1

ABSTRACT V—continued.—Causes of Death in Administrative County of CAVAN, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.		Else-where.	
	ALL CAUSES	1,184 { M. ... F. ...}	631 553	54 21	15 12	2 7	19 18	13 22	26 25	29 38	99 75	188 150	186 185	18 16	15 13	156 92	442 432	135 154
1	Typhoid Fever (including Para-M. typhoid).	2 { M. ... F. ...}	2	2	1	1	.	.
2	Cerebro-spinal Fever	. { M. ... F. ...}
3	Scarlet Fever	. { M. ... F. ...}
4	Whooping-cough	17 { M. ... F. ...}	7 10	5 2	2 7	1	7 10	1 1
5	Diphtheria	. { M. ... F. ...}
6	Tuberculosis of the Respiratory System.	53 { M. ... F. ...}	26 33	.	.	1	4 12	2 6	4 3	2 3	6 6	2 2	.	2 6	3 5	9 12	6 10	.
7	All other forms of Tuberculosis	7 { M. ... F. ...}	3 4	.	1	1	.	.	1	1	1 1	.	.	.	1	1	3 2	1
8	Dysentery	. { M. ... F. ...}
9	Influenza	17 { M. ... F. ...}	7 10	1	1	1	1	3 6	3 1	.	.	.	7 10	3 2
10	Measles	1 { M. ... F. ...}	1	.	.	1	1	.
11	Acute Infectious Encephalitis	1 { M. ... F. ...}	1	1	1	.
12	Typhus	. { M. ... F. ...}
13	Cancer	94 { M. ... F. ...}	48 46	.	1	.	.	1	2 4	6 12	13 9	14 11	13 8	1 1	1	11 7	35 38	2 3
14	Diabetes Mellitus	10 { M. ... F. ...}	5 5	1	.	1	2 3	1 1	.	.	3 1	2 4	1

ABSTRACT V—continued.—Causes of Death in Administrative County of DONEGAL, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURRENCE.					Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES	2,146 {	1,108 1,038	86 58	21 18	15 23	27 34	38 30	45 50	56 74	114 129	337 292	369 325	16 11	25 18	138 122	923 887	324 334
1	Typhoid Fever (including Para-typhoid).	{
2	Cerebro-spinal Fever ...	3 {	1 2	1 2	1 2	.
3	Scarlet Fever	4 {	3 1	1 1	1 1	2 1	1	.
4	Whooping-cough	5 {	2 3	1 .	1 2	2 3	.
5	Diphtheria ...	3 {	2 1	2 1	1	2	.
6	Tuberculosis of the Respiratory System.	113 {	53 60	.	1 .	1 3	11 15	15 17	10 9	5 8	8 5	2 2	1	2	5 2	15 25	31 33	4 1
7	All other forms of Tuberculosis...	47 {	22 25	1 2	5 3	4 5	4 6	3 3	3 4	1 1	1	1	.	1	1	4 12	18 11	1
8	Dysentery ...	{
9	Influenza ...	147 {	72 75	4 2	1 1	.	1	1 1	4 2	3 4	4 13	32 28	22 24	.	.	5 12	67 63	20 29
10	Measles ...	{
11	Acute Infectious Encephalitis...	1 {	1	1	1	.
12	Typhus ...	{
13	Cancer ...	170 {	81 89	.	.	.	2	.	1 7	6 15	14 22	45 29	15 11	6 3	2	8 4	65 82	6 9
14	Diabetes Mellitus ...	10 {	4 6	.	.	.	1	1	.	1	1	1 2	3 4	.

ABSTRACT V—contd.—Causes of Death in Administrative County of MONAGHAN, by Sexes, Ages, and Places of Occurrence during the year 1941.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	930	461 469	27 35	6 10	6 8	15 11	11 16	17 21	20 29	70 77	145 128	144 134	12 16	11 9	96 72	342 372	59 81
1	Typhoid Fever (including Para-typhoid).	
2	Cerebro-spinal Fever	2	2	.	1	1	2	.	.
3	Scarlet Fever	
4	Whooping-cough	1	1	1	1	.
5	Diphtheria	
6	Tuberculosis of the Respiratory System.	43	12 31	.	1	1	3 9	4 5	1 6	1 5	2 2	1 2	.	2 9	3	1	9 19	2
7	All other forms of Tuberculosis	11	5 6	1	1	2	4	1	.	1	.	.	.	2	.	1 3	2 3	.
8	Dysentery	
9	Influenza	50	24 26	1	1	1	1	.	.	1	4 6	10 13	6 6	.	.	4 2	20 24	4 6
10	Measles	2	2	1	1	1	1	.
11	Acute Infectious Encephalitis	
12	Typhus	
13	Cancer	64	36 28	1	1 1	3 5	13 9	17 8	2 4	1 2	1	9 4	26 21	.
14	Diabetes Mellitus	11	4 7	.	.	1	.	.	.	1	2	2 2	1 2	.	.	2 7	2 6	.

ABSTRACT VI.—CAUSES OF DEATH, &c., in each of the Thirteen Principal Towns during the year 1941.

No	CAUSES OF DEATH, ETC.	Total	City of Dublin	Borough of Dun Laoghaire	Cork County Borough	Limerick County Borough	Waterford County Borough	Galway	Dundalk	Drogheda	Sligo	Wexford	Tralee	Kilkenny	Bray
	All Causes ... M. F.	5,459 5,697	3,394 3,445	267 328	572 664	280 274	226 219	110 122	103 114	100 87	82 95	93 127	67 54	87 76	78 92
1	Typhoid Fever (including Para-typhoid). M. F.	6 5	1 3	1	1	2	1	1	1	1	1	1	1	1	1
2	Cerebro-spinal Fever ... M. F.	11 8	9 5	1	1	1	1	1	1	1	1	1	1	1	1
3	Scarlet Fever ... M. F.	5 1	4 1	1	1	1	1	1	1	1	1	1	1	1	1
4	Whooping-cough ... M. F.	39 21	21 14	1	3	2	3	1	1	2 1	1	1	1	1	1
5	Diphtheria ... M. F.	36 35	28 25	1	1 3	1 2	4 3	1	1	1	1	1	1	1	1
6	Tuberculosis of the Respiratory System. M. F.	481 485	307 305	16 19	46 49	19 32	16 16	11 12	8 13	8 6	19 14	12 11	5 6	6 5	8 6
7	All other forms of Tuberculosis ... M. F.	130 122	80 69	3 11	12 8	8 8	3 5	3 4	3 2	5 3	3 3	2 4	1 1	1 3	6 1
8	Dysentery ... M. F.	1 1	1 1	1	1	1	1	1	1	1	1	1	1	1	1
9	Influenza ... M. F.	49 74	18 24	5	11 21	3 7	1 1	1 1	1 2	1 4	1	3	5 2	3 3	3 1
10	Measles ... M. F.	26 23	15 18	1	6 1	1	1 1	4 3	1	1	1	1	1	1	1
11	Acute Infectious Encephalitis ... M. F.	7 4	3 4	1	1	2	1	1	1	1	1	1	1	1	1
12	Typhus ... M. F.	1 1	1	1	1	1	1	1	1	1	1	1	1	1	1
13	Cancer ... M. F.	473 527	291 307	23 38	58 66	19 21	25 13	5 10	9 11	12 13	7 7	7 20	5 4	10 6	2 11
14	Diabetes Mellitus ... M. F.	21 35	8 20	1	2 3	3 3	1 2	1	2	1	2	1	1	2 1	1

15	Intra-cranial Lesions of Vascular System.	M. F.	317 449	190 204	28 45	27 47	13 12	15 16	8 14	7 9	6 7	5 9	2 2	1 2	7 5	4 17
16	Diseases of the Heart	M. F.	1,081 1,352	577 812	77 82	148 185	60 12	68 76	27 24	27 35	16 15	17 27	27 27	10 11	14 10	13 18
17	Other Diseases of the Circulatory System.	M. F.	150 153	119 113	8 9	7 6	3 5	2	3 3	3	2	1	1	1	3 4	1 4
18	Endocarditis	M. F.	314 288	212 167	4 10	48 61	20 23	10 3	1 4	1 3	1 3	2 3	2 5	2 3	1 3	1
19	Pneumonia	M. F.	291 286	195 184	15 8	28 42	19 16	7 7	1 6	1 1	3 2	1 3	4 6	4 2	4 5	3 4
20	Other Diseases of the Respiratory System.	M. F.	128 101	82 66	8 4	12 12	4 5	1 2	3	2	3 1	1 1	2	1	2 2	7 8
21	Ulcer of the Stomach or Duodenum.	M. F.	63 22	34 12	7	5 2	5 1	3 3	1	2 1	1 1	3 1	1 1	1	1	1
22	Diarrhea and Enteritis	M. F.	365 291	289 216	17 10	15 20	14 15	10 15	7 4	2	3 3	1 2	2 1	2	2	5 1
23	Appendicitis	M. F.	18 13	10 9	1 1	3 1	1	1	1	1	2	1	1	1	1	1
24	Cirrhosis of the Liver	M. F.	18 9	12 6	1 1	1 1	2	1	1	1	1	1	1	1	1	1
25	Diseases of the Liver and Biliary Passages.	M. F.	21 29	11 17	2 2	4 3	1 1	1	1	3	1	1	1	1	3 1	1
26	Other Diseases of the Digestive System.	M. F.	77 85	42 44	9 5	8 13	3 8	2 3	2	3 1	2	1 2	1 2	2 1	3 1	1
27	Nephritis	M. F.	185 142	137 93	8 6	4 11	11 5	5 3	2 3	3 3	6 3	2	1 7	4 2	1 2	1 2
28	Puerperal Infection	M. F.	11	10	1	1	1	1	1	1	1	1	1	1	2	1
29	Other Diseases of Childhood	M. F.	30	11	1	7	2	1	1	1	1	1	1	1	2	1
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	444 306	311 212	12 6	34 24	20 17	13 8	7 7	3 6	8 6	7 4	7 5	4 4	8 4	10 2
31	Scrophulous	M. F.	132 330	48 156	4 28	15 30	10 20	6 17	8 6	5 9	7 10	2 13	8 22	2 7	12 7	4 4
32	Scurvy	M. F.	18 2	9 1	1	3 1	1	1	1	1	1	1	1	1	1	1
33	Other Venous	M. F.	135 165	84 68	5 6	16 11	6 4	1 3	3 1	4 1	2 1	2	2 1	3 1	2 3	1
34	Other Causes	M. F.	427 353	247 189	21 25	58 42	28 19	21 18	8 11	13 10	2 7	5 3	5 3	9 6	4 7	3 10

APPENDIX I.

ALTERATIONS IN REGISTRARS' DISTRICTS, 1941.

On the 1st April, 1941, the boundaries of the Registrars' Districts known as Cork Urban Nos. 2, 3, 4 and 5 were altered.

APPENDIX II.

Table showing the number of searches made, certificates issued, and the total amounts received as fees for same at the General Register Office, Dublin, during the 78 years 1864-1941.

YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.	YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.
1864	15	3	£ 1 10 d. 6	1903	4,944	3,796	£ 731 12 s. 6 d. 6
1865	41	20	4 12 0	1904	5,183	3,958	769 19 7
1866	55	34	7 0 0	1905	5,110	3,954	759 8 5
1867	46	26	5 12 0	1906	5,714	4,409	849 6 0
1868	69	42	9 13 0	1907	5,877	4,544	875 0 2
1869	80	34	8 15 0	1908	5,984	4,670	894 19 7
1870	93	54	11 10 0	1909	6,220	4,761	920 8 0
1871	112	67	14 6 6	1910	6,387	4,903	944 18 4
1872	120	76	15 14 0	1911	6,128	4,778	914 9 11
1873	100	106	21 14 0	1912	6,811	5,160	998 7 2
1874	166	107	22 6 6	1913	6,462	4,972	957 9 0
1875	244	166	33 15 0	1914	7,552	6,140	1,137 10 0
1876	270	185	36 16 0	1915	7,398	5,898	1,118 7 0
1877	312	202	42 14 0	1916	7,729	6,198	1,172 1 2
1878	391	286	55 15 0	1917	8,151	6,475	1,225 13 6
1879	522	399	78 0 0	1918	10,702	8,499	1,611 11 6
1880	753	596	114 7 0	1919	11,513	8,998	1,712 16 0
1881	743	588	111 8 6	1920	11,484	8,810	1,688 2 0
1882	852	688	129 11 0	1921	11,419	8,499	1,646 0 6
1883	1,036	773	149 1 6	1922	18,413	7,675	1,892 9 6
1884	1,254	966	185 3 0	1923	19,377	8,808	2,076 0 0
1885	1,412	1,116	212 8 0	1924	28,947	14,367	3,003 0 6
1886	1,527	1,173	225 7 4	1925	33,945	45,435	8,940 12 0
1887	1,693	1,307	251 7 0	1926	48,193	77,947	18,493 5 6
1888	1,778	1,404	266 9 0	1927	45,802	72,665	12,391 17 6
1889	1,986	1,561	297 4 6	1928	37,462	56,965	9,804 0 6
1890	2,443	2,042	383 2 9	1929	39,650	61,182	10,412 2 6
1891	2,815	2,297	433 1 6	1930	29,901	41,744	7,384 14 6
1892	3,209	2,534	489 17 0	1931	16,540	14,548	3,162 2 6
1893	3,559	2,733	532 2 2	1932	19,265	12,031	2,951 16 0
1894	3,492	2,678	512 7 0	1933	23,360	11,477	3,052 16 6
1895	3,482	2,618	508 8 0	1934	25,611	12,145	3,329 5 0
1896	4,046	3,103	596 10 6	1935	29,463	13,024	3,649 4 6
1897	3,917	2,960	572 3 0	1936	27,778	18,552	3,673 0 0
1898	4,132	3,207	613 1 2	1937	32,502	16,191	4,376 2 0
1899	4,133	3,201	616 13 6	1938	32,595	17,327	4,529 4 0
1900	4,558	3,481	672 7 6	1939	34,893	20,876	5,181 12 6
1901	4,843	3,733	718 18 0	1940	33,704	18,570	4,818 11 0
1902	4,871	3,719	716 16 6	1941	29,601	16,227	4,243 4 6

N.B.—The above figures do not include a large number searches of made and certificates issued, free of charge, for the use of Government Departments.

APPENDIX III.

CASES OF INFECTIOUS DISEASES.

Summary of Cases of Infectious Diseases notified to the Department of Local Government and Public Health during the Year 1941.

This Summary has been prepared from the Department's Weekly Returns but adjustments have been made in respect of any corrections of these returns received after their issue.

The letters in the last Column denote the following diseases :—A—Acute anterior poliomyelitis. B—Cerebro-spinal meningitis. C—Continued fever. D—Encephalitis lethargica. E—Erysipelas. F—Ill-defined fever. G—Membranous Croup. H—Meningitis. J—Ophthalmia neonatorum. K—Paratyphoid A. L—Paratyphoid B. M—Dysentery (Bacillary). N—Malaria. O—Undulant fever. P—Dysentery (Amoebic). Q—Pemphigus Neonatorum. R—Trachoma.

COUNTY BOROUGHES.

County Boroughs	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Infec-tion	Pneumonia		Other Diseases
								Pri-mary	Influ-enzal	
Cork ...	·	11	59	42	5	63	1	21	1	B. 2. E. 28.
Dublin ...	·	53	451	511	975	428	18	213	·	A. 8. B. 34. D. 3. E. 117. J. 12. Q. 3. R. 100.
Limerick ...	·	16	62	71	2	3	·	7	·	B. 6. E. 10. R. 1.
Waterford ...	·	·	43	105	7	·	3	40	·	A. 1. B. 1. E. 11. M. 8.
TOTAL ...	·	80	615	729	989	494	22	281	1	A. 9. B. 43. D. 3. E. 166. J. 12. M. 8. Q. 3. R. 101.

URBAN DISTRICTS.

County	Urban District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Infec-tions	Pneumonia		Other Diseases
									Pri-mary	Influ-enzal	
Carlow ...	Carlow ...	·	·	·	1	·	·	1	1	·	E. 1.
Cavan ...	Cavan ...	·	·	·	14	·	·	·	·	·	E. 1.
Clare ...	Ennis ...	·	·	21	7	4	11	·	·	1	B. 1. E. 1.
Cork ...	Clonakilty ...	·	·	·	3	·	·	·	·	·	·
	Cobh ...	·	·	2	4	·	·	·	·	·	B. 1.
	Fermoy ...	·	·	13	9	·	·	1	3	2	E. 1.
	Kinsale ...	·	·	·	3	·	·	·	·	·	·
	Mallow ...	·	·	·	71	·	·	·	·	·	E. 2.
	Midleton ...	·	·	·	9	·	1	1	1	·	E. 1.
	Passage West ...	·	·	3	5	·	·	·	1	·	E. 1.
	Skibbereen ...	·	·	·	4	3	·	·	·	·	·
Donegal ...	Youghal ...	·	2	3	9	·	·	·	2	3	A. 1.
	Buncrana ...	·	·	·	1	·	·	·	·	·	·
Dublin ...	Letterkenny ...	·	·	1	13	·	·	·	·	·	E. 1.
	Dun Laoghaire ...	·	1	27	33	3	8	1	·	1	A. 2. B. 2. E. 6. R. 1.
	Howth ...	·	·	1	1	71	2	·	·	·	·

CASES OF INFECTIOUS DISEASES—contd.

County	Urban District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Infec-tions	Pneumonia		Other Diseases
									Pri-mary	Indu-enzal	
Galway ...	Ballinasloe ... Galway ...	· ·	· 3	· ·	2 18	30 60	· ·	· 4	· ·	· ·	E. 1. B. 1. E. 5.
Kerry ...	Killarney ... Listowel ... Tralee ...	· · ·	2 · 3	22 4 4	5 4 85	1 7 ·	· · ·	· · ·	· 1 ·	· · ·	E. 2. B. 1. A. 1. B. 4. E. 1.
Kildare ...	Athy ... Naas ...	· ·	· 1	4 4	· ·	1 ·	· ·	1 ·	· 2	· 2	E. 1.
Kilkenny ...	Kilkenny ...	·	·	·	20	1	·	1	·	·	B. 1. R. 2.
Longford ...	Granard ... Longford ...	· ·	· ·	· 3	1 1	· ·	2 ·	· ·	· ·	1 1	B. 1. E. 1. L. 1.
Louth ...	Drogheda ... Dundalk ...	· ·	· ·	10 7	1 3	· ·	1 1	· ·	· ·	· 1	A. 1. E. 1.
Mayo ...	Ballina ... Castlebar ... Westport ...	· · ·	1 8 ·	1 2 ·	16 1 10	· · ·	· 7 ·	· · ·	12 2 ·	· 1 ·	A. 3. B. 5. E. 3. B. 2.
Meath ...	An Uaimh ...	·	·	4	6	·	·	·	·	·	
Monaghan...	Carrickmacross ... Castleblayney ... Clones ... Monaghan ...	· · · ·	· · · 6	· · 3 ·	5 4 2 ·	3 · · ·	· · · ·	· · · ·	1 · 3 2	· · · ·	A. 1. E. 1.
Offaly ...	Birr ... Tullamore ...	· ·	· ·	· 9	· 11	· ·	3 5	· ·	· ·	· ·	
Sligo ...	Sligo ...	·	5	7	9	2	·	·	3	·	
Tipperary ...	Nenagh ... N.R. ... Templemore ... Thurles ...	· · · ·	· · · ·	2 · · 8	2 2 1	· · 1	· 2 ·	· 1 ·	· · 4	· · 10	A. 1. D. 1. E. 1.
Tipperary ...	Carrick-on-Suir ... Clonmel ... Tipperary ...	· · ·	· 3 4	5 7 ·	2 25 7	· 1 67	· · ·	· · ·	1 1 6	· · 1	J. 1. E. 11. J. 1. E. 1.
Waterford...	Dungarvan ...	·	8	·	2	·	·	·	·	·	
Westmeath	Athlone ...	·	·	1	1	·	·	·	·	·	
Wexford ...	Enniscorthy ... New Ross ... Wexford ...	· · ·	· · ·	5 19 6	· 6 10	· 1 ·	· · ·	· · ·	· · 2	1 · 6	E. 3. B. 6. E. 4. L. 1.
Wicklow ...	Bray ... Wicklow ...	· ·	· ·	3 ·	4 ·	4 6	73 ·	· ·	2 ·	25 ·	A. 2. E. 2. R. 1. A. 1.
	TOTAL	·	47	211	453	266	116	11	50	56	A. 13. B. 25. D. 1. E. 53. J. 2. L. 2. R. 4.

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS.

County	Rural District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Infections	Pneumonia		Other Diseases
									Pri-mary	Influenzal	
Carlow ...	Carlow	1	7	6	2	1	.	.	.	E. 1.
	Carlow No. 2	1	
	Idrone	1	B. 1.
Cavan ...	Bailieboro'	1	1	2	4	1	.	1	.	
	Bawnboy	2	1	.	.	.	1	1	.	A. 2. D. 1.
	Castlerahan	6	19	.	5	.	A. 1.
	Cavan	2	.	1	1	42	1	3	4	E. 2. J. 1.
	Enniskillen No. 2	1	
	Mullaghoran	2	.	.	.	
Clare ...	Ballyvaughan	9	2	
	Corrofin	1	1	2	.	.	1	3	E. 1.
	Ennis	5	3	1	3	7	.	1	2	
	Ennistymon	1	
	Killadysert	3	
	Kilrush ...	13	.	3	1	A. 2.
	Meelick	1	.	4	E. 2.
	Scariff	3	9	.	4	.	.	.	E. 1.
Cork ...	Bandon	12	1	1	1	.	.	
	Bantry	5	1	22	7	.	1	2	1	A. 1. B. 2.
	Castletown	11	2	2	9	B. 1.
	Clonakilty	2	B. 2.
	Cork	2	37*	59	6	8	1	5	.	B. 1. E. 13.
	Dunmanway	4	7	.	1	2	.	
	Fermoy	1	43	.	1	1	9	5	E. 4.
	Kanturk	4**	18	18	.	2	.	2	A. 1.
	Kinsale	2	.	7	.	.	1	1	.	
	Macroom	2	9	1	
	Mallow	4	29	.	.	2	7	.	B. 1. E. 6.
	Midleton	21	3	1	1	2	.	A. 1. B. 1. E. 1.
	Millstreet	1	10	
	Mitchelstown	
	No. 1	1	2	.	.	.	2	3	E. 2.
	Rathluirc	2	1	.	2	6	D. 1.
	Skibbereen	1	33	23	.	.	2	.	
	Skull	2	1	.	.	.	4	A. 1.
	Youghal No. 1	1	1	.	.	1	1	A. 1.
Donegal ...	Ballyshannon	1	
	Donegal	1	.	3	.	.	.	2	1	
	Dunfanaghy	1	1	6	.	10	.	1	.	
	Glenties	1	3	11	1	13	.	4	7	E. 1.
	Inishowen	8	12	17	.	4	2	7	7	A. 1. B. 1. E. 3.
	Letterkenny	1	4	
	Milford	1	4	2	
	Stranorlar	4	7	20	1	.	.	2	2	A. 3. J. 1.
Dublin ...	Balrothery	1	5†	19	6	1	.	1	6	A. 1. B. 2. E. 3.
	Cill Droichead	
	No. 2	1	4	.	49	1	5	.	E. 1.
	Dublin, Nth.	1	73‡	43	12	2	1	7	2	E. 10. J. 1. R. 1.
	Dublin, Sth.	13	21	20	11	.	2	2	B. 2. D. 1. E. 7.
		J. 1. R. 1.
Galway ...	Rathdown No. 1	19	21	16	3	.	.	.	B. 3. E. 10. R. 1.
	Ballinasloe	4	.	1	3	.	.	.	1	
	Clifden ...	8	1	.	2	3	38	.	1	.	B. 1.
	Galway	2	5	.	6	1	.	1	.	B. 1. E. 1.
	Glenamaddy	1	.	1	.	1	.	3	2	E. 1.
	Gort	1	.	.	1	B. 1. E. 1.
	Loughrea	4	2	.	7	9	1	.	2	E. 3. R. 1.
	Mountbellow	1	2	1	E. 1.
	Oughterard ...	1	14	.	3	.	2	.	1	6	B. 2.
	Portumna	3	1	.	1	E. 1.
	Tuam	2	8	1	1	A. 8. E. 1.
Kerry ...	Caherciveen	7	3	49	.	1	1	1	A. 3. B. 1. E. 5.
	Dingle	2	.	11	.	.	1	2	1	
	Kenmare	3	A. 1.
	Killarney	7	33	.	.	2	.	3	.	A. 6. B. 4. D. 1.
	Listowel	5	66	12	.	2	8	4	B. 1. E. 2.
	Tralce	1	18	44	13	.	.	4	.	A. 1. B. 1. E. 3.
		

* 6 cases mixed infection—diphtheria and scarlet fever.

** 2 cases mixed infection—diphtheria and scarlet fever.

† One case mixed infection—diphtheria and scarlet fever.

‡ One case mixed infection—diphtheria and scarlet fever.

CASES OF INFECTIOUS DISEASES—contd.

County	Rural District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Infec-tions	Pneumonia		Other Diseases
									Pri-mary	Influ-enzal	
Kildare ...	Athy No. 1.	1	7	16	2	.	5	6	
	Oil Droichead No. 1	10	7	2	1	.	2	.	
	Edenderry No. 2	.	.	5	3	14	.	.	4	.	B. 1. E. 1.
	Nas na Riogh No. 1	2	5	9	.	1	6	1	R. 1.
Kilkenny ...	Callan	14	5	.	.	.	5	.	B. 2. R. 1.
	Carrick-on-Suir No. 3	1	.	3	.	1	.	.	
	Castlecomer	1	4	1	E. 1.
	Ida	3	1	B. 1.
	Kilkenny	5	1	1	B. 1. E. 1.
	Thomastown	4	.	.	1	.	.	
	Urlingford No. 1	.	.	5	2	
Laoighis ...	Waterford N. 2	.	.	2	8	
	Abbeyleix	2	20	8	6	.	3	5	
	Athy, No. 2	11	.	1	8	7	E. 2.
	Mountmellick	.	2	15	48	30	8	.	14	2	A. 1. E. 6.
	Roscrea No. 3	.	.	.	2	.	4	.	1	.	E. 1.
Leitrim ...	Slievemargy	3	
	Ballinamore	2	
	Carrick-on-Shannon No. 1	.	1	4	E. 2.
	Manorhamilton	.	.	2	
Limerick ...	Mohill ...	3	.	1	.	.	.	1	.	.	
	Croom	2	3	.	.	1	.	.	
	Glin	1	.	.	7	.	
	Kilmallock	3	15	.	.	1	1	4	E. 1.
	Limerick No. 1.	.	3	35	28	.	3	.	.	2	
	Mitchelstown No. 2	1	3	.	.	1	.	E. 1.
	Newcastle	3	11	1	1	.	3	9	E. 1.
	Rathkeale	2	3	2	5	.	5	.	A. 1.
Longford ...	Tipperary No. 2	.	.	.	2	E. 1.
	Ballymahon	1	15	6	18	.	1	.	.	
	Granard No. 1	.	1	.	10	1	1	3	1	3	J. 1.
Louth ...	Longford	5	1	
	Ardee No. 1	.	.	1	1	1	E. 1. M. 1.
	Dundalk	1	.	4	1	1	2	.	.	B. 3.
Mayo ...	Louth	5	.	7	.	.	.	
	Ballina	19	1	5	3	25	.	A. 12. B. 2. E. 2.
	Ballinrobe	4	D. 1. E. 1.
	Belmullet	1	.	.	A. 1. B. 1.
	Castlebar	1	.	1	.	23	.	8	2	A. 1. B. 1. E. 2
	Claremorris	2	6	29	8	.	6	1	E. 1.
	Swinford	1	10	.	12	.	10	2	E. 1.
	Westport	19	1	71	.	6	1	B. 2. E. 2.
Meath ...	Ceannanus Mor	.	.	4	2	
	Dunshaughlin	.	.	.	15	1	2	.	.	.	A. 1.
	Meath	3	1	.	.	1	.	
	Navan	6	13	
	Trim	3	5	10	.	.	4	.	.	
Monaghan...	Carrickmacross	.	1	2	3	3	.	.	6	1	B. 1. E. 1.
	Castleblayney	.	.	.	2	2	1	1	.	.	A. 1. B. 1. E. 1.
	Clones No. 1	.	.	5	7	2	.	1	5	.	A. 1. B. 3. E. 2.
	Monaghan	1	5	1	.	.	15	.	B. 1. E. 5.
Offaly ...	Birr	2	4	2	6	.	2	2	
	Edenderry No. 1.	.	.	13	
	Roscrea No. 2.	.	.	.	1	1	2	.	1	.	
	Tullamore	13	15	9	6	1	.	1	1	E. 1.
Roscommon	Athlone No. 2	.	1	6	2	1	.	.	2	.	E. 1.
	Boyle No. 1.	.	6	4	1	.	.	.	1	8	
	Carrick-on-Shannon No. 2	.	1	1	1	E. 1.
	Castlereagh	1	.	1	.	.	2	6	18	E. 2.
	Roscommon	7	5	3	.	.	2	8	3	B. 1.
Sligo ...	Coolavin	1	.	.	.	2	.	
	Dromore West	.	.	9	.	.	1	.	.	.	E. 1.
	Sligo	2	3	1	A. 1.

CASES OF INFECTIOUS DISEASES—contd.

County	Rural District	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Infection	Pneumonia		Other Diseases
									Prim-ary	Influ-enzal	
Tipperary N.R.	Borrisokane	2	3	1	1	1	2	.	O. 1. Q. 1. E. 1.
	Nenagh	1	5	8	1	.	1	5	6	
	Roscrea No. 1	.	.	8	4	.	3	.	4	.	
	Thurles	3	5	4	.	.	2	2	
Tipperary S.R.	Carrick-on-Suir No. 1	2	B. 1.
	Cashel	1	1	26	
	Clogheen	15	31	1	.	.	.	1	
	Clonmel No. 1	.	.	.	1	E. 1.
	Slievardagh	4	1	8	.	.	11	2	
	Tipperary No. 1	.	2	2	15	14	25	2	2	7	
Waterford	Carrick-on-Suir No. 2	1	B. 1. L. 1. M. 5. E. 1.
	Clonmel No. 2	.	.	1	7	.	9	.	.	.	
	Dungarvan	5	.	2	.	.	
	Kilmacthomas	.	7	.	3	4	.	1	.	.	
	Lismore	15	65	35	.	.	2	
	Waterford No. 1	.	.	3	10	8	.	.	1	.	
Westmeath	Youghal No. 2	.	.	.	14	5	.	.	.	2	E. 1. E. 1. B. 2. L. 2.
	Athlone No. 1	.	.	11	4	4	.	.	2	1	
	Coole	1	.	2	3	
	Delvin	1	22	1	.	.	.	
	Mullingar	7	19	6	.	1	2	2	
Wexford ...	Enniscorthy	2	11	3	.	.	2	1	.	B. 1. E. 3. M. 3. B. 1. D. 1. E. 1. B. 1. E. 3.
	Gorey	1	9	.	7	1	6	1	
	New Ross	2	13	9	1	.	1	.	.	
	Wexford	8	4	2	
Wicklow ...	Baltinglass	1	.	.	9	.	1	.	D. 1. A. 4. A. 6. E. 2. B. 1. E. 1.
	Rathdown No. 2	.	.	5	8	1	.	1	.	.	
	Rathdrum	4	7	2	5	1	1	2	.	
	Shillelagh	3	
	TOTAL ...	25	157	621	1,136	603	496	66	325	205	A. 64. B. 58. D. 7. E. 144. J. 5. L. 3. M. 9. O. 1. Q. 1. R. 7.

TOTAL.

	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Infection	Pneumonia		Other Diseases
								Prim-ary	Influ-enzal	
Co. Boroughs	.	80	615	729	989	494	22	281	1	A. 9. B. 43. D. 3. E. 166. J. 12. M. 8. Q. 3. R. 101.
Urban Districts.	.	47	211	453	266	116	11	50	56	A. 13. B. 25. D. 1. E. 53. J. 2. L. 2. R. 4.
Rural Districts.	25	157	621	1,136	603	496	66	325	205	A. 64. B. 58. D. 7. E. 144. J. 5. L. 3. M. 9. O. 1. Q. 1. R. 7.
Total for all Districts.	25	284	1,447	2,318	1,858	1,106	99	656	262	A. 86. B. 126. D. 11. E. 363. J. 19. L. 5. M. 17. O. 1. Q. 4. R. 112.

